


# Disc Rotors



## ALFA ROMEO

### 33

All Models	83 - 85	<b>DR368</b>	●		Solid	239	45	11	<b>9</b>	58	4
1.5L	86 - 88	<b>DR658</b>	●		Solid	239	45	12.7	<b>9</b>	58	4
1.7 Sprint, Ti, iE	87 - 92	<b>DR369</b>	●		Vented	239	46	22	<b>20.2</b>	58	4
2WD With ABS	90 - 95	<b>DR12179</b>		●	Solid	240	40	11	<b>9.2</b>	59	4
4WD With ABS	90 - 95	<b>DR12180</b>		●	Solid	240	40	11	<b>9.2</b>	59	4

### 75

1.6, 1.8 & 2.0L	85 - 92	<b>DR365</b>		●	Solid	250	21	10	<b>8</b>	62	6
2.0TS, 2.5 & 3.0L V6	86 - 92	<b>DR668</b>	●		Vented	268	51.5	22	<b>20</b>	72	5
2.0TS, 2.5 & 3.0L V6	88 - 92	<b>DR667</b>		●	Solid	250	21	9.9	<b>8</b>	62	6

### 90

2.5L V6 Sedan	85 - 88	<b>DR668</b>	●		Vented	268	51.5	22	<b>20</b>	72	5
2.5L V6 Sedan	86 - 88	<b>DR667</b>		●	Solid	250	21	9.9	<b>8</b>	62	6

### 147

1.6i & 2.0i 16V Twin Spark	00 on	<b>DR356</b>	●		Vented	284	43.5	22	<b>20.2</b>	59	5
1.6i & 2.0i 16V Twin Spark	00 on	<b>DR359</b>		●	Solid	251	50.5	10	<b>9</b>	59	5
GTA 3.2L V6	8/03 on	<b>DR12381</b>	●		Vented	330	44.7	32	<b>30</b>	59	5

### 155

2.0i Turbo 16V	92 - 97	<b>DR665</b>	●		Vented	284	44	22	<b>20.2</b>	59	4
2.5L V6, 2.5 Turbo Diesel	92 - 97	<b>DR665</b>	●		Vented	284	44	22	<b>20.2</b>	59	4
2.0i Turbo 16V	92 - 97	<b>DR666</b>		●	Solid	251	50.5	10	<b>9</b>	59	4
2.5L V6, 2.5 Turbo Diesel	92 - 97	<b>DR666</b>		●	Solid	251	50.5	10	<b>9</b>	59	4

### 156


1.8L	97 on	<b>DR763</b>	●		Vented	283.8	39.3	22	<b>20.2</b>	59	5
2.0L iT/S 3.0i 24V V6	97 on	<b>DR356</b>	●		Vented	284	43.5	22	<b>20.2</b>	59	5
2.0L TS Selespeed	97 on	<b>DR356</b>	●		Vented	284	43.5	22	<b>20.2</b>	59	5
2.5L V6	97 on	<b>DR356</b>	●		Vented	284	43.5	22	<b>20.2</b>	59	5
2.0L iT/S 3.0i 24V V6	97 on	<b>DR359</b>		●	Solid	251	50.5	10	<b>9</b>	59	5
2.0L TS Selespeed	97 on	<b>DR359</b>		●	Solid	251	50.5	10	<b>9</b>	59	5
2.5L V6	97 on	<b>DR359</b>		●	Solid	251	50.5	10	<b>9</b>	59	5
3.2L	3/02 - 9/05	<b>DR12381</b>	●		Vented	330	44.7	32	<b>30</b>	59	5
All Models	02 on	<b>DR12307</b>		●	Solid	276	45.7	10	<b>9</b>	59	5

### 159

1.9L & 2.2L	9/05 on	<b>DR12469</b>	●		Vented	305	39.7	28	<b>26</b>	70	5
1.9L & 2.2L	9/05 on	<b>DR12470</b>		●	Solid	278	43.2	12	<b>10</b>	70	5
2.4, 3.2L V6	06 on	<b>DR12471</b>	●		Vented	330	39.7	28	<b>26</b>	70	5
2.4, 3.2L V6	06 on	<b>DR12472</b>		●	Vented	292	43.2	22	<b>20</b>	70	5

### 164

2.0i T/S, 2.5i & 3.0i V6	87 - 9/92	<b>DR356</b>	●		Vented	284	43.5	22	<b>20.2</b>	59	5
2.0i T/S, 2.5i & 3.0i V6	87 - 9/92	<b>DR359</b>		●	Solid	251	50.5	10	<b>9</b>	59	5
2.0i T/S, 2.5i & 3.0i V6	10/92 - 98	<b>DR12002</b>	●		Vented	281	43.5	26	<b>24.2</b>	59	5



## ALFA ROMEO

### 166

3.0L 24V V6 Automatic	98 on	<b>DR12129</b>	●		Vented	310	47.3	28	<b>26</b>	59	10
3.0L 24V V6 Automatic	98 on	<b>DR12130</b>		●	Solid	276	51.7	10	<b>9</b>	59	5

### 1300

Berlina	66 - 71	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
GT Junior Coupe	10/66 - 73	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
Spider Junior	5/66 - 72	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
Super Berlina	11/66 - 72	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
Ti Berlina	10/67 - 72	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
GTA Junior Coupe	5/68 - 71	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4

### 1600

GTV	66 - 6/68	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
Spider Roadster	66 - 7/68	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
Ti Berlina	66 - 10/67	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
Ti Super	66 - 67	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
Super	10/67 - 72	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4

### 1750

Berlina, GTV Coupe	68 - 72	<b>DR358</b>	●		Solid	272	68	12.6	<b>10.7</b>	82	4
Spider Roadster	68 - 72	<b>DR358</b>	●		Solid	272	68	12.6	<b>10.7</b>	82	4
Berlina, GTV Coupe	68 - 72	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
Spider Roadster	68 - 72	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4

### 2000

Berlina	72 - 76	<b>DR358</b>	●		Solid	272	68	12.6	<b>10.7</b>	82	4
GTV Coupe	72 - 76	<b>DR358</b>	●		Solid	272	68	12.6	<b>10.7</b>	82	4
Spider Roadster	72 - 76	<b>DR358</b>	●		Solid	272	68	12.6	<b>10.7</b>	82	4
Berlina	72 - 76	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
GTV Coupe	72 - 76	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
Spider Roadster	72 - 76	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4


### Alfasud

1200, 1500, L, Ti, Sprint	71 - 83	<b>DR363</b>	●		Solid	258	10.5	10	<b>8.8</b>	98	4
1200, 1500, L, Ti, Sprint	71 - 83	<b>DR364</b>		●	Solid	233	70	9	<b>7.8</b>	HUB	4
Ti, Sprint	83 - 85	<b>DR669</b>	●		Solid	258	16	10	<b>8</b>	62	6

### Alfetta

1.8 & 2.0L Sedan	74 - 80	<b>DR361</b>	●		Solid	261	51.1	11	<b>9</b>	72	4
GT 1.8L Coupe	74 - 80	<b>DR361</b>	●		Solid	261	51.1	11	<b>9</b>	72	4
GTV2000	74 - 80	<b>DR361</b>	●		Solid	261	51.1	11	<b>9</b>	72	4
1.8 & 2.0L Sedan 10mm Studs	74 - 80	<b>DR362</b>		●	Solid	250	21	10	<b>8</b>	62	6
GT 1.8L Coupe 10mm Studs	74 - 80	<b>DR362</b>		●	Solid	250	21	10	<b>8</b>	62	6
GTV2000 10mm Studs	74 - 80	<b>DR362</b>		●	Solid	250	21	10	<b>8</b>	62	6
1.8 & 2.0L Sedan	79 - 85	<b>DR365</b>		●	Solid	250	21	10	<b>8</b>	62	6
GTV 2500 8mm Studs	79 - 85	<b>DR365</b>		●	Solid	250	21	10	<b>8</b>	62	6

# Disc Rotors



## ALFA ROMEO

### Alfetta

2.0L Sedan	80 - 85	<b>DR366</b>	●		Solid	261	52.3	12.7	<b>9</b>	72	4
------------	---------	--------------	---	--	-------	-----	------	------	----------	----	---

### Brera

2.2L	1/06 on	<b>DR12469</b>	●		Vented	305	39.7	28	<b>26</b>	70	5
2.2L	1/06 on	<b>DR12470</b>		●	Solid	278	43.2	12	<b>10</b>	70	5
2.4, 3.2L V6	06 on	<b>DR12471</b>	●		Vented	330	39.7	28	<b>26</b>	70	5
2.4, 3.2L V6	06 on	<b>DR12472</b>		●	Vented	292	43.2	22	<b>20</b>	70	5

### Giulia

Giulia with Dunlop Brakes	64 - 69	<b>DR360</b>	●		Solid	286	55.5	10	<b>9</b>	87	4
1300, 1600	66 - 73	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
Berlina Ti & Super	66 - 73	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
GT, GTA, GTV, Spider	66 - 73	<b>DR354</b>		●	Solid	267	64	9.4	<b>7.5</b>	70	4
1300	68 - 72	<b>DR353</b>	●		Solid	267	70	10.9	<b>10</b>	82	4
1300Ti	68 - 71	<b>DR353</b>	●		Solid	267	70	10.9	<b>10</b>	82	4
Giulia GT Junior	68 - 73	<b>DR353</b>	●		Solid	267	70	10.9	<b>10</b>	82	4
Giulia Super	71 - 72	<b>DR353</b>	●		Solid	267	70	10.9	<b>10</b>	82	4
Giulia 1600 GT Coupe	72 - 74	<b>DR353</b>	●		Solid	267	70	10.9	<b>10</b>	82	4

### Giulietta

1800	80 - 83	<b>DR367</b>	●		Solid	250	54.5	12.6	<b>10.7</b>	72	4
1800 8mm Stud Hole	80 - 86	<b>DR365</b>		●	Solid	250	21	10	<b>8</b>	62	6
2000 8mm Stud Hole	80 - 86	<b>DR365</b>		●	Solid	250	21	10	<b>8</b>	62	6
2000	84 - 86	<b>DR366</b>	●		Solid	261	52.3	12.7	<b>9</b>	72	4

### GT

2.0L JTS	1/03 on	<b>DR356</b>	●		Vented	284	43.5	22	<b>20.2</b>	59	5
3.2L V6	12/03 on	<b>DR12381</b>	●		Vented	330	44.7	32	<b>30</b>	59	5
3.2L V6	12/03 on	<b>DR12307</b>		●	Solid	276	45.7	10	<b>9</b>	59	5

### GTV


2.0L Coupe	6/98 on	<b>DR763</b>	●		Vented	283.8	39.3	22	<b>20.2</b>	59	5
3.0L V6 Coupe With Brembo Calipers	6/98 on	<b>DR769</b>	●		Vented	305	44.7	28	<b>26</b>	59	5
2.0L 2 Door Coupe	6/98 on	<b>DR779</b>		●	Solid	240	40	11	<b>9.2</b>	59	5
3.0L V6 Coupe With Brembo Calipers	6/98 on	<b>DR779</b>		●	Solid	240	40	11	<b>9.2</b>	59	5
3.2L V6 24V	10/03 on	<b>DR12381</b>	●		Vented	330	44.7	32	<b>30</b>	59	5
3.2L V6 24V	10/03 on	<b>DR779</b>		●	Solid	240	40	11	<b>9.2</b>	59	5

### GTV6

2.5L	11/80 - 2/87	<b>DR668</b>	●		Vented	268	51.5	22	<b>20</b>	72	5
2.5L	11/80 - 2/87	<b>DR667</b>		●	Solid	250	21	9.9	<b>8</b>	62	6

### Spider

2.0i 16V T/S	95 on	<b>DR356</b>	●		Vented	284	43.5	22	<b>20.2</b>	59	5
2.0i 16V T/S	95 on	<b>DR763</b>	●		Vented	283.8	39.3	22	<b>20.2</b>	59	5
3.0i V6	95 on	<b>DR356</b>	●		Vented	284	43.5	22	<b>20.2</b>	59	5
3.0i V6	95 on	<b>DR763</b>	●		Vented	283.8	39.3	22	<b>20.2</b>	59	5



## ALFA ROMEO

### Spider

All Models	95 on	<b>DR779</b>		●	Solid	240	40	11	<b>9.2</b>	59	5
3.2L	03 on	<b>DR769</b>	●		Vented	305	44.7	28	<b>26</b>	59	5
3.2L	03 on	<b>DR779</b>		●	Solid	240	40	11	<b>9.2</b>	59	5
2.2L JTS	3/06 on	<b>DR12469</b>	●		Vented	305	39.7	28	<b>26</b>	70	5
2.2L JTS	3/06 on	<b>DR12470</b>		●	Solid	278	43.2	12	<b>10</b>	70	5

## AUDI

### 80

& Fox 1.5 Litre S, LS Fox	72 - 7/76	<b>DR242</b>	●		Solid	239	39	10	<b>8</b>	65	4
& Fox 1.5 1.6 Litre Fox	9/76 - 79	<b>DR240</b>	●		Solid	239	35	11.9	<b>10</b>	65	4
Including Fox 1.8 Litre. CC 1.9E, 1.9S	82 - 7/84	<b>DR444</b>	●		Vented	239	38.5	20	<b>18</b>	65	4
Including Fox 2.2 Coupe	82 - 7/84	<b>DR444</b>	●		Vented	239	38.5	20	<b>18</b>	65	4
& Fox 1.8 Litre CC	86 - 87	<b>DR241</b>	●		Vented	256	47	22	<b>20</b>	68	4
& Quattro 1.8, 1.9, 2.0L Except 20V	86 - 89	<b>DR241</b>	●		Vented	256	47	22	<b>20</b>	68	4
& Fox 1.8 Litre. CC 1.9E, 1.9S	9/86 - 92	<b>DR445</b>		●	Solid	245	59.2	10	<b>8</b>	68	4
& Fox 2.2 Coupe	9/86 - 92	<b>DR445</b>		●	Solid	245	59.2	10	<b>8</b>	68	4
& Quattro 1.9, 2.0L 16 V	86 - 89	<b>DR244</b>		●	Solid	245	39	10	<b>8</b>	68	4
& Fox 1.9E, 1.9S	88 - 92	<b>DR241</b>	●		Vented	256	47	22	<b>20</b>	68	4
& Quattro 2.3L, 20 V	89 - 92	<b>DR445</b>		●	Solid	245	59.2	10	<b>8</b>	68	4
& Quattro 2.0 16V, 2.0E, 2.3E	9/91 - 7/92	<b>DR12009</b>	●		Vented	256	56.2	22	<b>20</b>	68	4
& Quattro 2.0, 2.3E & 2.6E, 2.8E V6	9/91 - 96	<b>DR244</b>		●	Solid	245	39	10	<b>8</b>	68	4
& Quattro 1.6 (51KW) 2.0i (66KW)	8/92 - 96	<b>DR12008</b>	●		Solid	280	56.2	13	<b>11</b>	68	4
& Quattro 2.0 16V, 2.0E, 2.3E	8/92 - 96	<b>DR12010</b>	●		Vented	280	56.2	22	<b>20</b>	68	4
& Quattro 2.6E V6, 2.8E V6	8/92 - 96	<b>DR12011</b>	●		Vented	276	56.2	25	<b>23</b>	68	4


### 90

& Quattro 2.3 20V (125 KW)	88 - 92	<b>DR12070</b>	●		Vented	276	51.5	25	<b>23</b>	68	4
& Quattro 2.0, 2.3L Except 20V	89 - 92	<b>DR241</b>	●		Vented	256	47	22	<b>20</b>	68	4
& Quattro 2.0, 2.3L Except 20V	89 - 92	<b>DR445</b>		●	Solid	245	59.2	10	<b>8</b>	68	4
& Quattro 2.3, 20V	89 - 91	<b>DR244</b>		●	Solid	245	39	10	<b>8</b>	68	4

### 100

S, LS, GL Automatic	68 - 74	<b>DR248</b>	●		Solid	291	41.5	10.5	<b>9.5</b>	108	4
S, LS, GL Automatic	71 - 74	<b>DR249</b>	●		Solid	291	37.5	10.5	<b>9</b>	108	4
All Models	74 - 77	<b>DR440</b>	●		Solid	257	40.5	13	<b>11</b>	68	4
All Models	74 - 77	<b>DR441</b>	●		Vented	257	39.9	20	<b>19</b>	68	4
5+5 GLE, 5E	78 - 83	<b>DR247</b>	●		Solid	257	46	13	<b>11</b>	68	4
2.1, 2.2, 2.3 CD	83 - 91	<b>DR241</b>	●		Vented	256	47	22	<b>20</b>	68	4
2.1, 2.2, 2.3 CD	83 - 91	<b>DR445</b>		●	Solid	245	59.2	10	<b>8</b>	68	4
2.2/2.3 CS, 2.3 Turbo	4/86 - 90	<b>DR12071</b>	●		Vented	276	46.2	25	<b>23</b>	68	5

# Disc Rotors



## AUDI

### 100

2.2/2.3 CS, 2.3 Turbo	4/86 - 90	<b>DR12083</b>		●	Solid	245	59.2	10	<b>8</b>	68	5
Avant & Quattro 2.0E 4 Cyl (85 KW)	12/90 - 94	<b>DR805</b>	●		Solid	288	46.2	15	<b>13</b>	68	5
Avant & Quattro 2.0L (74KW), 2.4 D	12/90 - 94	<b>DR805</b>	●		Solid	288	46.2	15	<b>13</b>	68	5
Avant & Quattro 3.3E 5CYL, 2.8E V6	10/90 - 94	<b>DR807</b>	●		Vented	288	46.2	25	<b>23</b>	68	5
Avant & Quattro All Models	90 - 94	<b>DR810</b>		●	Solid	245	63.9	10	<b>8</b>	68	5
Avant & Quattro 2.0E 16V	92 - 94	<b>DR805</b>	●		Solid	288	46.2	15	<b>13</b>	68	5
Avant & Quattro 2.6E V6	5/92 - 94	<b>DR807</b>	●		Vented	288	46.2	25	<b>23</b>	68	5

### 200

2.2/2.3 CS, 2.3 Turbo	4/86 - 90	<b>DR12071</b>	●		Vented	276	46.2	25	<b>23</b>	68	5
2.2/2.3 CS, 2.3 Turbo	4/86 - 90	<b>DR12083</b>		●	Solid	245	59.2	10	<b>8</b>	68	5

### A3


1.6i	96 on	<b>DR800</b>	●		Vented	255.8	36.7	22	<b>19</b>	65	5
1.8 20V (92KW),	96 on	<b>DR801</b>	●		Vented	280	36.7	22	<b>19</b>	65	5
1.8 20V Turbo	96 on	<b>DR802</b>	●		Vented	288	34.2	25	<b>23</b>	65	5
1.9 Turbo Diesel	96 on	<b>DR801</b>	●		Vented	280	36.7	22	<b>19</b>	65	5
All Models	96 on	<b>DR803</b>		●	Solid	231.7	39.5	9	<b>7</b>	65	5
A3 II 2WD	03 on	<b>DR12399</b>		●	Solid	255	51.3	10	<b>8</b>	65	5
With PR 1KZ	5/03 on	<b>DR12564</b>		●	Solid	286	48.2	12	<b>10</b>	65	5
1.6L	04 on	<b>DR12382</b>	●		Vented	280	49.5	22	<b>19</b>	65	5
2.0L 16V	04 on	<b>DR12481</b>	●		Vented	312	49.5	25	<b>22</b>	65	5

### A4

& Quattro 1.6L & 1.9L Tdi	11/94 on	<b>DR804</b>	●		Solid	280	46.2	13	<b>11</b>	68	5
& Quattro 1.8L, 2.0L From Ch: 8DV-054-06	11/94 on	<b>DR806</b>	●		Vented	280	46.2	22	<b>20</b>	68	5
& Quattro 1.8L, 2.0L To Ch: 8DV-054-061	11/94 on	<b>DR805</b>	●		Solid	288	46.2	15	<b>13</b>	68	5
& Quattro 1.8L, 2.0L Turbo AEB Engine	11/94 on	<b>DR807</b>	●		Vented	288	46.2	25	<b>23</b>	68	5
& Quattro V6 2.6 & 2.8 ABC Engine	11/94 on	<b>DR807</b>	●		Vented	288	46.2	25	<b>23</b>	68	5
& Quattro Rear Hub Type	11/94 on	<b>DR808</b>		●	Solid	245	83.6	10	<b>8</b>	Hub	5
& Quattro Rear Quattro	11/94 on	<b>DR809</b>		●	Solid	245	48	10	<b>8</b>	68	5
Avant, Quattro V6	00 on	<b>DR12331</b>	●		Vented	312	46.2	25	<b>23</b>	68	10
1.8 & 2.0L With PR 1KD	6/01 - 5/04	<b>DR12366</b>		●	Solid	245	39.8	10	<b>8</b>	68	10
1.8L Turbo & V6 With PR 1LT, 1LF	02 on	<b>DR12331</b>	●		Vented	312	46.2	25	<b>23</b>	68	10
3.0L With PR 1KP	02 on	<b>DR12336</b>		●	Solid	255	39.8	11.9	<b>10</b>	68	5
2.0L Turbo & 3.2L & Quattro	1/05 on	<b>DR12327</b>	●		Vented	321	46.2	30	<b>28</b>	68	10

### A6

& Quattro 2.0L 16V, 2.0E	6/94 on	<b>DR805</b>	●		Solid	288	46.2	15	<b>13</b>	68	5
& Quattro 2.5L TDi Turbo (85Kw)	6/94 on	<b>DR805</b>	●		Solid	288	46.2	15	<b>13</b>	68	5
With PR 1LB, 1LE	94 - 05	<b>DR807</b>	●		Vented	288	46.2	25	<b>23</b>	68	5
& Quattro All Rear	6/94 on	<b>DR810</b>		●	Solid	245	63.9	10	<b>8</b>	68	5
& Quattro 1.8L 20V	10/95 on	<b>DR805</b>	●		Solid	288	46.2	15	<b>13</b>	68	5
& Quattro 1.9L TDi Turbo Diesel	95 on	<b>DR805</b>	●		Solid	288	46.2	15	<b>13</b>	68	5
With PR 1LF, 1LT	97 - 05	<b>DR12331</b>	●		Vented	312	46.2	25	<b>23</b>	68	10



## AUDI

### A6

Quattro II with 15" Wheels	11/97 - 04	<b>DR12304</b>		●	Solid	245	53.8	10	<b>8</b>	68	5
With PR 1LA, 1LG, 1LX, T7Z	99 - 05	<b>DR12327</b>	●		Vented	321	46.2	30	<b>28</b>	68	10
PR 1LG, 1LD	04 on	<b>DR12400</b>	●		Vented	321	59.4	30	<b>28</b>	68	5
A6 & Avant III 2.7 & 3.2L V6	04 on	<b>DR12625</b>		●	Solid	302	49.2	12	<b>10</b>	68	5
PR 1ZL, 1LH	05 - 08	<b>DR12626</b>	●		Vented	347	59.5	30	<b>28</b>	68	5
Quattro 4.2L V8	05 - 08	<b>DR12627</b>		●	Vented	330	49.2	22	<b>20</b>	68	5

### A8

& Quattro 2.8 V6 (128KW)	94 - 98	<b>DR12013</b>	●		Vented	314	59	30	<b>28</b>	68	10
& Quattro 2.8 V6 (128KW)	94 - 98	<b>DR12012</b>		●	Solid	245	46.2	10	<b>8</b>	68	5

### A8 Quattro

3.7 & 4.2L AWD	8/03 on	<b>DR12400</b>	●		Vented	321	59.4	30	<b>28</b>	68	5
3.7 & 4.2L AWD	8/03 on	<b>DR12337</b>		●	Vented	310	42.3	22	<b>20</b>	68	5
3.0L 3.2L With PR 1LL, 1LM	6/05 - 7/10	<b>DR12624</b>	●		Vented	360	59.4	34	<b>31</b>	68	5
3.0L 3.2L With PR 1LL, 1LM	6/05 - 7/10	<b>DR12337</b>		●	Vented	310	42.3	22	<b>20</b>	68	5

### A8L

4.2L & 6.0L AWD	8/03 on	<b>DR12624</b>	●		Vented	360	59.4	34	<b>31</b>	68	5
4.2L & 6.0L AWD	8/03 on	<b>DR12337</b>		●	Vented	310	42.3	22	<b>20</b>	68	5

### Allroad

2.5 Tdi & 2.7L 4WD	00 on	<b>DR12327</b>	●		Vented	321	46.2	30	<b>28</b>	68	10
2.5 Tdi & 2.7L 4WD	01 on	<b>DR12335</b>		●	Solid	255	47.8	9.9	<b>8</b>	68	5
4.2L V8 40V PR 1LA, 1LX	7/02 - 8/05	<b>DR12327</b>	●		Vented	321	46.2	30	<b>28</b>	68	10
4.2L V8 40V	7/02 - 8/05	<b>DR12338</b>		●	Vented	269	48	22	<b>20</b>	68	5

### Cabrio

2.8E V6	92 on	<b>DR12011</b>	●		Vented	276	56.2	25	<b>23</b>	68	4
2.6E V6	94 on	<b>DR12011</b>	●		Vented	276	56.2	25	<b>23</b>	68	4

### Cabriolet

To Chassis 8G-N-025000	91 - 8/92	<b>DR12009</b>	●		Vented	256	56.2	22	<b>20</b>	68	4
All Models	91 on	<b>DR445</b>		●	Solid	245	59.2	10	<b>8</b>	68	4
From Chassis 8G-P-000001	8/92 - 94	<b>DR12010</b>	●		Vented	280	56.2	22	<b>20</b>	68	4

### Coupe


1.8, 2.2	8/88 - 91	<b>DR12009</b>	●		Vented	256	56.2	22	<b>20</b>	68	4
2.0E, 2.3E	11/88 - 92	<b>DR12009</b>	●		Vented	256	56.2	22	<b>20</b>	68	4
All Models	8/88 - 96	<b>DR445</b>		●	Solid	245	59.2	10	<b>8</b>	68	4
2.3E 20V (125 KW)	8/89 - 7/91	<b>DR12011</b>	●		Vented	276	56.2	25	<b>23</b>	68	4
2.6E V6, 2.8 V6	9/91 - 96	<b>DR12011</b>	●		Vented	276	56.2	25	<b>23</b>	68	4
2.0E	8/92 - 96	<b>DR12010</b>	●		Vented	280	56.2	22	<b>20</b>	68	4
2.3E	8/92 - 94	<b>DR12010</b>	●		Vented	280	56.2	22	<b>20</b>	68	4

### Q5

Wth PR 1LA	11/08 on	<b>DR12764</b>	●		Vented	320	52.1	30	<b>28</b>	68	5
------------	----------	----------------	---	--	--------	-----	------	----	-----------	----	---



# Disc Rotors



## AUDI

### Q5

With PR 1LJ	11/08 on	<b>DR12765</b>	●		Vented	345	51.8	29.3	<b>28</b>	68	5
-------------	----------	----------------	---	--	--------	-----	------	------	-----------	----	---

### Q7

3.0L, 3.6L & 4.2L PR 1LF Left Hand	06 on	<b>DR12318</b>	●		Vented	350	69	34	<b>32</b>	85	5
3.0L, 3.6L & 4.2L PR 1LF Right Hand	06 on	<b>DR12319</b>	●		Vented	350	69	34	<b>32</b>	85	5
With PR Number 1KF	06 on	<b>DR12356</b>		●	Vented	330	74.8	28	<b>26</b>	85	5
With PR Number 2EA, 1KD	06 on	<b>DR12604</b>		●	Vented	358	73.5	28	<b>26</b>	85	5

### Quattro

100 2.2 Station Wagon CD	82 - 88	<b>DR241</b>	●		Vented	256	47	22	<b>20</b>	68	4
100 2.2, 2.3 (14 Wheels)	82 - 91	<b>DR445</b>		●	Solid	245	59.2	10	<b>8</b>	68	4
100 2.3 (14,15 Wheels)	88 - 91	<b>DR241</b>	●		Vented	256	47	22	<b>20</b>	68	4

### S2

2.2L 20V Turbo	90 - 96	<b>DR12266</b>	●		Vented	276	56.2	25	<b>23</b>	68	5
2.2L 20V Turbo	90 - 96	<b>DR12298</b>		●	Solid	245	39.7	10	<b>8</b>	68	5

### S3

All Models	00 - 02	<b>DR838</b>	●		Vented	312	34.2	25	<b>23</b>	65	5
Front Wheel Drive	00 - 02	<b>DR803</b>		●	Solid	231.7	39.5	9	<b>7</b>	65	5
Quattro 1KE Solid Rear	00 - 02	<b>DR352</b>		●	Solid	239	34	9	<b>7</b>	65	5
Quattro 1KF Vented Rear	00 - 02	<b>DR800</b>		●	Vented	255.8	36.7	22	<b>19</b>	65	5

### S4

2.7L V6 30V (195 kW)	97 - 00	<b>DR12327</b>	●		Vented	321	46.2	30	<b>28</b>	68	10
2.7L V6 30V (195 kW)	99 - 00	<b>DR569</b>		●	Vented	256	47.8	21.9	<b>20</b>	68	5

### S6


4.2L V8 40V (250 kW)	99 on	<b>DR12327</b>	●		Vented	321	46.2	30	<b>28</b>	68	10
----------------------	-------	----------------	---	--	--------	-----	------	----	-----------	----	----

### S8

4.2L Quattro to Chass 4D-X-004999	7/96 - 6/99	<b>DR12013</b>	●		Vented	314	59	30	<b>28</b>	68	10
5.2L Quattro With PR 1LL, 1LM	6/06 - 7/10	<b>DR12624</b>	●		Vented	360	59.4	34	<b>31</b>	68	5

### TT

1.8L Turbo	9/05 - 6/06	<b>DR800</b>		●	Vented	255.8	36.7	22	<b>19</b>	65	5
Quattro	00 - 02	<b>DR838</b>	●		Vented	312	34.2	25	<b>23</b>	65	5
1.8L Turbo	9/05 - 6/06	<b>DR803</b>		●	Solid	231.7	39.5	9	<b>7</b>	65	5
Quattro 1KE Solid Rear	00 - 02	<b>DR352</b>		●	Solid	239	34	9	<b>7</b>	65	5
Quattro 1KF Vented Rear	00 - 02	<b>DR800</b>		●	Vented	255.8	36.7	22	<b>19</b>	65	5
Quattro Front Wheel Drive	00 - 02	<b>DR803</b>		●	Solid	231.7	39.5	9	<b>7</b>	65	5
2.0L & 3.2L V6 With PR 1LJ, 1LL	10/06 on	<b>DR12481</b>	●		Vented	312	49.5	25	<b>22</b>	65	5
2.0L & 3.2L V6 With PR 1LJ, 1LL	10/06 on	<b>DR12563</b>	●		Vented	340	49.6	30	<b>28</b>	65	5
2.0L TFSI	10/06 on	<b>DR12584</b>		●	Solid	286	58.5	12	<b>10</b>	65	5
3.2L V6 Quattro	10/06 on	<b>DR12576</b>		●	Vented	310	58.4	22	<b>20</b>	65	5
RS 2.5L Turbo	5/09 on	<b>DR12563</b>	●		Vented	340	49.6	30	<b>28</b>	65	5
RS 2.5L Turbo With PR 2EA, 2EF	5/09 on	<b>DR12576</b>		●	Vented	310	58.4	22	<b>20</b>	65	5



## AUSTIN

### 1800

Mk 1, 2, 3	64 - 75	<b>DR080</b>	●		Solid	236	79	12.5	<b>11.5</b>	73	5
------------	---------	--------------	---	--	-------	-----	----	------	-------------	----	---

### Healey

3000 Mk II - III 3.0L	60 - 68	<b>DR94B</b>	●		Solid	281	38	12.7	<b>11.4</b>	82.6	5
Sprite Mk II - IV 1100 & 1275	62 - 71	<b>DR061</b>	●		Solid	209.8	60	7.7	<b>7.3</b>	63	4
Sprite Mk II - IV 1100 & 1275	62 - 71	<b>DR060</b>	●		Solid	209.8	39.5	7.5	<b>7</b>	63.5	4

## BMW

### 116i

E87	04 on	<b>DR12421</b>	●		Vented	284	73	22	<b>20.4</b>	79	5
E87	04 on	<b>DR12422</b>		●	Solid	280	65	10	<b>8.4</b>	75	5

### 118d

E87	04 on	<b>DR12421</b>	●		Vented	284	73	22	<b>20.4</b>	79	5
E87	04 on	<b>DR12422</b>		●	Solid	280	65	10	<b>8.4</b>	75	5

### 118i

E87	04 on	<b>DR12421</b>	●		Vented	284	73	22	<b>20.4</b>	79	5
E87	04 on	<b>DR12422</b>		●	Solid	280	65	10	<b>8.4</b>	75	5

### 120d

E87	04 on	<b>DR12423</b>	●		Vented	292	73	22	<b>20.4</b>	79	5
E87	04 on	<b>DR12482</b>		●	Vented	300	66.2	20	<b>18.4</b>	75	5

### 120i

E87	9/04 - 3/07	<b>DR12423</b>	●		Vented	292	73	22	<b>20.4</b>	79	5
E87	9/04 - 3/07	<b>DR12585</b>		●	Solid	296	65.5	10.5	<b>8.9</b>	75	5
E88	4/07 on	<b>DR12652</b>	●		Vented	300	73.5	24	<b>22.4</b>	79	5

### 125i

E82, E88	10/07 on	<b>DR12652</b>	●		Vented	300	73.5	24	<b>22.4</b>	79	5
E82, E88	10/07 on	<b>DR12754</b>		●	Vented	300	76.1	20	<b>18.4</b>	75	5

### 130i

E87	10/05 on	<b>DR12503</b>	●		Vented	330	73	24	<b>22.4</b>	79	5
E87	10/05 on	<b>DR12504</b>		●	Vented	300	66	20	<b>18.4</b>	75	5

### 135i

E88 Upgrade	11/06 on	<b>Avail Soon</b>	●		Vented	338	73	25.8	<b>24.4</b>	79	5
E88 Upgrade	11/06 on	<b>Avail Soon</b>		●	Vented	324	77.1	21.8	<b>20.4</b>	75	5

### 315


E21	81 - 83	<b>DR376</b>	●		Solid	255	75.1	12.5	<b>11.1</b>	63	4
-----	---------	--------------	---	--	-------	-----	------	------	-------------	----	---

### 316

E21	75 - 82	<b>DR376</b>	●		Solid	255	75.1	12.5	<b>11.1</b>	63	4
-----	---------	--------------	---	--	-------	-----	------	------	-------------	----	---



# Disc Rotors



## BMW

### 316i

E30	82 - 87	<b>DR678</b>	●		Solid	260	35.1	12.7	<b>11.1</b>	66	4
E30 Including ABS Touring	82 - 93	<b>DR679</b>	●		Vented	260	35.1	22	<b>20.4</b>	66	4
E30 Including ABS Touring	82 - 93	<b>DR671</b>		●	Solid	258	60.1	10	<b>8.4</b>	62	4
E36 Including ABS	90 - 00	<b>DR978</b>	●		Solid	286	51.7	12	<b>10.4</b>	79	5
E36 Including ABS	90 - 00	<b>DR983</b>		●	Solid	280	60.1	10	<b>8.4</b>	75	5
E36 1.6L	95 - 01	<b>DR981</b>		●	Solid	272	78	10	<b>8.4</b>	75	5

### 316ti

E46	00 on	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E46	00 on	<b>DR983</b>		●	Solid	280	60.1	10	<b>8.4</b>	75	5

### 318d

E90	05 on	<b>DR12423</b>	●		Vented	292	73	22	<b>20.4</b>	79	5
-----	-------	----------------	---	--	--------	-----	----	----	-------------	----	---

### 318i

E21	75 - 82	<b>DR376</b>	●		Solid	255	75.1	12.5	<b>11.1</b>	63	4
E30	82 - 91	<b>DR678</b>	●		Solid	260	35.1	12.7	<b>11.1</b>	66	4
E30 Including ABS Touring / Cabriolet	82 - 93	<b>DR679</b>	●		Vented	260	35.1	22	<b>20.4</b>	66	4
E30 Including ABS Touring / Cabriolet	82 - 93	<b>DR671</b>		●	Solid	258	60.1	10	<b>8.4</b>	62	4
E36 Including ABS	12/90 - 98	<b>DR978</b>	●		Solid	286	51.7	12	<b>10.4</b>	79	5
E36 Including ABS	12/90 - 98	<b>DR983</b>		●	Solid	280	60.1	10	<b>8.4</b>	75	5
E46 Saloon	4/98 - 05	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E46 Saloon	4/98 - 05	<b>DR980</b>		●	Vented	276	60	19	<b>17.4</b>	75	5
E46 Saloon	4/98 - 01	<b>DR983</b>		●	Solid	280	60.1	10	<b>8.4</b>	75	5
E90	05 on	<b>DR12423</b>	●		Vented	292	73	22	<b>20.4</b>	79	5
E90	05 on	<b>DR12585</b>		●	Solid	296	65.5	10.5	<b>8.9</b>	75	5

### 318is

E30	89 - 91	<b>DR679</b>	●		Vented	260	35.1	22	<b>20.4</b>	66	4
E30	89 - 91	<b>DR671</b>		●	Solid	258	60.1	10	<b>8.4</b>	62	4
E36 Saloon/Coupe	92 - 98	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E36 Saloon/Coupe	92 - 98	<b>DR983</b>		●	Solid	280	60.1	10	<b>8.4</b>	75	5

### 318tds


E36 Saloon/Compact	94 on	<b>DR978</b>	●		Solid	286	51.7	12	<b>10.4</b>	79	5
E36 Touring	94 on	<b>DR978</b>	●		Solid	286	51.7	12	<b>10.4</b>	79	5
E36 Touring	94 on	<b>DR983</b>		●	Solid	280	60.1	10	<b>8.4</b>	75	5

### 318ti

E36 Compact	95 - 4/98	<b>DR978</b>	●		Solid	286	51.7	12	<b>10.4</b>	79	5
E36 Compact	95 - 4/98	<b>DR981</b>		●	Solid	272	78	10	<b>8.4</b>	75	5
E46	01 - 04	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E46	01 - 04	<b>DR980</b>		●	Vented	276	60	19	<b>17.4</b>	75	5

### 320

E21	75 - 79	<b>DR376</b>	●		Solid	255	75.1	12.5	<b>11.1</b>	63	4
-----	---------	--------------	---	--	-------	-----	------	------	-------------	----	---



## BMW

### 320-6

E21	77 - 82	<b>DR376</b>	●		Solid	255	75.1	12.5	<b>11.1</b>	63	4
-----	---------	--------------	---	--	-------	-----	------	------	-------------	----	---

### 320ci

E46 Coupe	4/98 on	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E46 Coupe	4/98 on	<b>DR980</b>		●	Vented	276	60	19	<b>17.4</b>	75	5

### 320d

E46 Saloon	4/98 on	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E46 Saloon	4/98 on	<b>DR980</b>		●	Vented	276	60	19	<b>17.4</b>	75	5
E90	1/05 - 8/07	<b>DR12652</b>	●		Vented	300	73.5	24	<b>22.4</b>	79	5
E90	1/05 - 8/07	<b>DR12482</b>		●	Vented	300	66.2	20	<b>18.4</b>	75	5
E90	9/07 on	<b>DR12752</b>	●		Vented	312	73.5	24	<b>22.4</b>	79	5
E90	9/07 on	<b>DR12482</b>		●	Vented	300	66.2	20	<b>18.4</b>	75	5

### 320i

E46 Wagon	5/98 - 7/05	<b>DR967</b>		●	Vented	294	59.5	19	<b>17.4</b>	75	5
E46 Wagon	5/98 - 7/05	<b>DR966</b>	●		Vented	300	51.5	22	<b>20.4</b>	79	5
E90	05 on	<b>DR12423</b>	●		Vented	292	73	22	<b>20.4</b>	79	5
E90, E91	9/05 on	<b>DR12652</b>	●		Vented	300	73.5	24	<b>22.4</b>	79	5
E90	05 on	<b>DR12585</b>		●	Solid	296	65.5	10.5	<b>8.9</b>	75	5
E90, E91	9/05 on	<b>DR12482</b>		●	Vented	300	66.2	20	<b>18.4</b>	75	5
E91 Convertible & Touring	3/07 on	<b>DR12504</b>		●	Vented	300	66	20	<b>18.4</b>	75	5


### 320i & is

E21	75 - 78	<b>DR378</b>	●		Vented	255	75.1	22	<b>20.4</b>	63	4
E21 USA	9/77 - 83	<b>DR376</b>	●		Solid	255	75.1	12.5	<b>11.1</b>	63	4
E30 Inc. Touring / Cabriolet	82 - 91	<b>DR679</b>	●		Vented	260	35.1	22	<b>20.4</b>	66	4
E30 Inc. Touring / Cabriolet	82 - 91	<b>DR671</b>		●	Solid	258	60.1	10	<b>8.4</b>	62	4
E36	12/90 - 98	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E36	12/90 - 98	<b>DR983</b>		●	Solid	280	60.1	10	<b>8.4</b>	75	5
E46 Saloon	4/98 on	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E46 Wagon	4/98 on	<b>DR966</b>	●		Vented	300	51.5	22	<b>20.4</b>	79	5
E46 Saloon	4/98 on	<b>DR980</b>		●	Vented	276	60	19	<b>17.4</b>	75	5

### 323i

E21	78 - 82	<b>DR378</b>	●		Vented	255	75.1	22	<b>20.4</b>	63	4
E21	78 - 82	<b>DR671</b>		●	Solid	258	60.1	10	<b>8.4</b>	62	4
E30	81 - 86	<b>DR679</b>	●		Vented	260	35.1	22	<b>20.4</b>	66	4
E30	81 - 86	<b>DR671</b>		●	Solid	258	60.1	10	<b>8.4</b>	62	4
E36	95 - 99	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E36	95 - 99	<b>DR980</b>		●	Vented	276	60	19	<b>17.4</b>	75	5
E90 & E91 Without Sports Suspension	4/06 - 6/07	<b>DR12652</b>	●		Vented	300	73.5	24	<b>22.4</b>	79	5
E90 & E91 Without Sports Suspension	4/06 - 6/07	<b>DR12482</b>		●	Vented	300	66.2	20	<b>18.4</b>	75	5
E92	9/07 on	<b>DR12482</b>		●	Vented	300	66.2	20	<b>18.4</b>	75	5

# Disc Rotors



## BMW

### 323i & Ci

E46 Saloon/Coupe	4/98 on	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E46 Saloon/Coupe	4/98 on	<b>DR980</b>		●	Vented	276	60	19	<b>17.4</b>	75	5

### 324d & td

E30	87 - 91	<b>DR679</b>	●		Vented	260	35.1	22	<b>20.4</b>	66	4
E30	87 - 91	<b>DR671</b>		●	Solid	258	60.1	10	<b>8.4</b>	62	4
E36 Touring	88 - 93	<b>DR679</b>	●		Vented	260	35.1	22	<b>20.4</b>	66	4
E36 Touring	88 - 93	<b>DR671</b>		●	Solid	258	60.1	10	<b>8.4</b>	62	4

### 325i

E46	01 - 05	<b>DR966</b>	●		Vented	300	51.5	22	<b>20.4</b>	79	5
E46	01 - 05	<b>DR967</b>		●	Vented	294	59.5	19	<b>17.4</b>	75	5
E90 Sedan With Sports Suspension	2/05 on	<b>DR12503</b>	●		Vented	330	73	24	<b>22.4</b>	79	5
E91 Without Sports Suspension	2/05 on	<b>DR12752</b>	●		Vented	312	73.5	24	<b>22.4</b>	79	5
E92	9/05 on	<b>DR12652</b>	●		Vented	300	73.5	24	<b>22.4</b>	79	5
E90 Sedan Excl. AWD	2/05 on	<b>DR12482</b>		●	Vented	300	66.2	20	<b>18.4</b>	75	5
E91 Convertible & Touring	9/05 on	<b>DR12504</b>		●	Vented	300	66	20	<b>18.4</b>	75	5
E92	9/05 on	<b>DR12482</b>		●	Vented	300	66.2	20	<b>18.4</b>	75	5
E93	3/07 on	<b>DR12752</b>	●		Vented	312	73.5	24	<b>22.4</b>	79	5
E93	3/07 on	<b>DR12504</b>		●	Vented	300	66	20	<b>18.4</b>	75	5

### 325j, ix & Ci

E30	89 - 91	<b>DR679</b>	●		Vented	260	35.1	22	<b>20.4</b>	66	4
E30	89 - 91	<b>DR671</b>		●	Solid	258	60.1	10	<b>8.4</b>	62	4
E36	12/90 - 99	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E36	12/90 - 99	<b>DR983</b>		●	Solid	280	60.1	10	<b>8.4</b>	75	5
E46 Saloon/Touring	00 on	<b>DR966</b>	●		Vented	300	51.5	22	<b>20.4</b>	79	5
E46 Saloon/Touring	00 on	<b>DR967</b>		●	Vented	294	59.5	19	<b>17.4</b>	75	5

### 325td & tds


E36 & E36 Touring	9/91 - 99	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E36 & E36 Touring	9/91 - 99	<b>DR983</b>		●	Solid	280	60.1	10	<b>8.4</b>	75	5

### 325xi

E90 Sedan	2/05 on	<b>DR12482</b>		●	Vented	300	66.2	20	<b>18.4</b>	75	5
-----------	---------	----------------	--	---	--------	-----	------	----	-------------	----	---

### 328i & 328Ci

E36 Coupe / Touring	11/94 - 99	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E36 Saloon/Cabriolet	11/94 - 99	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E36 Touring	11/94 - 99	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
E36 Coupe / Touring	11/94 - 99	<b>DR980</b>		●	Vented	276	60	19	<b>17.4</b>	75	5
E36 Saloon/Cabriolet	11/94 - 99	<b>DR983</b>		●	Solid	280	60.1	10	<b>8.4</b>	75	5
E36 Saloon/Cabriolet Germany Application	11/94 on	<b>DR980</b>		●	Vented	276	60	19	<b>17.4</b>	75	5
E36 Touring	11/94 - 99	<b>DR980</b>		●	Vented	276	60	19	<b>17.4</b>	75	5
E46	4/98 on	<b>DR966</b>	●		Vented	300	51.5	22	<b>20.4</b>	79	5
E46	4/98 on	<b>DR967</b>		●	Vented	294	59.5	19	<b>17.4</b>	75	5



## BMW

<b>330Cd</b>											
E46 Coupe	03 on	<b>DR12311</b>	●		Vented	325	52.7	25	<b>23.4</b>	79	5
E46 Coupe	03 on	<b>DR2856</b>		●	Vented	320	61	22	<b>20.4</b>	75	5

<b>330Ci</b>											
E46 Coupe/Cabriolet	00 on	<b>DR12311</b>	●		Vented	325	52.7	25	<b>23.4</b>	79	5
E46 Coupe/Cabriolet	00 on	<b>DR2856</b>		●	Vented	320	61	22	<b>20.4</b>	75	5

<b>330d</b>											
E46 Saloon/Touring	99 on	<b>DR12311</b>	●		Vented	325	52.7	25	<b>23.4</b>	79	5
E46 Saloon/Touring	99 on	<b>DR2856</b>		●	Vented	320	61	22	<b>20.4</b>	75	5

<b>330i</b>											
E46 Saloon/Touring	00 on	<b>DR12311</b>	●		Vented	325	52.7	25	<b>23.4</b>	79	5
E46 Saloon/Touring	00 on	<b>DR2856</b>		●	Vented	320	61	22	<b>20.4</b>	75	5
E90	04 on	<b>DR12503</b>	●		Vented	330	73	24	<b>22.4</b>	79	5
E90	05 on	<b>DR12505</b>		●	Vented	336	67	22	<b>20.4</b>	75	5

<b>330xd</b>											
E46 Saloon/Touring	00 on	<b>DR12311</b>	●		Vented	325	52.7	25	<b>23.4</b>	79	5
E46 Saloon/Touring	00 on	<b>DR2856</b>		●	Vented	320	61	22	<b>20.4</b>	75	5

<b>330xi</b>											
E46 Saloon/Touring	00 on	<b>DR12311</b>	●		Vented	325	52.7	25	<b>23.4</b>	79	5
E46 Saloon/Touring	00 on	<b>DR2856</b>		●	Vented	320	61	22	<b>20.4</b>	75	5

<b>335i</b>											
E90, 91, 92, 93	9/06 on	<b>DR12753</b>	●		Vented	348	73.2	30	<b>28.4</b>	79	5
E90, 91, 92, 93	9/06 on	<b>DR12505</b>		●	Vented	336	67	22	<b>20.4</b>	75	5


<b>518</b>											
E12	74 - 2/76	<b>DR371</b>	●		Solid	272	59.8	12.7	<b>11.4</b>	74	5
E12	8/76 - 81	<b>DR379</b>	●		Vented	280	78.1	22	<b>20.4</b>	74	5
E12	3/76 - 81	<b>DR377</b>	●		Solid	280	78.1	12.7	<b>11.1</b>	74	5

<b>518i</b>											
E28	81 - 88	<b>DR672</b>	●		Solid	284	76.1	12	<b>10.4</b>	79	5
E30 Touring	81 - 88	<b>DR675</b>	●		Vented	284	76.1	22	<b>20.4</b>	79	5
E30 Touring	81 - 88	<b>DR670</b>		●	Solid	284	61.1	10	<b>8.4</b>	75	5
E34 Including ABS & Touring	89 - 96	<b>DR975</b>	●		Solid	302	76.1	12	<b>10.4</b>	79	5
E34 Including ABS & Touring	89 - 96	<b>DR976</b>		●	Solid	300	61.1	10	<b>8.4</b>	75	5

<b>520-6</b>											
E12 Solid Rotor	77 - 81	<b>DR377</b>	●		Solid	280	78.1	12.7	<b>11.1</b>	74	5
E12 Vented Rotor	77 - 81	<b>DR379</b>	●		Vented	280	78.1	22	<b>20.4</b>	74	5

<b>520d</b>											
E60	07 on	<b>DR12369</b>	●		Vented	324	77	30	<b>28.4</b>	79	5
E60	07 on	<b>DR12506</b>		●	Vented	320	61	20	<b>18.4</b>	75	5

# Disc Rotors



## BMW

### 520i

E12	72 - 2/76	DR371	●		Solid	272	59.8	12.7	11.4	74	5
E12	76 - 79	DR377	●		Solid	280	78.1	12.7	11.1	74	5
E12	76 - 79	DR379	●		Vented	280	78.1	22	20.4	74	5
E28	80 - 8/84	DR672	●		Solid	284	76.1	12	10.4	79	5
E28 With ABS	80 - 87	DR675	●		Vented	284	76.1	22	20.4	79	5
E28 With ABS	80 - 87	DR670		●	Solid	284	61.1	10	8.4	75	5
E34 Sedans	87 - 95	DR975	●		Solid	302	76.1	12	10.4	79	5
E34 Wagons & Touring	89 - 95	DR974	●		Vented	302	76.4	22	20.4	79	5
E34 All Models Rear	89 - 95	DR976		●	Solid	300	61.1	10	8.4	75	5
E39	95 - 00	DR986	●		Vented	296	76	22	20.4	79	5
E39	96 on	DR987		●	Solid	298	61	10	8.4	75	5

### 523i

E39	95 - 00	DR986	●		Vented	296	76	22	20.4	79	5
E39	95 - 9/98	DR987		●	Solid	298	61	10	8.4	75	5
E39 Sedans & Wagons	9/98 - 00	DR989		●	Vented	298	61	20	18.4	75	5
E60	1/07 on	DR12369	●		Vented	324	77	30	28.4	79	5
E60	1/07 on	DR12506		●	Vented	320	61	20	18.4	75	5

### 524d

E28	86 - 87	DR675	●		Vented	284	76.1	22	20.4	79	5
E28	86 - 87	DR670		●	Solid	284	61.1	10	8.4	75	5

### 524td

E28	10/82 - 8/84	DR672	●		Solid	284	76.1	12	10.4	79	5
E28 With ABS	10/82 - 87	DR675	●		Vented	284	76.1	22	20.4	79	5
E28 With ABS	10/82 - 87	DR670		●	Solid	284	61.1	10	8.4	75	5
E34	87 - 92	DR975	●		Solid	302	76.1	12	10.4	79	5
E34	87 - 92	DR976		●	Solid	300	61.1	10	8.4	75	5

### 525


E12	73 - 2/76	DR371	●		Solid	272	59.8	12.7	11.4	74	5
E12	73 - 81	DR374		●	Solid	272	61.5	9.5	7.9	75	5
E12	2/76 - 81	DR377	●		Solid	280	78.1	12.7	11.1	74	5
E12	76 - 81	DR379	●		Vented	280	78.1	22	20.4	74	5

### 525e/i

E28	81 - 87	DR675	●		Vented	284	76.1	22	20.4	79	5
E28	81 - 87	DR670		●	Solid	284	61.1	10	8.4	75	5

### 525i

E34	87 - 90	DR974	●		Vented	302	76.4	22	20.4	79	5
E34	87 - 90	DR976		●	Solid	300	61.1	10	8.4	75	5
E39	00 - 04	DR986	●		Vented	296	76	22	20.4	79	5
E39	00 - 04	DR989		●	Vented	298	61	20	18.4	75	5
E60	12/03 on	DR12368	●		Vented	310	77	24	22.4	79	5



## BMW

### 525i

E60	03 on	<b>DR12506</b>		●	Vented	320	61	20	<b>18.4</b>	75	5
-----	-------	----------------	--	---	--------	-----	----	----	-------------	----	---

### 525i 24V

E34 Including Touring	8/90 - 96	<b>DR974</b>	●		Vented	302	76.4	22	<b>20.4</b>	79	5
E34 Including Touring	8/90 - 96	<b>DR976</b>		●	Solid	300	61.1	10	<b>8.4</b>	75	5

### 525td & tds

E34	90 - 95	<b>DR975</b>	●		Solid	302	76.1	12	<b>10.4</b>	79	5
E34	90 - 95	<b>DR976</b>		●	Solid	300	61.1	10	<b>8.4</b>	75	5
E34 Touring	7/91 - 96	<b>DR974</b>	●		Vented	302	76.4	22	<b>20.4</b>	79	5
E34 Touring	7/91 - 96	<b>DR976</b>		●	Solid	300	61.1	10	<b>8.4</b>	75	5
E34 Touring & E39	95 - 00	<b>DR986</b>	●		Vented	296	76	22	<b>20.4</b>	79	5
E34 Touring & E39	96 on	<b>DR987</b>		●	Solid	298	61	10	<b>8.4</b>	75	5

### 528

E12	75 - 1/76	<b>DR371</b>	●		Solid	272	59.8	12.7	<b>11.4</b>	74	5
E12	75 - 77	<b>DR374</b>		●	Solid	272	61.5	9.5	<b>7.9</b>	75	5
E12	8/76 - 77	<b>DR379</b>	●		Vented	280	78.1	22	<b>20.4</b>	74	5
E12	2/76 - 7/76	<b>DR377</b>	●		Solid	280	78.1	12.7	<b>11.1</b>	74	5

### 528i

E12	77 - 6/81	<b>DR379</b>	●		Vented	280	78.1	22	<b>20.4</b>	74	5
E12	77 - 6/81	<b>DR374</b>		●	Solid	272	61.5	9.5	<b>7.9</b>	75	5
E28	81 - 5/84	<b>DR675</b>	●		Vented	284	76.1	22	<b>20.4</b>	79	5
E28	81 - 87	<b>DR670</b>		●	Solid	284	61.1	10	<b>8.4</b>	75	5
E28	9/84 - 87	<b>DR970</b>	●		Vented	281.7	76.3	25	<b>23.4</b>	79	5
E39 2.8L 24V	96 - 00	<b>DR986</b>	●		Vented	296	76	22	<b>20.4</b>	79	5
E39 2.8L 24V	96 on	<b>DR989</b>		●	Vented	298	61	20	<b>18.4</b>	75	5

### 530d


E39	9/00 - 6/03	<b>DR2854</b>	●		Vented	324	73.7	30	<b>28.4</b>	79	5
E39 Touring	9/00 - 5/04	<b>DR2854</b>	●		Vented	324	73.7	30	<b>28.4</b>	79	5
E60	05 on	<b>DR12369</b>	●		Vented	324	77	30	<b>28.4</b>	79	5
E60	05 on	<b>DR12506</b>		●	Vented	320	61	20	<b>18.4</b>	75	5

### 530i

E34	88 - 96	<b>DR974</b>	●		Vented	302	76.4	22	<b>20.4</b>	79	5
E34	88 - 96	<b>DR976</b>		●	Solid	300	61.1	10	<b>8.4</b>	75	5
E39	01 - 05	<b>DR2854</b>	●		Vented	324	73.7	30	<b>28.4</b>	79	5
E39	01 - 05	<b>DR989</b>		●	Vented	298	61	20	<b>18.4</b>	75	5
E60	10/03 on	<b>DR12369</b>	●		Vented	324	77	30	<b>28.4</b>	79	5
E60	10/03 on	<b>DR12506</b>		●	Vented	320	61	20	<b>18.4</b>	75	5
E61 Automatic	05 on	<b>DR12369</b>	●		Vented	324	77	30	<b>28.4</b>	79	5
E61 Manual	05 on	<b>DR12368</b>	●		Vented	310	77	24	<b>22.4</b>	79	5
E61	05 on	<b>DR12506</b>		●	Vented	320	61	20	<b>18.4</b>	75	5



# Disc Rotors



## BMW

### 535i

E28	85 - 87	<b>DR970</b>	●		Vented	281.7	76.3	25	<b>23.4</b>	79	5
E28	85 - 87	<b>DR670</b>		●	Solid	284	61.1	10	<b>8.4</b>	75	5
E34	88 - 95	<b>DR974</b>	●		Vented	302	76.4	22	<b>20.4</b>	79	5
E34	88 - 95	<b>DR976</b>		●	Solid	300	61.1	10	<b>8.4</b>	75	5
E39	95 - 9/97	<b>DR986</b>	●		Vented	296	76	22	<b>20.4</b>	79	5
E39	95 - 9/97	<b>DR989</b>		●	Vented	298	61	20	<b>18.4</b>	75	5
E39	3/00 - 6/03	<b>DR2854</b>	●		Vented	324	73.7	30	<b>28.4</b>	79	5

### 540

E12 Touring	10/92 - 97	<b>DR971</b>	●		Vented	302	76.1	28	<b>26.4</b>	79	5
E34 Saloon	10/92 - 95	<b>DR971</b>	●		Vented	302	76.1	28	<b>26.4</b>	79	5
E12 Touring	10/92 - 97	<b>DR969</b>		●	Vented	300	61.1	20	<b>18.4</b>	75	5

### 540i

E39 4.4L V8	95 - 3/00	<b>DR988</b>	●		Vented	324	77.1	30	<b>28.4</b>	79	5
E39 4.4L V8	95 - 3/00	<b>DR989</b>		●	Vented	298	61	20	<b>18.4</b>	75	5
E39	3/00 - 6/03	<b>DR2854</b>	●		Vented	324	73.7	30	<b>28.4</b>	79	5
E39 V8	3/00 - 5/04	<b>DR2854</b>	●		Vented	324	73.7	30	<b>28.4</b>	79	5
E39 V8	3/00 - 5/04	<b>DR989</b>		●	Vented	298	61	20	<b>18.4</b>	75	5

### 628

E24 CSi	79 - 4/82	<b>DR379</b>	●		Vented	280	78.1	22	<b>20.4</b>	74	5
E24 CSi	5/82 - 87	<b>DR970</b>	●		Vented	281.7	76.3	25	<b>23.4</b>	79	5
E24 CSi	5/82 - 87	<b>DR670</b>		●	Solid	284	61.1	10	<b>8.4</b>	75	5

### 630

E24 CSi	76 - 79	<b>DR379</b>	●		Vented	280	78.1	22	<b>20.4</b>	74	5
---------	---------	--------------	---	--	--------	-----	------	----	-------------	----	---

### 630i

E63 / E64 Coupe/Cabrio	04 on	<b>DR12369</b>	●		Vented	324	77	30	<b>28.4</b>	79	5
------------------------	-------	----------------	---	--	--------	-----	----	----	-------------	----	---

### 633

E24 CSi	76 - 4/82	<b>DR379</b>	●		Vented	280	78.1	22	<b>20.4</b>	74	5
---------	-----------	--------------	---	--	--------	-----	------	----	-------------	----	---

### 635


E24 CSi	78 - 4/82	<b>DR379</b>	●		Vented	280	78.1	22	<b>20.4</b>	74	5
E24 CSi	5/82 - 89	<b>DR970</b>	●		Vented	281.7	76.3	25	<b>23.4</b>	79	5
E24 CSi	5/82 - 89	<b>DR670</b>		●	Solid	284	61.1	10	<b>8.4</b>	75	5

### 645Ci

(E63 / E64) Coupe / Cabrio	04 on	<b>DR12339</b>	●		Vented	348	81	30	<b>28.4</b>	79	5
(E63 / E64) Coupe / Cabrio	04 on	<b>DR12340</b>		●	Vented	345	67	24	<b>22.4</b>	79	5

### 728i & 728ia

E23	77 - 8/82	<b>DR379</b>	●		Vented	280	78.1	22	<b>20.4</b>	74	5
E23	77 - 8/82	<b>DR676</b>		●	Solid	280	68.1	10	<b>8.4</b>	75	5
E23	9/82 - 86	<b>DR677</b>	●		Vented	280	78.1	25	<b>23.4</b>	74	5
E23	9/82 - 86	<b>DR674</b>		●	Solid	284	68.1	10	<b>8.4</b>	75	5



## BMW

### 728i & 728ia

E38	95 - 10/01	<b>DR990</b>	●		Vented	316	77.1	28	<b>26.4</b>	79	5
E38	95 - 10/01	<b>DR991</b>		●	Solid	324	61.1	12	<b>10.4</b>	75	5

### 730, 730i & 730iL

E23	77 - 79	<b>DR379</b>	●		Vented	280	78.1	22	<b>20.4</b>	74	5
E23	77 - 79	<b>DR676</b>		●	Solid	280	68.1	10	<b>8.4</b>	75	5
E32 6Cyl & V8	11/87 - 6/94	<b>DR974</b>	●		Vented	302	76.4	22	<b>20.4</b>	79	5
E32 6Cyl & V8	87 - 93	<b>DR972</b>		●	Solid	299.7	68.2	12	<b>10.4</b>	75	5
E32 6Cyl & V8	93 - 94	<b>DR977</b>		●	Solid	300	68.1	10	<b>8.4</b>	75	5
E38	94 - 00	<b>DR990</b>	●		Vented	316	77.1	28	<b>26.4</b>	79	5
E38	94 - 00	<b>DR991</b>		●	Solid	324	61.1	12	<b>10.4</b>	75	5

### 732i & 733i

E23	77 - 86	<b>DR379</b>	●		Vented	280	78.1	22	<b>20.4</b>	74	5
E23	79 - 8/81	<b>DR676</b>		●	Solid	280	68.1	10	<b>8.4</b>	75	5
E23	9/81 - 86	<b>DR674</b>		●	Solid	284	68.1	10	<b>8.4</b>	75	5

### 735i

E65	03 - 05	<b>DR12507</b>	●		Vented	324	81	30	<b>28.4</b>	79	5
E65	03 - 05	<i>Avail Soon</i>		●	Vented	324	65	20	<b>18.4</b>	79	5

### 735i & iL

E23	79 - 8/81	<b>DR379</b>	●		Vented	280	78.1	22	<b>20.4</b>	74	5
E23	79 - 8/81	<b>DR676</b>		●	Solid	280	68.1	10	<b>8.4</b>	75	5
E23	9/81 - 86	<b>DR677</b>	●		Vented	280	78.1	25	<b>23.4</b>	74	5
E23	9/81 - 86	<b>DR674</b>		●	Solid	284	68.1	10	<b>8.4</b>	75	5
E32	86 - 6/95	<b>DR971</b>	●		Vented	302	76.1	28	<b>26.4</b>	79	5
E34	86 - 93	<b>DR972</b>		●	Solid	299.7	68.2	12	<b>10.4</b>	75	5
E34	93 - 94	<b>DR977</b>		●	Solid	300	68.1	10	<b>8.4</b>	75	5
E38	96 - 01	<b>DR990</b>	●		Vented	316	77.1	28	<b>26.4</b>	79	5
E38	96 - 01	<b>DR991</b>		●	Solid	324	61.1	12	<b>10.4</b>	75	5

### 735Li

E66	03 - 05	<b>DR12507</b>	●		Vented	324	81	30	<b>28.4</b>	79	5
E66	03 - 05	<b>DR12729</b>		●	Vented	324	65	20	<b>18.4</b>	79	5


### 740i & iL

E32	92 - 6/94	<b>DR971</b>	●		Vented	302	76.1	28	<b>26.4</b>	79	5
E32	92 - 6/94	<b>DR973</b>		●	Vented	300	68.5	20	<b>18.4</b>	75	5

### 745i

E23	80 - 86	<b>DR677</b>	●		Vented	280	78.1	25	<b>23.4</b>	74	5
E23	80 - 8/81	<b>DR676</b>		●	Solid	280	68.1	10	<b>8.4</b>	75	5
E23	9/81 - 86	<b>DR674</b>		●	Solid	284	68.1	10	<b>8.4</b>	75	5
E65 4.4L	2/02 on	<b>DR12339</b>	●		Vented	348	81	30	<b>28.4</b>	79	5
E65 4.4L	2/02 on	<b>DR12340</b>		●	Vented	345	67	24	<b>22.4</b>	79	5

# Disc Rotors



## BMW

### 750i & iL

E32	87 - 89	<b>DR971</b>	●		Vented	302	76.1	28	<b>26.4</b>	79	5
E32	87 - 6/94	<b>DR973</b>		●	Vented	300	68.5	20	<b>18.4</b>	75	5
E32 Floating Caliper	90 - 6/94	<b>DR971</b>		●	Vented	302	76.1	28	<b>26.4</b>	79	5
E38 5.4L V12	9/94 - 01	<b>DR2670</b>	●		Vented	334	77.1	32	<b>30.4</b>	79	5
E38 5.4L V12	9/94 - 01	<b>DR2671</b>		●	Vented	328	61	20	<b>18.4</b>	75	5

### 760Li

E66	5/03 on	<b>DR12370</b>	●		Vented	374	81	36	<b>34.4</b>	79	5
-----	---------	----------------	---	--	--------	-----	----	----	-------------	----	---

### 840

E31	92 - 99	<b>DR991</b>		●	Solid	324	61.1	12	<b>10.4</b>	75	5
E31	94 - 99	<b>DR12265</b>	●		Vented	324	77.1	30	<b>28.4</b>	79	5

### 1502

All	75 - 77	<b>DR370</b>	●		Solid	240	58.5	10	<b>8.4</b>	63	4
-----	---------	--------------	---	--	-------	-----	------	----	------------	----	---

### 1600

Touring	71 - 73	<b>DR370</b>	●		Solid	240	58.5	10	<b>8.4</b>	63	4
---------	---------	--------------	---	--	-------	-----	------	----	------------	----	---

### 1600-2

All	66 - 71	<b>DR370</b>	●		Solid	240	58.5	10	<b>8.4</b>	63	4
-----	---------	--------------	---	--	-------	-----	------	----	------------	----	---

### 1602

Touring	71 - 73	<b>DR370</b>	●		Solid	240	58.5	10	<b>8.4</b>	63	4
---------	---------	--------------	---	--	-------	-----	------	----	------------	----	---

### 1800

Touring	71 - 73	<b>DR370</b>	●		Solid	240	58.5	10	<b>8.4</b>	63	4
---------	---------	--------------	---	--	-------	-----	------	----	------------	----	---

### 1802

Saloon/Touring	71 - 75	<b>DR370</b>	●		Solid	240	58.5	10	<b>8.4</b>	63	4
----------------	---------	--------------	---	--	-------	-----	------	----	------------	----	---

### 2000

Touring	69 - 75	<b>DR370</b>	●		Solid	240	58.5	10	<b>8.4</b>	63	4
---------	---------	--------------	---	--	-------	-----	------	----	------------	----	---

### 2002

Ti, Rii, Turbo	68 - 75	<b>DR370</b>	●		Solid	240	58.5	10	<b>8.4</b>	63	4
----------------	---------	--------------	---	--	-------	-----	------	----	------------	----	---

### 2500

CS Automatic	69 - 77	<b>DR371</b>	●		Solid	272	59.8	12.7	<b>11.4</b>	74	5
CS Automatic	69 - 77	<b>DR374</b>		●	Solid	272	61.5	9.5	<b>7.9</b>	75	5

### 2800


Automatic	69 - 77	<b>DR371</b>	●		Solid	272	59.8	12.7	<b>11.4</b>	74	5
Automatic	69 - 77	<b>DR374</b>		●	Solid	272	61.5	9.5	<b>7.9</b>	75	5
CS Automatic	70 - 72	<b>DR371</b>	●		Solid	272	59.8	12.7	<b>11.4</b>	74	5

### 3000

Bavaria/Automatic	71 - 77	<b>DR371</b>	●		Solid	272	59.8	12.7	<b>11.4</b>	74	5
Bavaria/Automatic	71 - 77	<b>DR374</b>		●	Solid	272	61.5	9.5	<b>7.9</b>	75	5

### M3

E36 3.0i 24V, 3.2L L/H	92 - 95	<b>DR984B</b>	●		Vented	315	52.5	28	<b>26.4</b>	79	5
------------------------	---------	---------------	---	--	--------	-----	------	----	-------------	----	---



## BMW

### M3

E36 3.0i 24V, 3.2L R/H	92 - 95	<b>DR984A</b>	●		Vented	315	52.5	28	<b>26.4</b>	79	5
E36 L/H	92 - 01	<b>DR985B</b>		●	Vented	312	61	19.9	<b>18.4</b>	79	5
E36 R/H	92 - 01	<b>DR985A</b>		●	Vented	312	61	19.9	<b>18.4</b>	79	5
E46 L/H	6/00 on	<b>DR12517X</b>	●		Vented	325	52.5	28	<b>26.4</b>	79	5
E46 R/H	6/00 on	<b>DR12518X</b>	●		Vented	325	52.5	28	<b>26.4</b>	79	5

### M5

E34 3.5i 24V	88 - 96	<b>DR968</b>	●		Vented	315	76	28	<b>26.4</b>	79	5
E34 3.5i 24V	88 - 96	<b>DR976</b>		●	Solid	300	61.1	10	<b>8.4</b>	75	5

### M535i

E28	85 - 87	<b>DR970</b>	●		Vented	281.7	76.3	25	<b>23.4</b>	79	5
E28	85 - 87	<b>DR670</b>		●	Solid	284	61.1	10	<b>8.4</b>	75	5

### X3

E83 2.5i, 3.0i, 3.0d, 2.0d	04 on	<b>DR12414</b>	●		Vented	325	62	25	<b>23.4</b>	75	5
E83 2.5i, 3.0i, 3.0d, 2.0d	04 on	<b>DR12415</b>		●	Vented	320	79.7	21.9	<b>20.4</b>	75	5

### X5

E53 3.0L & 4.4i	01 on	<b>DR813</b>	●		Vented	332	62	30	<b>28.4</b>	75	5
E53 3.0L & 4.4i	01 on	<b>DR814</b>		●	Solid	324	80	12	<b>10.4</b>	75	5
E53 4.6is 4 Door Wagon	02 on	<b>DR823</b>	●		Vented	356	62	36	<b>34.4</b>	75	5
E53 4.6is 4 Door Wagon	02 on	<b>DR824</b>		●	Vented	324	80	20	<b>18.4</b>	75	5
E70 3.0Si	5/06 on	<b>DR12777</b>	●		Vented	332	62	30	<b>28.4</b>	75	5
E70 3.0Si	5/06 on	<b>DR12778</b>		●	Vented	320	78.5	20	<b>18.4</b>	75	5
E70	2/07 on	<b>DR12653</b>	●		Vented	365	62	36	<b>34.4</b>	75	5
E70	2/07 on	<b>DR12654</b>		●	Vented	345	78.5	24	<b>22.4</b>	75	5

### X6

E71 xDrive 50i	08 on	<b>DR12653</b>	●		Vented	365	62	36	<b>34.4</b>	75	5
E71 xDrive 35i, xDrive 50i	08 on	<b>DR12654</b>		●	Vented	345	78.5	24	<b>22.4</b>	75	5


### Z3

1.8i Roadstar	96 on	<b>DR978</b>	●		Solid	286	51.7	12	<b>10.4</b>	79	5
1.9i 16V Roadstar	96 on	<b>DR978</b>	●		Solid	286	51.7	12	<b>10.4</b>	79	5
2.0i 24V Roadstar	96 on	<b>DR978</b>	●		Solid	286	51.7	12	<b>10.4</b>	79	5
All Models	1/96 on	<b>DR12247</b>		●	Solid	272	83.2	9.9	<b>8.4</b>	75	5
2.8i 24V Coupe & Roadstar	97 on	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5

### Z4

2.5L 6Cyl E85	3/03 on	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
3.0L 6Cyl E85	3/03 - 1/06	<b>DR966</b>	●		Vented	300	51.5	22	<b>20.4</b>	79	5
2.5L 6Cyl E85	3/03 on	<b>DR12341</b>		●	Solid	280	75	10	<b>8.4</b>	75	5
3.0L 6Cyl E85	3/03 - 1/06	<b>DR12342</b>		●	Vented	294	75	19	<b>17.4</b>	75	5
2.2i 24V	04 on	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
2.0i 16V	05 on	<b>DR979</b>	●		Vented	286	51.6	22	<b>20.4</b>	79	5
3.0i 6Cyl E85	1/06 on	<b>DR986</b>	●		Vented	296	76	22	<b>20.4</b>	79	5

# Disc Rotors



## BMW

### Z4

3.0Si 6Cyl E85	1/06 on	DR12311	●		Vented	325	52.7	25	23.4	79	5
M3.2 E85 L/H	1/06 on	DR12511	●		Vented	325	52.5	28	26.4	79	5
M3.2 E85 R/H	1/06 on	DR12512	●		Vented	325	52.5	28	26.4	79	5
3.0i 6Cyl E85	1/06 on	DR12342		●	Vented	294	75	19	17.4	75	5
3.0Si 6Cyl E85	1/06 on	DR12342		●	Vented	294	75	19	17.4	75	5
M3.2 E85 L/H	1/06 on	DR12513		●	Vented	328	61	20	17.4	75	5
M3.2 E85 R/H	1/06 on	DR12514		●	Vented	328	61	20	17.4	75	5

## CHEVROLET

### Bel Air

All Models	71 - 76	DR12253	●		Vented	301	124	32.6	30.8	Hub	5
With Rear 9.1/2" Drums	77 - 78	DR12256	●		Vented	279.6	118.1	26.3	24.5	Hub	5
With Rear 9.1/2" Drums	79 - 85	DR12257	●		Vented	279.6	118	26.3	24.5	Hub	5

### Biscayne

All Models	71 - 76	DR12253	●		Vented	301	124	32.6	30.8	Hub	5
With Rear 9.1/2" Drums	77 - 78	DR12256	●		Vented	279.6	118.1	26.3	24.5	Hub	5
With Rear 9.1/2" Drums	79 - 85	DR12257	●		Vented	279.6	118	26.3	24.5	Hub	5

### Blazer

2WD	69 - 82	DR12253	●		Vented	301	124	32.6	30.8	Hub	5
4WD	71 - 91	DR180	●		Vented	301	58.8	32.9	31	101.7	6
4WD	92 - 94	DR12249	●		Vented	294.8	66.6	32.7	30.7	78.7	6

### Brookwood

All Models	71 - 76	DR12253	●		Vented	301	124	32.6	30.8	Hub	5
With Rear 9.1/2" Drums	77 - 78	DR12256	●		Vented	279.6	118.1	26.3	24.5	Hub	5
With Rear 9.1/2" Drums	79 - 85	DR12257	●		Vented	279.6	118	26.3	24.5	Hub	5

### C10

All Excluding JB1 & JB3	69 - 86	DR12253	●		Vented	301	124	32.6	30.8	Hub	5
All Models	95 - 99	DR12248	●		Vented	295	114.5	32.7	30.9	Hub	5

### C20


All Models	71 - 86	DR090	●		Vented	317	88	32.5	31	Hub	8
------------	---------	-------	---	--	--------	-----	----	------	----	-----	---

### C30

JB7	74 - 80	DR090	●		Vented	317	88	32.5	31	Hub	8
JB8 DRW	74 - 86	DR12252	●		Vented	317.7	195	39.1	38	Hub	8
JB8 SRW	74 - 86	DR12251	●		Vented	317.5	131.3	39	37.2	Hub	8

### Camero

All Models	68 - 69	DR12254	●		Vented	279.3	101.5	26.3	24.5	Hub	5
With 4 Wheel Disc	68 - 69	DR12255	●		Vented	298.5	78.2	31.8	30.8	71.4	5



## CHEVROLET

### Camero

With 4 Wheel Disc	68 - 69	<b>DR12255</b>		●	Vented	298.5	78.2	31.8	<b>30.8</b>	71.4	5
All Models	70 - 78	<b>DR12256</b>	●		Vented	279.6	118.1	26.3	<b>24.5</b>	Hub	5
All Models	79 - 81	<b>DR12257</b>	●		Vented	279.6	118	26.3	<b>24.5</b>	Hub	5
All Models	82 - 92	<b>DR12230</b>	●		Vented	266.7	109.3	26.3	<b>24.5</b>	Hub	5
With Rear Disc's	82 - 88	<b>DR12258</b>		●	Vented	266.7	61	26.3	<b>24.3</b>	70.7	5
With Rear Disc's	89 - 92	<b>DR12259</b>		●	Vented	296.3	50	19.8	<b>18.4</b>	70.7	5
All Models	93 - 97	<b>DR12260</b>	●		Vented	278	52	32.2	<b>30.7</b>	70.7	5
All Models	93 - 97	<b>DR12261</b>		●	Vented	293	47.6	20	<b>18.4</b>	70.7	5
All Models	98 on	<b>DR12262</b>	●		Vented	303	51.9	32.2	<b>30.7</b>	70.6	5
All Models	98 on	<b>DR12263</b>		●	Vented	305	61.2	26	<b>24.7</b>	70.7	5

### Caprice

All Models	71 - 76	<b>DR12253</b>	●		Vented	301	124	32.6	<b>30.8</b>	Hub	5
With Rear 9.1/2" Drums	77 - 78	<b>DR12256</b>	●		Vented	279.6	118.1	26.3	<b>24.5</b>	Hub	5
With Rear 9.1/2" Drums	79 - 85	<b>DR12257</b>	●		Vented	279.6	118	26.3	<b>24.5</b>	Hub	5

### Chevelle

All Models	67 - 72	<b>DR12254</b>	●		Vented	279.3	101.5	26.3	<b>24.5</b>	Hub	5
All Models	73 - 77	<b>DR12256</b>	●		Vented	279.6	118.1	26.3	<b>24.5</b>	Hub	5
All Models	82 on	<b>DR12230</b>	●		Vented	266.7	109.3	26.3	<b>24.5</b>	Hub	5

### Concourse

All Models	67 - 72	<b>DR12254</b>	●		Vented	279.3	101.5	26.3	<b>24.5</b>	Hub	5
All Models	73 - 77	<b>DR12256</b>	●		Vented	279.6	118.1	26.3	<b>24.5</b>	Hub	5
All Models	82 on	<b>DR12230</b>	●		Vented	266.7	109.3	26.3	<b>24.5</b>	Hub	5

### Corvette


All Models	63 - 82	<b>DR12264</b>	●		Vented	298	78	32	<b>31</b>	71.5	5
All Models	63 - 82	<b>DR12255</b>		●	Vented	298.5	78.2	31.8	<b>30.8</b>	71.4	5
With 4 Wheel Disc	63 - 76	<b>DR12255</b>		●	Vented	298.5	78.2	31.8	<b>30.8</b>	71.4	5
All Models	84 - 87	<b>DR12223</b>	●		Vented	292.1	63.4	20	<b>18.4</b>	70.8	5
With 7 x 1.1/4 Handbrake	84 - 87	<b>DR12219</b>		●	Vented	292	63.8	20	<b>18.4</b>	70.6	5
All Excl H.D. Suspension	88 - 95	<b>DR12224</b>	●		Vented	304.7	56	19.9	<b>18.4</b>	70.6	5
With H.D. Suspension L/H	88 - 96	<b>DR996B</b>	●		Vented	330	56	27.8	<b>26</b>	71	5
With H.D. Suspension R/H	88 - 96	<b>DR996A</b>	●		Vented	330	56	27.8	<b>26</b>	71	5
All Models	88 - 96	<b>DR12220</b>		●	Vented	305	50	20	<b>18.4</b>	70.7	5
C5 Front L/H	97 - 98	<b>DR067B</b>	●		Vented	325	46	32	<b>30.3</b>	70.5	5
C5 Front R/H	97 - 98	<b>DR067A</b>	●		Vented	325	46	32	<b>30.3</b>	70.5	5
C5 Rear L/H	97 - 98	<b>DR992B</b>		●	Vented	305	48.5	26	<b>24.5</b>	70.7	5
C5 Rear R/H	97 - 98	<b>DR992A</b>		●	Vented	305	48.5	26	<b>24.5</b>	70.7	5

### El Camino

All Models	69 - 72	<b>DR12254</b>	●		Vented	279.3	101.5	26.3	<b>24.5</b>	Hub	5
All Models	73 - 77	<b>DR12256</b>	●		Vented	279.6	118.1	26.3	<b>24.5</b>	Hub	5
All Models	82 - 88	<b>DR12230</b>	●		Vented	266.7	109.3	26.3	<b>24.5</b>	Hub	5



# Disc Rotors



## CHEVROLET

### Impala

All Models	71 - 76	<b>DR12253</b>	●		Vented	301	124	32.6	<b>30.8</b>	Hub	5
With Rear 9.1/2" Drums	77 - 78	<b>DR12256</b>	●		Vented	279.6	118.1	26.3	<b>24.5</b>	Hub	5
With Rear 9.1/2" Drums	79 - 85	<b>DR12257</b>	●		Vented	279.6	118	26.3	<b>24.5</b>	Hub	5

### K Series

4WD Dual Rear Wheel	92 - 96	<b>DR12124</b>	●		Vented	317	70	39	<b>37.2</b>	137.4	8
---------------------	---------	----------------	---	--	--------	-----	----	----	-------------	-------	---

### Luguna

All Models	67 - 72	<b>DR12254</b>	●		Vented	279.3	101.5	26.3	<b>24.5</b>	Hub	5
All Models	73 - 77	<b>DR12256</b>	●		Vented	279.6	118.1	26.3	<b>24.5</b>	Hub	5
All Models	82 on	<b>DR12230</b>	●		Vented	266.7	109.3	26.3	<b>24.5</b>	Hub	5

### Malibu

All Models	67 - 72	<b>DR12254</b>	●		Vented	279.3	101.5	26.3	<b>24.5</b>	Hub	5
All Models	73 - 77	<b>DR12256</b>	●		Vented	279.6	118.1	26.3	<b>24.5</b>	Hub	5
All Models	82 on	<b>DR12230</b>	●		Vented	266.7	109.3	26.3	<b>24.5</b>	Hub	5

### Nova

All Models	67 - 74	<b>DR12254</b>	●		Vented	279.3	101.5	26.3	<b>24.5</b>	Hub	5
All Models	75 - 78	<b>DR12256</b>	●		Vented	279.6	118.1	26.3	<b>24.5</b>	Hub	5
All Models	79 on	<b>DR12257</b>	●		Vented	279.6	118	26.3	<b>24.5</b>	Hub	5


### Suburban

1500 2WD All Models	74 - 91	<b>DR12253</b>	●		Vented	301	124	32.6	<b>30.8</b>	Hub	5
1500 4WD	74 - 91	<b>DR180</b>	●		Vented	301	58.8	32.9	<b>31</b>	101.7	6
2500 2WD	74 - 91	<b>DR090</b>	●		Vented	317	88	32.5	<b>31</b>	Hub	8
2500 4WD	81 - 91	<b>DR998</b>	●		Vented	317.2	71	32.6	<b>31</b>	130.2	8
1500 2WD 11" Rear Drum	92 - 99	<b>DR12248</b>	●		Vented	295	114.5	32.7	<b>30.9</b>	Hub	5
1500 4WD 11" Rear Drum	92 - 99	<b>DR12249</b>	●		Vented	294.8	66.6	32.7	<b>30.7</b>	78.7	6
2500 2WD	92 - 99	<b>DR848</b>	●		Vented	317	80	32.5	<b>31</b>	Hub	8
2500 4WD	92 - 99	<b>DR774</b>	●		Vented	317.5	70	32.9	<b>30.9</b>	137.4	8
1500 2WD 13" Rear Drum	94 - 99	<b>DR848</b>	●		Vented	317	80	32.5	<b>31</b>	Hub	8
1500 4WD 13" Rear Drum	94 - 99	<b>DR774</b>	●		Vented	317.5	70	32.9	<b>30.9</b>	137.4	8
1500 1/2 ton 2WD & 4WD	00 on	<b>DR12464</b>	●		Vented	305	58.2	29.1	<b>27.2</b>	78.7	6
2500 3/4 ton 2WD & 4WD	00 on	<b>DR12465</b>	●		Vented	324.8	89.2	38	<b>36.5</b>	118.1	8
2500 3/4 ton 2WD & 4WD	00 - 05	<b>DR12466</b>		●	Vented	330	85.6	29	<b>26.5</b>	117.6	8

## CHRYSLER

### 300C

3.5L & 5.7L	05 on	<b>DR12450</b>	●		Vented	345	54.8	28.1	<b>26.5</b>	72.6	5
6.1L SRT8	05 on	<b>DR12489S</b>	●		Vented	360	58.5	32	<b>30</b>	72.5	5
3.5L & 5.7L	05 on	<b>DR12451</b>		●	Vented	320	67.4	22	<b>20.5</b>	72.6	5



## CHRYSLER

### 300C

6.1L SRT8	05 on	<b>DR12490</b>		●	Vented	350	68.5	28	<b>26</b>	72.5	5
-----------	-------	----------------	--	---	--------	-----	------	----	-----------	------	---

### Centura

KB 4 Cyl	75 - 77	<b>DR206</b>	●		Solid	249	35.6	12.9	<b>11.5</b>	69	4
----------	---------	--------------	---	--	-------	-----	------	------	-------------	----	---

### Crossfire

3.2L 6Cyl	8/03 on	<b>DR288</b>	●		Vented	300	47	28	<b>25.4</b>	67	5
3.2L 6Cyl	8/03 on	<b>DR267</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
SRT-6	05 on	<b>DR12520</b>	●		Vented	330	46.4	32	<b>29.4</b>	67	5
SRT-6	05 on	<b>DR12521</b>		●	Vented	300	55.3	22	<b>19.4</b>	67	5

### Grand Voyager

RG SE, LX & LTD Front & AWD	01 - 07	<b>DR776</b>	●		Vented	302	39	28	<b>26.5</b>	73.4	5
RG SE, LX & LTD Front & AWD	01 - 07	<b>DR777</b>		●	Solid	290	56	12.5	<b>11.5</b>	72	5
RT Gen V 2.8L Diesel & 3.8L Petrol	10/07 on	<b>DR12642</b>	●		Vented	302	38.2	28	<b>26.4</b>	72.5	5
RT Gen V 2.8L Diesel & 3.8L Petrol	10/07 on	<b>DR12643</b>		●	Solid	305	33.1	12	<b>10.4</b>	72.5	5

### Neon

With 13" Wheels	94 - 96	<b>DR12100</b>	●		Vented	239.3	38.3	20	<b>18.4</b>		4
All Models SE, LX Sedan	96 - 9/99	<b>DR175</b>	●		Vented	257	38	20	<b>18.4</b>	61	5
All Models SE, LX Sedan	96 - 9/99	<b>DR166</b>		●	Solid	270	53	9	<b>7.3</b>	58	5
All Models	10/00 on	<b>DR165</b>	●		Vented	257	38	22	<b>20.4</b>	61	5
All Models	10/00 on	<b>DR166</b>		●	Solid	270	53	9	<b>7.3</b>	58	5

### PT Cruiser

PT Cruiser	00 on	<b>DR167</b>	●		Vented	280	39.5	23	<b>21.4</b>	61	5
PT Cruiser	00 on	<b>DR166</b>		●	Solid	270	53	9	<b>7.3</b>	58	5
PG 2.4L	2008 on	<b>DR12644</b>	●		Vented	280	39.4	28	<b>26.4</b>	61	5
PG 2.4L	2008 on	<b>DR12645</b>		●	Solid	270	53.1	12	<b>10.4</b>	57.5	5

### Sebring

2.4L 4Cyl	07 on	<b>DR12444</b>	●		Vented	294	45.7	26	<b>24.4</b>	69	5
2.7L 6Cyl	07 on	<b>DR12444</b>	●		Vented	294	45.7	26	<b>24.4</b>	69	5
2.4L 4Cyl	07 on	<b>DR12445</b>		●	Solid	262	60.2	9.9	<b>8.4</b>	80	5
2.7L 6Cyl	07 on	<b>DR12445</b>		●	Solid	262	60.2	9.9	<b>8.4</b>	80	5
2.7L 6Cyl	07 on	<b>DR12550</b>		●	Solid	302	60.1	10	<b>8.4</b>	80	5


### Valiant

VC, VE, VF	9/68 - 70	<b>DR201</b>	●		Solid	279.4	61	12.7	<b>11.2</b>	79	5
VG - CL PCD 114mm	70 - 73	<b>DR202</b>	●		Vented	282	62	24	<b>22.3</b>	78	5
VG Early P.C.D 101mm	1970	<b>DR204</b>	●		Vented	279.4	62	24	<b>22.3</b>	78	5
CL, CM	76 - 81	<b>DR203</b>	●		Vented	282	56.5	25.4	<b>24.4</b>	78	5

### Voyager

GS SE, LE, LTD	97 - 00	<b>DR177</b>	●		Vented	282	38	24	<b>22.4</b>	73.4	5
RG SE, LX & LTD Front & AWD	01 on	<b>DR776</b>	●		Vented	302	39	28	<b>26.5</b>	73.4	5
RG SE, LX & LTD Front & AWD	01 on	<b>DR777</b>		●	Solid	290	56	12.5	<b>11.5</b>	72	5

# Disc Rotors



## CITROEN

### Berlingo

1.4i, 1.8i & 1.9L Diesel	96 - 9/02	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4
1.4L	96 on	<b>DR12302</b>	●		Solid	266	27.2	13	<b>11</b>	66	4
1.4, 1.6, 1.9 & 2.0L	02 on	<b>DR12332</b>	●		Vented	266	34.2	22	<b>20</b>	66	4
Van	05 on	<b>DR12387</b>		●	Solid	246.5	35	9	<b>8</b>	71	4

### BX

1.9L	82 - 94	<b>DR12055</b>	●		Solid	266	27	10	<b>8</b>	66	4
All Models	82 - 94	<b>DR12135</b>		●	Solid	224	56.5	7	<b>5</b>	71	4
1.9L GTi 16V	87 - 94	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4

### C2

1.6L	04 on	<b>DR12332</b>	●		Vented	266	34.2	22	<b>20</b>	66	4
1.6L	04 on	<b>DR12387</b>		●	Solid	246.5	35	9	<b>8</b>	71	4

### C3

1.4L	02 on	<b>DR12302</b>	●		Solid	266	27.2	13	<b>11</b>	66	4
1.6 16v & 1.4 16v Turbodiesel	02 on	<b>DR12332</b>	●		Vented	266	34.2	22	<b>20</b>	66	4
1.6L	02 on	<b>DR12387</b>		●	Solid	246.5	35	9	<b>8</b>	71	4

### C4

1.6L Petrol & 1.6L Diesel Non-ESP	05 on	<b>DR12332</b>	●		Vented	266	34.2	22	<b>20</b>	66	4
1.6L Petrol & 1.6L Diesel With ESP	05 on	<b>DR12312</b>	●		Vented	283	34.2	26	<b>24</b>	66	4
2.0L	05 on	<b>DR12312</b>	●		Vented	283	34.2	26	<b>24</b>	66	4
2.0L 16V	05 on	<b>DR12728</b>	●		Vented	302	34	26	<b>24</b>	66	4
1.4, 1.6 & 2.0L ABS (59.9 OD Bearing)	05 on	<b>DR12543</b>		●	Solid	249	67.2	9	<b>8</b>	Hub	4

### C5

3.0L V6 24v	01 on	<b>DR12119</b>	●		Vented	288	34.2	28	<b>26</b>	66	4
C5 & Break 2.0i & 2.0 Turbodiesel	01 on	<b>DR12312</b>	●		Vented	283	34.2	26	<b>24</b>	66	4
4 Cyl & V6	01 on	<b>DR12314</b>		●	Solid	276	62	14	<b>12</b>	71	4
2.2L & 2.9L V6	05 on	<b>DR12119</b>	●		Vented	288	34.2	28	<b>26</b>	66	4
2.2L & 2.9L V6	05 on	<b>DR12314</b>		●	Solid	276	62	14	<b>12</b>	71	4

### C6

2.7L Diesel & 2.9L V6	9/05 on	<b>DR12359</b>	●		Vented	330	48	30	<b>28</b>	71	5
2.7L	9/05 on	<b>DR12612</b>		●	Vented	302	35	22	<b>20</b>	71	5

### CX Series


CX2000, 2200, 2400, 2500i E	74 - 6/84	<b>DR056</b>	●		Vented	260	54	20	<b>18</b>	58	5
CX2000, 2200	74 - 9/77	<b>DR057</b>		●	Solid	233	58	9	<b>7</b>	58	5
CX2400, 2500i E	10/77 - 85	<b>DR059</b>		●	Solid	224	57	7	<b>6</b>	57.5	5

### D Series

D Series	66 - 76	<b>DR050</b>	●		Solid	300	54	12	<b>10.8</b>	99.5	6
----------	---------	--------------	---	--	-------	-----	----	----	-------------	------	---

### Dispatch

G9C 2.0L	1/07 on	<b>DR12566</b>	●		Vented	304	48.5	28	<b>26</b>	71	5
G9C 2.0L	1/07 on	<b>DR12567</b>		●	Solid	290	49.2	14	<b>13</b>	71	5



## CITROEN

### GS Series

GS1015	70 - 72	<b>DR051</b>	●		Solid	270	32	7	<b>6.3</b>	90.5	5
GS1200, 1220 GXS Pallas	2/71 - 78	<b>DR054</b>	●		Solid	269	29.5	9	<b>7</b>	87	6
GS1200, 1220	2/72 - 78	<b>DR053</b>		●	Solid	178	15	7	<b>6.3</b>	45	4

### Xantia

1.6, 1.8i 16V 2.0L	93 on	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4
2.0I 16V	93 on	<b>DR275</b>	●		Vented	283	27.2	22	<b>20</b>	66	4
All Models	93 on	<b>DR12020</b>		●	Solid	224	57.5	9	<b>7</b>	71	4
2.0I Turbo Ct	95 on	<b>DR277</b>	●		Vented	283	28.2	26	<b>24.2</b>	66	4
V6	98 on	<b>DR12119</b>	●		Vented	288	34.2	28	<b>26</b>	66	4

### Xantia Wagon

1.8i, 2.0i 16V, 1.9L Turbo Diesel	95 on	<b>DR275</b>	●		Vented	283	27.2	22	<b>20</b>	66	4
2.0i Turbo Ct, 2.1L Turbo Diesel	95 on	<b>DR277</b>	●		Vented	283	28.2	26	<b>24.2</b>	66	4
All Models	95 on	<b>DR12088</b>		●	Solid	251	62.4	12	<b>10.8</b>	71	4

### XM

Berline	89 on	<b>DR12215</b>		●	Solid	224	63	9	<b>7</b>	71	5
Berline	91 - 01	<b>DR12049</b>	●		Vented	283	48	26	<b>24</b>	71	5
Wagon	91 - 01	<b>DR12049</b>	●		Vented	283	48	26	<b>24</b>	71	5
Wagon	91 on	<b>DR12299</b>		●	Solid	250	62.4	12	<b>10.8</b>	71	5
Berline & Wagon V6	97 - 01	<b>DR12120</b>	●		Vented	288	50	28	<b>26</b>	71	5

### Xsara

1.6, 1.8i 8V 1.9 T/Diesel	97 on	<b>DR273</b>	●		Vented	247	34.3	20.5	<b>18.5</b>	66	4
All	97 on	<b>DR276</b>		●	Solid	247	25.3	8	<b>6</b>	71	4
1.8, 2.0L 16V	98 on	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4
Break, Coupe, Picasso	00 on	<b>DR12332</b>	●		Vented	266	34.2	22	<b>20</b>	66	4
Xsara, Break & Coupe 2.0i 16v	00 on	<b>DR12312</b>	●		Vented	283	34.2	26	<b>24</b>	66	4

## DAEWOO

### 1.5L

1.5L 4D Sedan	9/94 on	<b>DR011</b>	●		Solid	236	41	12.6	<b>10.7</b>	60	4
3D & 5D Hatchback	9/94 on	<b>DR011</b>	●		Solid	236	41	12.6	<b>10.7</b>	60	4


### Cielo

Cielo	2/95 on	<b>DR011</b>	●		Solid	236	41	12.6	<b>10.7</b>	60	4
Cielo All with 13" wheels	2/95 on	<b>DR021</b>	●		Vented	236	41	20	<b>17</b>	60	4
Cielo All with 14" wheels	2/95 on	<b>DR023</b>	●		Vented	256	41	24	<b>21</b>	60	4

### Espero

CD 4D Sedan	2/95 on	<b>DR021</b>	●		Vented	236	41	20	<b>17</b>	60	4
CD 4D Sedan	2/95 on	<b>DR023</b>	●		Vented	256	41	24	<b>21</b>	60	4

# Disc Rotors



## DAEWOO

### Kalos

T200 1.5L	4/03 - 12/04	DR12555	●		Vented	236	41	20	18	59	4
-----------	--------------	---------	---	--	--------	-----	----	----	----	----	---

### Lacetti

1.5L	04 on	DR12407	●		Vented	256	47.3	23.9	22	60.2	4
1.5L	04 on	DR12408		●	Solid	257	57.5	10.5	8	60.2	4

### Lanos

SOHC SE 1.4 & 1.5L	6/97 on	DR021	●		Vented	236	41	20	17	60	4
SOHC SE 1.4 & 1.5L	6/97 on	DR023	●		Vented	256	41	24	21	60	4

### Leganza

SX 15" Wheels 2.0 & 2.2L	8/97 on	DR892	●		Vented	256	47	24	22	60	5
SX 15" Wheels 2.0 & 2.2L	8/97 on	DR893		●	Solid	258	64.5	10	8	57	5

### Matiz

Matiz	99 on	DR897	●		Solid	236	35	12.7	9.7	86	4
-------	-------	-------	---	--	-------	-----	----	------	-----	----	---

### Nubira

SX, SE, CDX	6/97 on	DR894	●		Vented	256	47	24	22	60	4
SX, SE, CDX	6/97 on	DR895		●	Solid	258	64.5	10	8	57	4

### Tacuma

U100 2L Wagon	11/00 on	DR726	●		Vented	256	47	24	22	60	4
---------------	----------	-------	---	--	--------	-----	----	----	----	----	---

## DAIHATSU

### Altis

MCV20	7/97 - 00	DR735	●		Vented	275	49.5	28	26	62	5
SXV20	7/97 - 00	DR733	●		Vented	255	49	28	26	62	5
MCV20	7/97 - 00	DR736		●	Solid	269	65	10	9	62	5

### Applause


A101	6/89 on	DR295	●		Vented	234	47	18	17	56	4
A101	6/89 - 94	DR494		●	Solid	236	40	10	9	56	4
5 Door 1.6L	98 on	DR295	●		Vented	234	47	18	17	56	4

### Centro

MS, MX	94 - 98	DR297	●		Solid	211	35	10	9	70	4
--------	---------	-------	---	--	-------	-----	----	----	---	----	---

### Charade

G10, G20	80 - 1/83	DR290	●		Solid	208	39	10	9	47	4
G11	83 - 12/86	DR294	●		Solid	208	29	11	10	47	4
G100, G102	87 - 1/89	DR295	●		Vented	234	47	18	17	56	4
G100, G102 6mm Flange	87 - 1/89	DR291	●		Solid	234	47	11	10	56	4
G100, G102 7mm Flange	89 - 1/93	DR296	●		Solid	234	47	11	10	56	4
G100, G200, G203 SG	89 - 94	DR295	●		Vented	234	47	18	17	56	4



## DAIHATSU

### Charade

G202	1/93 on	<b>DR296</b>	●		Solid	234	47	11	<b>10</b>	56	4
L251	2/03 - 8/05	<b>DR12383</b>	●		Solid	211	41	11	<b>10</b>	55	4

### Copen

L880	03 - 05	<b>DR12495</b>	●		Vented	246	42	17	<b>16</b>	55	4
------	---------	----------------	---	--	--------	-----	----	----	-----------	----	---

### Cuore

1.0L	00 on	<b>DR12383</b>	●		Solid	211	41	11	<b>10</b>	55	4
------	-------	----------------	---	--	-------	-----	----	----	-----------	----	---

### Delta

V57, V67, V107	4/87 on	<b>DR299</b>	●		Vented	285	61	24	<b>23</b>	94	6
----------------	---------	--------------	---	--	--------	-----	----	----	-----------	----	---

### Feroza

4WD F300, F310	10/88 on	<b>DR292</b>	●		Solid	277	30	12.5	<b>11.5</b>	96	5
4WD F300, F310	10/88 on	<b>DR491</b>	●		Vented	277	33	18	<b>17</b>	96	5

### Handyvan

L55, L60 With Booster	6/83 - 85	<b>DR493</b>	●		Solid	179	33	10	<b>9</b>	70	4
L55, L60 Without Booster	6/83 - 85	<b>DR490</b>	●		Solid	236	33	10	<b>9</b>	70	4
L80	8/85 - 2/90	<b>DR297</b>	●		Solid	211	35	10	<b>9</b>	70	4

### Hi-Jet

S75	10/83 - 5/86	<b>DR297</b>	●		Solid	211	35	10	<b>9</b>	70	4
S76	2/84 - 5/86	<b>DR492</b>	●		Solid	211	23	10	<b>9</b>	79	4

### Mira

L200, L201	3/90 - 8/92	<b>DR297</b>	●		Solid	211	35	10	<b>9</b>	70	4
L200, L201	8/90 on	<b>DR298</b>	●		Vented	211	41	16	<b>15</b>	70	4

### Move

L601	97 - 99	<b>DR12457</b>	●		Vented	234	37	16	<b>15</b>	70	4
------	---------	----------------	---	--	--------	-----	----	----	-----------	----	---

### Pyzar

Pyzar	97 on	<b>DR295</b>	●		Vented	234	47	18	<b>17</b>	56	4
Pyzar	97 on	<b>DR497</b>	●		Vented	250	47	18	<b>17</b>	56	4

### Rocky 4WD

F20,F50,F60 Non Turbo	10/81 - 3/84	<b>DR292</b>	●		Solid	277	30	12.5	<b>11.5</b>	96	5
F7#, F8# Turbo	4/84 - 4/93	<b>DR491</b>	●		Vented	277	33	18	<b>17</b>	96	5
F70, F75, F80, F85	84 - 4/93	<b>DR292</b>	●		Solid	277	30	12.5	<b>11.5</b>	96	5
F73, F78	5/93 on	<b>DR491</b>	●		Vented	277	33	18	<b>17</b>	96	5

### Sirion

M100, NM101, 1.3L	6/98 on	<b>DR495</b>	●		Vented	234	41	16	<b>15</b>	55	4
-------------------	---------	--------------	---	--	--------	-----	----	----	-----------	----	---

### Terios


J100, J102 DX, SX, Aero	7/97 on	<b>DR496</b>	●		Solid	273	37.5	16	<b>15</b>	66.5	5
-------------------------	---------	--------------	---	--	-------	-----	------	----	-----------	------	---

### YRV

M200 4 Door Wagon	7/01 on	<b>DR495</b>	●		Vented	234	41	16	<b>15</b>	55	4
-------------------	---------	--------------	---	--	--------	-----	----	----	-----------	----	---



# Disc Rotors



## DAIMLER

### 2.5L Saloon

2.5L Saloon V8	59 - 67	<b>DR072</b>	●		Solid	280	51.5	9.75	<b>8.5</b>	82.5	5
2.5L Saloon V8	59 - 67	<b>DR073</b>		●	Solid	287	53	9.5	<b>8</b>	82.5	5

### Double Six

Double Six Series 1	72 - 73	<b>DR074</b>	●		Solid	284	60.3	12.7	<b>11.4</b>	82.5	5
Double Six Series 1, 2, 3	72 - 82	<b>DR075</b>		●	Solid	262	25.5	12.5	<b>11.4</b>	70	4
Double Six Series 2, 3	73 - 82	<b>DR076</b>	●		Vented	285	60.5	24	<b>22.9</b>	82	5
Sovereign Series 2, 3	74 - 82	<b>DR076</b>	●		Vented	285	60.5	24	<b>22.9</b>	82	5
Double Six	82 - 86	<b>DR076</b>	●		Vented	285	60.5	24	<b>22.9</b>	82	5
Double Six	82 - 86	<b>DR075</b>		●	Solid	262	25.5	12.5	<b>11.4</b>	70	4

### Limousine

Limousine	69 - 79	<b>DR075</b>		●	Solid	262	25.5	12.5	<b>11.4</b>	70	4
-----------	---------	--------------	--	---	-------	-----	------	------	-------------	----	---

### Sovereign

Sovereign Series 1	67 - 73	<b>DR074</b>	●		Solid	284	60.3	12.7	<b>11.4</b>	82.5	5
Sovereign Series 1, 2, 3	68 - 82	<b>DR075</b>		●	Solid	262	25.5	12.5	<b>11.4</b>	70	4

### XJ Series

Sedan 6	11/86 - 90	<b>DR077</b>	●		Vented	295	67	22.3	<b>21</b>	80	5
Sedan 6	11/86 - 90	<b>DR078</b>		●	Solid	278	68	10	<b>8.8</b>	74	5
With Dana Rear Axle P.C.D 120.5mm	11/86 - 90	<b>DR075B</b>		●	Solid	262	25.5	12.5	<b>11.4</b>	70	4

## DE TOMASO

### Pantera

Pantera	90 - 96	<b>DR12268</b>	●		Vented	332	91.5	32	<b>30</b>	82	5
Pantera	90 - 96	<b>DR12269</b>		●	Vented	314	83.5	28	<b>26</b>	82	5

## DODGE

### Avenger


2.0, 2.4 & 2.7L	08 on	<b>DR12444</b>	●		Vented	294	45.7	26	<b>24.4</b>	69	5
2.0, 2.4 & 2.7L	08 on	<b>DR12550</b>		●	Solid	302	60.1	10	<b>8.4</b>	80	5

### Caliber

1.8, 2.0 & 2.4L	8/06 on	<b>DR12444</b>	●		Vented	294	45.7	26	<b>24.4</b>	69	5
1.8, 2.0 & 2.4L	8/06 on	<b>DR12445</b>		●	Solid	262	60.2	9.9	<b>8.4</b>	80	5

### Journey

JC 2.0L & 2.7L	2008 on	<b>DR12642</b>	●		Vented	302	38.2	28	<b>26.4</b>	72.5	5
JC 2.0L & 2.7L	2008 on	<b>DR12643</b>		●	Solid	305	33.1	12	<b>10.4</b>	72.5	5



## DODGE

### Nitro

2.8 & 3.7L	07 on	<b>DR12548</b>	●		Vented	302	64	28	<b>26.4</b>	72.1	5
2.8 & 3.7L	07 on	<b>DR12549</b>		●	Solid	316	76.5	12	<b>10.4</b>	72.1	5
3.7L	09 on	<b>DR12733</b>	●		Vented	332	64	28	<b>26.4</b>	72.1	5

### Ram

4WD	94 - 99	<b>DR12246</b>	●		Vented	295	65.7	32.8	<b>30.9</b>	78.6	5
2WD 1500 Pick up	00 - 01	<b>DR12301</b>	●		Vented	304	69.8	30	<b>28.4</b>	79.8	5

## EUNOS

### 30X

30X Coupe	92 on	<b>DR533</b>	●		Vented	257	45.5	22	<b>20</b>	55	4
30X Coupe	92 on	<b>DR534</b>		●	Solid	250.5	34.5	9	<b>8</b>	55	4

### 500

500	92 on	<b>DR950</b>	●		Vented	258	49	24	<b>22</b>	72	5
500	92 on	<b>DR951</b>		●	Solid	261	40	9.5	<b>8</b>	72	5

### 800

2.5L	93 on	<b>DR962</b>	●		Vented	274	51	28	<b>26</b>	72	5
2.3L	To 5/96	<b>DR866</b>	●		Vented	296	51	28	<b>26</b>	72	5
2.3L	To 5/96	<b>DR867</b>		●	Solid	286	57	9.5	<b>7.5</b>	72	5
2.5L	To 5/96	<b>DR867</b>		●	Solid	286	57	9.5	<b>7.5</b>	72	5
2.3L	6/96 on	<b>DR866</b>	●		Vented	296	51	28	<b>26</b>	72	5
2.3L	6/96 on	<b>DR869</b>		●	Solid	285.8	58.1	9.8	<b>7.5</b>	72	5
2.5L	6/96 on	<b>DR869</b>		●	Solid	285.8	58.1	9.8	<b>7.5</b>	72	5

## FERRARI

### 208

Dino GT4	73 - 86	<b>DR070</b>	●		Vented	272	78	22	<b>20</b>	58	5
GTB/GTS Turbo	73 - 5/86	<b>DR070</b>	●		Vented	272	78	22	<b>20</b>	58	5
Dino GT4	73 - 86	<b>DR071</b>		●	Vented	277	73	20	<b>18</b>	67	5
GTB/GTS Turbo	73 - 5/86	<b>DR071</b>		●	Vented	277	73	20	<b>18</b>	67	5


### 308

GTB/GTS/GT4	73 - 86	<b>DR070</b>	●		Vented	272	78	22	<b>20</b>	58	5
GTB/GTS/GT4	73 - 86	<b>DR071</b>		●	Vented	277	73	20	<b>18</b>	67	5

### 328

GTB/GTS	76 - 89	<b>DR12021</b>	●		Vented	282	55.5	22	<b>20</b>	67	5
---------	---------	----------------	---	--	--------	-----	------	----	-----------	----	---

# Disc Rotors



## FERRARI

### 328

GTB/GTS	76 - 89	DR12022		●	Vented	280	74	22	20	67	5
---------	---------	---------	--	---	--------	-----	----	----	----	----	---

### 348

GTB/GTS	89 - 95	DR12023	●		Vented	300	61	28	26	67	5
GTB/GTS	89 - 95	DR12024		●	Vented	310	76.8	24	22	67	5
Spider	93 - 95	DR12023	●		Vented	300	61	28	26	67	5
Spider	93 - 95	DR12024		●	Vented	310	76.8	24	22	67	5

### 360

Modena/Spider	3/99 on	DR12380	●		Vented	330	41.3	28	26	67	5
Modena/Spider	3/99 on	DR12380		●	Vented	330	41.3	28	26	67	5

### 400

400	76 - 85	DR12089	●		Vented	301	96	32	30	58	5
400	76 - 85	DR12025		●	Vented	296	89	26	23	67	5

### 412

412	85 - 89	DR12026	●		Vented	301	78	32	30	67	5
412	85 - 89	DR12025		●	Vented	296	89	26	23	67	5

### 456

GTA	96 on	DR12377	●		Vented	330	61.7	32	30	67	5
-----	-------	---------	---	--	--------	-----	------	----	----	----	---

### 512

TR	92 - 95	DR12379	●		Vented	310	90	28	25	67	5
TR	92 - 95	DR12378	●		Vented	315	61.7	32	30	67	5
TR	92 - 95	DR12379		●	Vented	310	90	28	25	67	5
TR	92 - 95	DR12378		●	Vented	315	61.7	32	30	67	5

### 550

Maranello	96 on	DR12236	●		Vented	330	60.7	32	30	67	5
Maranello	96 on	DR12237		●	Vented	310	80.5	28	26	67	5

### 575M

Maranello	02 on	DR12236	●		Vented	330	60.7	32	30	67	5
Maranello	02 on	DR12237		●	Vented	310	80.5	28	26	67	5

### Boxer


Boxer	73 - 84	DR12036	●		Vented	288	76	32	30	84	8
Boxer	73 - 84	DR12037		●	Vented	296	75	22	20	90	8

### F40

F40	88 - 92	DR12027	●		Vented	332	34.5	32	30	194	10
F40	88 - 92	DR12027		●	Vented	332	34.5	32	30	194	10

### F355

Berlinetta, GTS & Spider	94 - 95	DR12023	●		Vented	300	61	28	26	67	5
Berlinetta, GTS & Spider	94 - 95	DR12024		●	Vented	310	76.8	24	22	67	5



## FERRARI

### F512

M	12/94 - 96	<b>DR12379</b>	●		Vented	310	90	28	<b>25</b>	67	5
M	12/94 - 96	<b>DR12378</b>	●		Vented	315	61.7	32	<b>30</b>	67	5
M	12/94 - 96	<b>DR12379</b>		●	Vented	310	90	28	<b>25</b>	67	5
M	12/94 - 96	<b>DR12378</b>		●	Vented	315	61.7	32	<b>30</b>	67	5

### GTO

GTO	84 - 85	<b>DR12028</b>	●		Vented	309	52.2	32	<b>30</b>	88	10
GTO	84 - 85	<b>DR12029</b>		●	Vented	310	89	30	<b>27</b>	88	10

### Mondial

2 Valves	80 - 82	<b>DR12030</b>	●		Vented	282	59.5	22	<b>20</b>	67	5
2 Valves	80 - 82	<b>DR12031</b>		●	Vented	297	73	20	<b>18</b>	67	5
Quattrovalole / Cabriolet	82 - 89	<b>DR12032</b>	●		Vented	282	55.5	22	<b>20</b>	67	5
Quattrovalole / Cabriolet	82 - 89	<b>DR12022</b>		●	Vented	280	74	22	<b>20</b>	67	5

### Mondial T

Coupe/Cabriolet	89 - 93	<b>DR12032</b>	●		Vented	282	55.5	22	<b>20</b>	67	5
Coupe/Cabriolet	89 - 93	<b>DR12022</b>		●	Vented	280	74	22	<b>20</b>	67	5

### Testarossa

Testarossa	84 - 87	<b>DR12028</b>	●		Vented	309	52.2	32	<b>30</b>	88	10
Testarossa	84 - 87	<b>DR12029</b>		●	Vented	310	89	30	<b>27</b>	88	10
Testarossa	88 - 91	<b>DR12034</b>	●		Vented	309	67.2	32	<b>30</b>	67	5
Testarossa	88 - 91	<b>DR12035</b>		●	Vented	310	89	30	<b>27</b>	67	5

## FIAT

### 124

124	66 - 78	<b>DR160</b>	●		Solid	227	46	10.8	<b>9.7</b>	62	4
124	66 - 78	<b>DR160</b>		●	Solid	227	46	10.8	<b>9.7</b>	62	4

### 125

125	66 - 78	<b>DR160</b>	●		Solid	227	46	10.8	<b>9.7</b>	62	4
125	66 - 78	<b>DR160</b>		●	Solid	227	46	10.8	<b>9.7</b>	62	4

### 127

127	66 - 78	<b>DR160</b>	●		Solid	227	46	10.8	<b>9.7</b>	62	4
127	66 - 78	<b>DR160</b>		●	Solid	227	46	10.8	<b>9.7</b>	62	4


### 128

128	66 - 78	<b>DR160</b>	●		Solid	227	46	10.8	<b>9.7</b>	62	4
128	66 - 78	<b>DR160</b>		●	Solid	227	46	10.8	<b>9.7</b>	62	4

### 130

130	76 on	<b>DR162</b>	●		Vented	275	72	18.5	<b>17</b>	59	5
-----	-------	--------------	---	--	--------	-----	----	------	-----------	----	---

# Disc Rotors



## FIAT

### 131

131	66 - 78	<b>DR160</b>	●		Solid	227	46	10.8	<b>9.7</b>	62	4
131	66 - 78	<b>DR160</b>		●	Solid	227	46	10.8	<b>9.7</b>	62	4

### 132

132	78 - 83	<b>DR160</b>	●		Solid	227	46	10.8	<b>9.7</b>	62	4
132	78 - 83	<b>DR160</b>		●	Solid	227	46	10.8	<b>9.7</b>	62	4
GLS, 2000	79 - 82	<b>DR161</b>	●		Solid	251.5	51.2	11	<b>9.5</b>	62	4

### 500

1.2L 4Cyl	10/07 on	<b>DR12569</b>	●		Solid	240	40	10.9	<b>9.2</b>	59	4
1.4L 4Cyl Sport	10/07 on	<b>DR12569</b>		●	Solid	240	40	10.9	<b>9.2</b>	59	4

### 850

850	78 - 83	<b>DR160</b>	●		Solid	227	46	10.8	<b>9.7</b>	62	4
850	78 - 83	<b>DR160</b>		●	Solid	227	46	10.8	<b>9.7</b>	62	4

### Bravo

2.0i 20V HGT	95 on	<b>DR665</b>	●		Vented	284	44	22	<b>20.2</b>	59	4
--------------	-------	--------------	---	--	--------	-----	----	----	-------------	----	---

### Coupe

2.0i 16V Turbo	94 on	<b>DR665</b>	●		Vented	284	44	22	<b>20.2</b>	59	4
2.0i 20V Turbo	96 - 00	<b>DR12348</b>	●		Vented	305	44.7	28	<b>26</b>	59	4
2.0i 20V Turbo	96 - 00	<b>DR12348</b>		●	Vented	305	44.7	28	<b>26</b>	59	4

### Croma

Croma	85 - 9/88	<b>DR12270</b>	●		Vented	257	51.7	20	<b>18.2</b>	59	4
Croma	88 - 90	<b>DR12137</b>	●		Solid	257	50.7	14	<b>12.8</b>	59	4
Croma	88 - 91	<b>DR12228</b>	●		Vented	257	50.7	22	<b>20.9</b>	59	4
Croma	88 - 90	<b>DR12138</b>		●	Solid	251	50.5	10	<b>9</b>	59	4
2.0i Turbo & 2.5i V6	93 - 96	<b>DR665</b>	●		Vented	284	44	22	<b>20.2</b>	59	4

### Ducato

2.3L Diesel	4/02 - 06	<b>DR12315</b>	●		Vented	300	65.5	24	<b>21.9</b>	80	5
2.3L Diesel	4/02 - 06	<b>DR12433</b>		●	Solid	280	82	16	<b>14.2</b>	79	5
1.7t	4/06 on	<b>DR12315</b>	●		Vented	300	65.5	24	<b>21.9</b>	80	5
2.3 & 3.0L LWB	7/06 on	<b>DR12587</b>	●		Vented	300	73.5	32	<b>29.9</b>	80	5
2.3 & 3.0L LWB	7/06 on	<b>DR12588</b>		●	Solid	300	80	16	<b>14.2</b>	79	5

### Punto


1.6L 16V & 1.9L 4Cyl Diesel	2/00 on	<b>DR12568</b>	●		Vented	257	40.5	20	<b>18.2</b>	59	4
1.4L 16V Non-Turbo	9/05 on	<b>DR12751</b>	●		Vented	257	40.5	22	<b>20</b>	60	4

### Regata

85S	82 - 89	<b>DR160</b>	●		Solid	227	46	10.8	<b>9.7</b>	62	4
100S, Argenta	83 - 89	<b>DR164</b>	●		Solid	257	51.5	12	<b>10.8</b>	62	4

### Scudo

2.0L 4Cyl Van	1/07 on	<b>DR12566</b>	●		Vented	304	48.5	28	<b>26</b>	71	5
2.0L 4Cyl Van	1/07 on	<b>DR12567</b>		●	Solid	290	49.2	14	<b>13</b>	71	5



## FIAT

### X1/9

X1/9	78 - 83	<b>DR160</b>	●		Solid	227	46	10.8	<b>9.7</b>	62	4
X1/9	78 - 83	<b>DR160</b>		●	Solid	227	46	10.8	<b>9.7</b>	62	4

## FORD

### Bronco

Bronco	81 - 87	<b>DR121</b>	●		Vented	297	70	30	<b>28.5</b>	98.5	5
Bronco	94 - 96	<b>DR12229</b>	●		Vented	297	65	26.1	<b>24.4</b>	98.5	5

### Capri

GT1600, Deluxe, XL	69 - 73	<b>DR113</b>	●		Solid	245	27	12.7	<b>11.4</b>	68	4
GT3000	70 - 73	<b>DR113</b>	●		Solid	245	27	12.7	<b>11.4</b>	68	4
SA, SC, SE Convertible Non Turbo	89 - 94	<b>DR930</b>	●		Vented	238	31	18	<b>16</b>	75	4
SA, SC, SE Convertible Turbo	89 - 94	<b>DR101</b>	●		Vented	260	32	18	<b>16</b>	75	4
SA, SC,SE Convertible Hub Seal 54mm	89 - 94	<b>DR931</b>		●	Solid	222	35	10	<b>8</b>	HUB	4

### Corsair

UA	89 - 92	<b>DR617</b>	●		Vented	257	49	22	<b>20</b>	68	4
UA	89 - 92	<b>DR614</b>		●	Solid	258	45	10	<b>9</b>	68	4

### Cortina

220, 240, 440, MKI & MKII	10/62 - 71	<b>DR112</b>	●		Solid	240	27	9.5	<b>8.6</b>	68	4
TC, TD DB625 Pads	71 - 6/77	<b>DR115</b>	●		Solid	246	62	12.5	<b>11.5</b>	69	4
English Import DB625 Pads	75 - 78	<b>DR118</b>	●		Solid	247	26.5	12.5	<b>11.4</b>	68	4
TE, TF DB1024 Pads	6/77 - 8/82	<b>DR116</b>	●		Vented	237	63.5	22.4	<b>20</b>	78	4

### Cougar

2.5L V6	99 on	<b>DR508</b>	●		Vented	278	47	24	<b>22.2</b>	63.6	4
2.5L V6	99 on	<b>DR851</b>		●	Vented	252.3	43.9	20	<b>18</b>	63.6	4

### Courier


All Models	81 - 84	<b>DR941</b>	●		Solid	255	36	20	<b>19</b>	80	4
1.8, 2.0, 2.2, 2.6L 2WD	85 - 96	<b>DR631</b>	●		Vented	256	21	20	<b>18</b>	86	6
2.6L 4WD	5/87 - 98	<b>DR965</b>	●		Vented	272	25	22	<b>20</b>	93	6
4WD	96 - 98	<b>DR959</b>	●		Vented	274	28	28	<b>26</b>	93	6
PD 2.6L 2WD	4/96 on	<b>DR958</b>	●		Vented	255.5	24	24	<b>22</b>	86	6
2.5 & 2.6L 4WD	11/98 on	<b>DR964</b>	●		Vented	275	24	24	<b>22</b>	93	6
2.5L, 2.6L 4WD	11/02 - 06	<b>DR12502</b>	●		Vented	288.5	70.5	28	<b>26</b>	98	6

### Econovan

1400, 1600, 2200	5/81 - 3/84	<b>DR939</b>	●		Vented	275	33	20	<b>19</b>	85	4
Spectron SGMB 1600	2/83 - 4/84	<b>DR939</b>	●		Vented	275	33	20	<b>19</b>	85	4
1.4, 1.8, 2.0, 2.2 SWB L/H	4/84 - 96	<b>DR632B</b>	●		Vented	231.5	58.5	18	<b>16</b>	HUB	4
1.4, 1.8, 2.0, 2.2 SWB R/H	4/84 - 96	<b>DR632A</b>	●		Vented	231.5	58.5	18	<b>16</b>	HUB	4



# Disc Rotors



## FORD

### Econovan

1.8, 2.0, 2.2L, Spectron STD & LWB	3/84 - 92	<b>DR631</b>	●		Vented	256	21	20	<b>18</b>	86	6
2000 Pick-up, Crew Cab	4/84 - 88	<b>DR934</b>	●		Vented	268	20	20	<b>18</b>	86	6
2000 4WD Wagon	3/86 - 88	<b>DR943</b>	●		Vented	256	25	24	<b>22</b>	93	6
2000 Pick-up, Crew Cab	7/87 - 7/88	<b>DR631</b>	●		Vented	256	21	20	<b>18</b>	86	6
Maxi 4.4m 2.0 & 2.2L	12/94 - 1/97	<b>DR857</b>	●		Vented	256	25	24	<b>22</b>	86	6
Maxi 4.7m Van, 2.2L Cab-Chas, Van 1.8L	12/94 - 1/97	<b>DR934</b>	●		Vented	268	20	20	<b>18</b>	86	6
JG 4.0m Van SWB L/H	2/97 on	<b>DR859B</b>	●		Vented	256	72	18	<b>16</b>	Hub	4
JG 4.0m Van SWB R/H	2/97 on	<b>DR859A</b>	●		Vented	256	72	18	<b>16</b>	Hub	4
JG 4.4m Van 2.0L	6/97 on	<b>DR857</b>	●		Vented	256	25	24	<b>22</b>	86	6
JH Van	03 on	<b>DR12655</b>	●		Vented	255.5	28	28	<b>26</b>	93	6

### Escape

ZB 2.0L 4Cyl & 3.0L V6	00 - 05	<b>DR957</b>	●		Vented	278	47	24	<b>22</b>	72	5
ZC 2.3L & 3.0L	05 on	<b>DR12448</b>	●		Vented	303	46.7	26	<b>24</b>	72	5
ZC 2.3L & 3.0L	05 on	<b>DR12449</b>		●	Solid	302	56	12	<b>11</b>	72	5

### Escort

Sedan, P/Van MKI DB538 Pads	70 - 75	<b>DR117</b>	●		Solid	219	23	9.5	<b>8.5</b>	63	4
Sedan, P/Van MK2 DB625 Pads	75 - 81	<b>DR118</b>	●		Solid	247	26.5	12.5	<b>11.4</b>	68	4
RS2000	5/79 - 81	<b>DR118</b>	●		Solid	247	26.5	12.5	<b>11.4</b>	68	4
1.8L DOHC	91 - 96	<b>DR533</b>	●		Vented	257	45.5	22	<b>20</b>	55	4
1.8L DOHC	91 - 96	<b>DR534</b>		●	Solid	250.5	34.5	9	<b>8</b>	55	4
1.9L SOHC	91 - 96	<b>DR532</b>	●		Vented	235	45.5	22	<b>20</b>	55	4
All Disc/Disc Models	97 - 03	<b>DR533</b>	●		Vented	257	45.5	22	<b>20</b>	55	4
All Disc/Disc Models	97 - 03	<b>DR534</b>		●	Solid	250.5	34.5	9	<b>8</b>	55	4

### Expedition

XLT 4.6L V8 SOHC 2WD	00 on	<b>DR862</b>	●		Vented	308	103	30	<b>27.7</b>	Hub	5
XLT 4.6L V8 SOHC 2WD	00 on	<b>DR863</b>		●	Solid	334	57	14	<b>12</b>	87	5

### Explorer


UN, UP, UQ, US XLT 4.0L	11/96 - 4/01	<b>DR860</b>	●		Vented	286	66	26	<b>24.5</b>	72	5
UN, UP, UQ, US XLT 4.0L	11/96 - 4/01	<b>DR861</b>		●	Solid	285	58.5	12	<b>11</b>	71	5
UT 4.6L V8 4WD XLT	5/01 - 05	<b>DR864</b>	●		Vented	305	56.5	26	<b>24.5</b>	82	5
XLT 4.6L V8 SOHC 2WD	5/01 - 05	<b>DR862</b>	●		Vented	308	103	30	<b>27.7</b>	Hub	5
UT 4.6L V8 4WD XLT	5/01 - 05	<b>DR865</b>		●	Solid	301	58.5	12	<b>11</b>	82	5
XLT 4.6L V8 SOHC 2WD	5/01 - 05	<b>DR863</b>		●	Solid	334	57	14	<b>12</b>	87	5

### F100

F100 2WD	73 - 5/87	<b>DR120</b>	●		Vented	297	82	30	<b>28.5</b>	HUB	5
F100 4WD	79 - 5/87	<b>DR121</b>	●		Vented	297	70	30	<b>28.5</b>	98.5	5
4WD	94 - 96	<b>DR12229</b>	●		Vented	297	65	26.1	<b>24.4</b>	98.5	5

### F150

2WD	5/87 - 90	<b>DR120</b>	●		Vented	297	82	30	<b>28.5</b>	HUB	5
4WD 5.0L EFI V8	5/87 - 90	<b>DR121</b>	●		Vented	297	70	30	<b>28.5</b>	98.5	5



## FORD

### F150

4WD 5L V8 Include EFI	5/87 - 92	<b>DR937</b>	●		Vented	298	75.5	30	<b>28.5</b>	Hub	5
4WD	94 - 96	<b>DR12229</b>	●		Vented	297	65	26.1	<b>24.4</b>	98.5	5

### F250

2WD Single Piston	73 - 79	<b>DR124</b>	●		Vented	320	95	30	<b>28.5</b>	HUB	8
2WD Double Piston	76 - 79	<b>DR122</b>	●		Vented	320	94	32	<b>29</b>	HUB	8
4WD 3/4 Ton	76 - 79	<b>DR12303</b>	●		Vented	319	84	31.6	<b>30</b>	127	8
4WD Single & Dual R/W	80 - 93	<b>DR12125</b>	●		Vented	320	81	31.6	<b>30</b>	130	8
2WD Stud Dia. 1/2" (Under 8500lb GVW)	2/83 - 85	<b>DR128A</b>	●		Vented	320	95	32	<b>30</b>	HUB	8
2WD Stud Dia. 9/16" (Over 8500lb GVW)	2/83 - 85	<b>DR128B</b>	●		Vented	320	95	32	<b>30</b>	HUB	8
2WD Double Piston	86 - 93	<b>DR995</b>	●		Vented	319	94	32	<b>30</b>	HUB	8
2WD Single Rear Wheel	95 - 96	<b>DR12142</b>	●		Vented	331	94	30	<b>28</b>	HUB	8
4WD Dual Rear Wheels	95 - 96	<b>DR12144</b>	●		Vented	330	79.1	30	<b>28.5</b>	130.4	8
2WD Single Rear Wheel	96 - 99	<b>DR12143</b>	●		Vented	308	103	30	<b>27.7</b>	HUB	7
4WD Dual Rear Wheels	96 - 99	<b>DR12145</b>	●		Vented	308	47.6	30.1	<b>27.7</b>	92.3	8
2WD With 4 wheel ABS	99 - 02	<b>DR12532</b>	●		Vented	331	143.6	38	<b>36</b>	Hub	8
4WD	3/99 - 05	<b>DR798</b>	●		Vented	331	99.5	38	<b>36</b>	128.7	8
2WD & 4WD	3/99 - 05	<b>DR796</b>		●	Vented	326	98.5	30	<b>28</b>	126.5	8
2WD	03 - 04	<b>DR12447</b>	●		Vented	331	143.5	38	<b>36</b>	Hub	8


### F350

2WD Rare Model	74 - 75	<b>DR938</b>	●		Vented	320	98	26	<b>24</b>	91	8
2WD Single Rear Wheel	76 - 79	<b>DR125</b>	●		Vented	320	94	32	<b>30</b>	HUB	8
2WD Dual Rear Wheels	81 - 85	<b>DR129</b>	●		Vented	318	93	32	<b>30</b>	91	8
2WD Dual Rear Wheels	84 - 94	<b>DR12173</b>	●		Vented	319	94	32	<b>30</b>	91	8
4WD Single & Dual R/W	84 - 94	<b>DR12125</b>	●		Vented	320	81	31.6	<b>30</b>	130	8
2WD Single Rear Wheel	86 - 94	<b>DR995</b>	●		Vented	319	94	32	<b>30</b>	HUB	8
2WD Dual Rear Wheels	95 - 99	<b>DR12174</b>	●		Vented	331	206	30	<b>28</b>	HUB	8
2WD Single Rear Wheel	95 - 99	<b>DR12142</b>	●		Vented	331	94	30	<b>28</b>	HUB	8
4WD Single & Dual R/W	95 - 99	<b>DR12144</b>	●		Vented	330	79.1	30	<b>28.5</b>	130.4	8
2WD With 4 wheel ABS	99 - 02	<b>DR12532</b>	●		Vented	331	143.6	38	<b>36</b>	Hub	8
2 & 4WD 4 Wheel ABS	7/01 on	<b>DR798</b>	●		Vented	331	99.5	38	<b>36</b>	128.7	8
Dual Rear Wheels	7/01 on	<b>DR799</b>		●	Vented	326	113	30	<b>28</b>	119.5	8
SRW 5.4 & 7.3L Turbo Diesel	7/01 on	<b>DR796</b>		●	Vented	326	98.5	30	<b>28</b>	126.5	8

### Fairlane

ZA, ZB 6Cyl	66 - 6/69	<b>DR104</b>	●		Solid	272	50	12.8	<b>11.5</b>	79.5	5
ZA, ZB 8Cyl	66 - 6/69	<b>DR105</b>	●		Solid	279	50	16	<b>14.6</b>	79.5	5
ZC, ZD, ZF, ZG	7/69 - 10/75	<b>DR106H</b>	●		Vented	287	75	24	<b>22.2</b>	HUB	5
ZG, ZH Rear	11/73 - 79	<b>DR103</b>		●	Vented	287	58.5	24	<b>22.2</b>	83	5
ZG, ZH, ZJ, ZK, ZL	10/75 - 88	<b>DR107</b>	●		Vented	287	75	24	<b>22.2</b>	HUB	5
ZJ Flange Thick 0.350"	79 - 81	<b>DR108</b>		●	Vented	287	71.5	24	<b>22.2</b>	70.5	5
ZK, ZL Rear Flange Thickness 0.250	81 - 88	<b>DR109</b>		●	Vented	287	71.5	24	<b>22.2</b>	70.5	5
NA, NA Series II, NC Non-ABS	88 - 6/91	<b>DR110B</b>	●		Vented	287	70	24	<b>22.2</b>	HUB	5

# Disc Rotors



## FORD

### Fairlane


NA, NA Series II Rear	88 - 1/90	<b>DR111A</b>		●	Solid	287	61	15	<b>14</b>	70.5	5
NA Series II, NC Rear	1/90 on	<b>DR111B</b>		●	Solid	287	61	13	<b>12</b>	70.5	5
NC With ABS	7/91 on	<b>DR130</b>	●		Vented	287	70	24	<b>22.2</b>	HUB	5
NF,NL Non-ABS	To 11/96	<b>DR131</b>	●		Vented	287	70	25	<b>22</b>	HUB	5
NF,NL With ABS	To 11/96	<b>DR132</b>	●		Vented	287	70	25	<b>22</b>	HUB	5
NF, NL	2/95 on	<b>DR133</b>		●	Solid	299	56.5	10.5	<b>8.5</b>	70.5	5
NL With ABS	11/96 on	<b>DR134</b>	●		Vented	287	70	24	<b>21</b>	HUB	5
AU	98 - 00	<b>DR500</b>	●		Vented	287	70	24	<b>21</b>	71.8	5
AU	98 - 00	<b>DR501</b>		●	Solid	287	51.5	10.5	<b>8.5</b>	70.5	5
AU Series II Non Brembo upgrade	00 on	<b>DR502</b>	●		Vented	287	65	28	<b>25.6</b>	71.8	5
AU Series II Non Brembo upgrade	00 on	<b>DR503</b>		●	Solid	287	51	16	<b>14.5</b>	70.5	5
BA - FG	02 on	<b>DR504</b>	●		Vented	298	65	28	<b>26</b>	71.8	5
BA - FG	02 on	<b>DR505</b>		●	Solid	303	51	16	<b>14.5</b>	70.5	5

### Fairlane - USA

Fairlane	1968	<b>DR106H</b>	●		Vented	287	75	24	<b>22.2</b>	Hub	5
Fairlane	69 - 70	<b>DR12284</b>	●		Vented	286.8	107.5	23.9	<b>22.2</b>	Hub	5

### Falcon/Fairmont

XP - 4 Stud	3/65 - 66	<b>DR114B</b>	●		Solid	273	50	12.7	<b>11.5</b>	79	4
XP - 5 Stud	3/65 - 66	<b>DR114A</b>	●		Solid	273	50	12.7	<b>11.5</b>	79	5
XR, XT 6 Cyl	66 - 6/69	<b>DR104</b>	●		Solid	272	50	12.8	<b>11.5</b>	79.5	5
XR, XT 8 Cyl	66 - 6/69	<b>DR105</b>	●		Solid	279	50	16	<b>14.6</b>	79.5	5
XW - XB	7/69 - 10/75	<b>DR106</b>	●		Vented	287	58.5	24	<b>22.2</b>	83	5
XY, XW, XA, XB	7/69 - 10/75	<b>DR106H</b>	●		Vented	287	75	24	<b>22.2</b>	Hub	5
XB, XC Rear	11/73 - 79	<b>DR103</b>		●	Vented	287	58.5	24	<b>22.2</b>	83	5
XB, XC, XD, XE, XF Inc Ute	10/75 - 88	<b>DR107</b>	●		Vented	287	75	24	<b>22.2</b>	Hub	5
XD Flange Thick .350"	79 - 81	<b>DR108</b>		●	Vented	287	71.5	24	<b>22.2</b>	70.5	5
XE, XF Rear Flange Thick 0.250	82 - 88	<b>DR109</b>		●	Vented	287	71.5	24	<b>22.2</b>	70.5	5
EA,EB,ED Not ABS XR6,XR8	88 - 94	<b>DR110B</b>	●		Vented	287	70	24	<b>22.2</b>	Hub	5
EA, EA Series II Rear	88 - 12/89	<b>DR111A</b>		●	Solid	287	61	15	<b>14</b>	70.5	5
EA Series II, EB, ED, XR6, XR8 Rear	1/90 - 94	<b>DR111B</b>		●	Solid	287	61	13	<b>12</b>	70.5	5
EB, ED With ABS XR6, XR8	6/91 - 94	<b>DR130</b>	●		Vented	287	70	24	<b>22.2</b>	HUB	5
EF,EL XR6, XR8 Rear	94 on	<b>DR133</b>		●	Solid	299	56.5	10.5	<b>8.5</b>	70.5	5
EF, EL Non-ABS	To 11/96	<b>DR131</b>	●		Vented	287	70	25	<b>22</b>	HUB	5
EF, EL With ABS XR6, XR8	To 11/96	<b>DR132</b>	●		Vented	287	70	25	<b>22</b>	HUB	5
EL Non-ABS	11/96 on	<b>DR135</b>	●		Vented	287	70	24	<b>21</b>	HUB	5
EL With ABS XR6, XR8	11/96 on	<b>DR134</b>	●		Vented	287	70	24	<b>21</b>	HUB	5
EL GT Limited Edition	97 on	<b>DR136</b>	●		Vented	329	94	28	<b>26.4</b>	Hub	5
EL GT Limited Edition	97 on	<b>DR133</b>		●	Solid	299	56.5	10.5	<b>8.5</b>	70.5	5
AU	98 - 00	<b>DR500</b>	●		Vented	287	70	24	<b>21</b>	71.8	5
T-Series Tickford	98 on	<b>DR506</b>	●		Vented	329	48.3	28	<b>26</b>	71.8	5
AU	98 - 00	<b>DR501</b>		●	Solid	287	51.5	10.5	<b>8.5</b>	70.5	5



## FORD

### Falcon/Fairmont

T-Series Tickford	98 on	<b>DR501</b>		●	Solid	287	51.5	10.5	<b>8.5</b>	70.5	5
AU Series II & III Non Brembo upgrade	00 - 02	<b>DR502</b>	●		Vented	287	65	28	<b>25.6</b>	71.8	5
AU Series II & III Non Brembo upgrade	00 - 02	<b>DR503</b>		●	Solid	287	51	16	<b>14.5</b>	70.5	5
AUIII T-Series 5.6L V8 L/H	00 - 02	<b>DR507B</b>		●	Vented	330	51	28	<b>26</b>	70.5	5
AUIII T-Series 5.6L V8 R/H	00 - 02	<b>DR507A</b>		●	Vented	330	51	28	<b>26</b>	70.5	5
BA - BF & Ute	02 - 05	<b>DR504</b>	●		Vented	298	65	28	<b>26</b>	71.8	5
BA - BF & Ute	02 - 05	<b>DR505</b>		●	Solid	303	51	16	<b>14.5</b>	70.5	5
BF With PBR Upgrade - L/H	05 - 4/08	<b>DR12316GL</b>	●		Vented	322	67.3	28	<b>26</b>	72	5
BF With PBR Upgrade - R/H	05 - 4/08	<b>DR12316GR</b>	●		Vented	322	67.3	28	<b>26</b>	72	5
BF GT, F6 Typhoon - Brembo Caliper - L/H	05 - 4/08	<b>DR12317GL</b>		●	Vented	328	58.5	26	<b>24</b>	70.5	5
BF GT, F6 Typhoon - Brembo Caliper - R/H	05 - 4/08	<b>DR12317GR</b>		●	Vented	328	58.5	26	<b>24</b>	70.5	5
BF With PBR Upgrade - L/H	05 - 4/08	<b>DR12317GL</b>		●	Vented	328	58.5	26	<b>24</b>	70.5	5
BF With PBR Upgrade - R/H	05 - 4/08	<b>DR12317GR</b>		●	Vented	328	58.5	26	<b>24</b>	70.5	5
BF XR6 Turbo - L/H	9/05 - 4/08	<b>DR12317GL</b>		●	Vented	328	58.5	26	<b>24</b>	70.5	5
BF XR6 Turbo - R/H	9/05 - 4/08	<b>DR12317GR</b>		●	Vented	328	58.5	26	<b>24</b>	70.5	5
FG	5/08 on	<b>DR504</b>	●		Vented	298	65	28	<b>26</b>	71.8	5
FG With PBR Upgrade - L/H	5/08 on	<b>DR12316GL</b>	●		Vented	322	67.3	28	<b>26</b>	72	5
FG With PBR Upgrade - R/H	5/08 on	<b>DR12316GR</b>	●		Vented	322	67.3	28	<b>26</b>	72	5
FG	5/08 on	<b>DR505</b>		●	Solid	303	51	16	<b>14.5</b>	70.5	5
FG With PBR Upgrade - L/H	5/08 on	<b>DR12317GL</b>		●	Vented	328	58.5	26	<b>24</b>	70.5	5
FG With PBR Upgrade - R/H	5/08 on	<b>DR12317GR</b>		●	Vented	328	58.5	26	<b>24</b>	70.5	5

### Falcon - USA

Falcon	1968	<b>DR106H</b>	●		Vented	287	75	24	<b>22.2</b>	Hub	5
Falcon	69 - 70	<b>DR12284</b>	●		Vented	286.8	107.5	23.9	<b>22.2</b>	Hub	5


### Falcon Ute

XF & XG Longreach	88 - 95	<b>DR107</b>	●		Vented	287	75	24	<b>22.2</b>	HUB	5
XG Longreach, XH	92 on	<b>DR111B</b>		●	Solid	287	61	13	<b>12</b>	70.5	5
XH Incl. Panel Van ABS	4/96 - 11/96	<b>DR132</b>	●		Vented	287	70	25	<b>22</b>	HUB	5
XH Incl. Panel Van ABS	11/96 on	<b>DR134</b>	●		Vented	287	70	24	<b>21</b>	Hub	5
XH Incl. Panel Van Non - ABS	11/96 on	<b>DR135</b>	●		Vented	287	70	24	<b>21</b>	HUB	5
XH Incl. Panel Van Non - ABS	4/96 - 11/96	<b>DR131</b>	●		Vented	287	70	25	<b>22</b>	HUB	5
AU	98 on	<b>DR500</b>	●		Vented	287	70	24	<b>21</b>	71.8	5
AU	98 on	<b>DR501</b>		●	Solid	287	51.5	10.5	<b>8.5</b>	70.5	5
AU Series II & III	00 on	<b>DR502</b>	●		Vented	287	65	28	<b>25.6</b>	71.8	5
AU Series II & III	00 on	<b>DR503</b>		●	Solid	287	51	16	<b>14.5</b>	70.5	5

### Festiva

WA	10/91 - 94	<b>DR635</b>	●		Solid	219	37	13	<b>11</b>	75	4
WB Automatic	94 - 97	<b>DR532</b>	●		Vented	235	45.5	22	<b>20</b>	55	4
WB Manual	94 - 97	<b>DR530</b>	●		Vented	235	45.5	18	<b>16</b>	55	4
WF 3 Door	11/97 on	<b>DR530</b>	●		Vented	235	45.5	18	<b>16</b>	55	4
WF 5 Door	11/97 on	<b>DR532</b>	●		Vented	235	45.5	22	<b>20</b>	55	4

# Disc Rotors



## FORD

### Fiesta

Fiesta	96 on	<b>DR854</b>	●		Vented	239.5	43	20	<b>18</b>	63.5	4
1.25i 16v, 1.3i 8v, 1.4L & 1.6L	12/01 on	<b>DR2100</b>	●		Vented	258	43.5	22	<b>20</b>	63.6	4
WP, WQ XR4	03 - 07	<b>DR2100</b>	●		Vented	258	43.5	22	<b>20</b>	63.6	4
WP, WQ XR4	03 - 07	<b>DR12241</b>		●	Solid	252.5	33	10	<b>8.9</b>	63.6	4
WS 1.4 & 1.6L	10/09 on	<b>DR12743</b>	●		Vented	258	44	23	<b>21</b>	63.5	4

### Focus

1.8, 2.0L 16V Except ST170	98 on	<b>DR2100</b>	●		Vented	258	43.5	22	<b>20</b>	63.6	4
1.4, 1.6, 1.8L 16V	98 on	<b>DR12241</b>		●	Solid	252.5	33	10	<b>8.9</b>	63.6	4
2.0L ST170	03 on	<b>DR2101</b>	●		Vented	300	43.5	24	<b>22</b>	63.5	4
2.0L ST170	03 on	<b>DR2103</b>		●	Solid	280	33	10.2	<b>8.9</b>	63.6	4
2.0L & C-Max With 15" Wheels	04 on	<b>DR12391</b>	●		Vented	278	48.5	25	<b>23</b>	63.5	5
Focus II With 16" Wheels	4/04 on	<b>DR12500</b>	●		Vented	300	48.5	25	<b>23</b>	63.5	5
2.5L Turbo	10/05 on	<b>DR12610</b>	●		Vented	320	48.5	25	<b>23</b>	63.6	5
2.0L	05 on	<b>DR12458</b>		●	Solid	265	41	11	<b>9</b>	63.5	5
2.5L Turbo	10/05 on	<b>DR12501</b>		●	Solid	280	41	11	<b>9</b>	64	5

### FPV GT-P

5.4L V8 L/H	02 on	<b>DR507B</b>		●	Vented	330	51	28	<b>26</b>	70.5	5
5.4L V8 R/H	02 on	<b>DR507A</b>		●	Vented	330	51	28	<b>26</b>	70.5	5

### Galaxie - USA

USA Model	70 - 72	<b>DR12310</b>	●		Vented	297.7	114.9	30.1	<b>28.4</b>	Hub	5
All Models	74 - 78	<b>DR123</b>	●		Vented	299.7	122.7	30.1	<b>28.4</b>	Hub	5


### KA

1.3L Hatch	99 on	<b>DR529</b>	●		Solid	240	43	12	<b>10</b>	63.5	4
1.3L Series II	00 on	<b>DR854</b>	●		Vented	239.5	43	20	<b>18</b>	63.5	4

### Laser

KA, KB	81 - 85	<b>DR100</b>	●		Solid	228	31	11	<b>10</b>	75	4
KC, KE Non-Turbo	85 - 90	<b>DR930</b>	●		Vented	238	31	18	<b>16</b>	75	4
KC, KE Except 4WD Hub Seal 54mm	85 - 90	<b>DR931</b>		●	Solid	222	35	10	<b>8</b>	HUB	4
KE Turbo 2WD & 4WD	87 - 90	<b>DR101</b>	●		Vented	260	32	18	<b>16</b>	75	4
KE TX3 Turbo 4WD	87 - 90	<b>DR932</b>		●	Solid	247	30	10	<b>8</b>	75	4
KF, KH, TX3 1.8 DOHC	11/89 - 94	<b>DR533</b>	●		Vented	257	45.5	22	<b>20</b>	55	4
KF, KH 1600 Automatic	4/90 - 94	<b>DR532</b>	●		Vented	235	45.5	22	<b>20</b>	55	4
KF, KH, KL TX3 4WD Turbo	4/90 on	<b>DR533</b>	●		Vented	257	45.5	22	<b>20</b>	55	4
KF, KH-1600 EFI Manual	4/90 - 94	<b>DR530</b>	●		Vented	235	45.5	18	<b>16</b>	55	4
KF, KH, 1.8L SOHC	4/90 - 94	<b>DR531</b>		●	Solid	231	35	9	<b>8</b>	55	4
KF, KH, KJ, KL 1.8L DOHC	4/90 on	<b>DR534</b>		●	Solid	250.5	34.5	9	<b>8</b>	55	4
KH 1800 SOHC, DOHC	10/91 - 94	<b>DR532</b>	●		Vented	235	45.5	22	<b>20</b>	55	4
KF, KH, KL TX3 2WD	10/91 on	<b>DR534</b>		●	Solid	250.5	34.5	9	<b>8</b>	55	4
KJ, KL 1.6, 1.8L	94 on	<b>DR533</b>	●		Vented	257	45.5	22	<b>20</b>	55	4
KN 1.6L	11/98 on	<b>DR12139</b>	●		Vented	235	46	22	<b>20</b>	55	4





## FORD

### Laser

KN, KQ 1.6L	99 on	<b>DR532</b>	●		Vented	235	45.5	22	<b>20</b>	55	4
KN, KQ 1.8L	99 on	<b>DR576</b>	●		Vented	258	47	24	<b>22</b>	55	4
KN, KQ 1.8L	99 on	<b>DR539</b>		●	Solid	261	40	10	<b>8</b>	55	4
KQ 2.0L	00 on	<b>DR950</b>	●		Vented	258	49	24	<b>22</b>	72	5
KQ 2.0L	00 on	<b>DR951</b>		●	Solid	261	40	9.5	<b>8</b>	72	5

### LTD

54 J (Rear)	6/73 - 79	<b>DR103</b>		●	Vented	287	58.5	24	<b>22.2</b>	83	5
FC, FD, FE	79 - 88	<b>DR107</b>	●		Vented	287	75	24	<b>22.2</b>	HUB	5
FC Flange Thick .350"	79 - 81	<b>DR108</b>		●	Vented	287	71.5	24	<b>22.2</b>	70.5	5
FD, FE Rear Flange Thickness 0.250	82 - 88	<b>DR109</b>		●	Vented	287	71.5	24	<b>22.2</b>	70.5	5
DA, DA Series II, DC Non-ABS	88 - 7/91	<b>DR110B</b>	●		Vented	287	70	24	<b>22.2</b>	HUB	5
DA, DA Series II	88 - 1/90	<b>DR111A</b>		●	Solid	287	61	15	<b>14</b>	70.5	5
DA Series II, DC	1/90 - 2/95	<b>DR111B</b>		●	Solid	287	61	13	<b>12</b>	70.5	5
DC With ABS	7/91 - 2/95	<b>DR130</b>	●		Vented	287	70	24	<b>22.2</b>	HUB	5
DF, DL With ABS	To 11/96	<b>DR132</b>	●		Vented	287	70	25	<b>22</b>	HUB	5
DF, DL Rear	2/95 on	<b>DR133</b>		●	Solid	299	56.5	10.5	<b>8.5</b>	70.5	5
DL With ABS	11/96 on	<b>DR134</b>	●		Vented	287	70	24	<b>21</b>	HUB	5
AU	98 - 00	<b>DR500</b>	●		Vented	287	70	24	<b>21</b>	71.8	5
AU	98 - 00	<b>DR501</b>		●	Solid	287	51.5	10.5	<b>8.5</b>	70.5	5
AU Series II & III Non Brembo upgrade	00 on	<b>DR502</b>	●		Vented	287	65	28	<b>25.6</b>	71.8	5
AU Series II & III Non Brembo upgrade	00 on	<b>DR503</b>		●	Solid	287	51	16	<b>14.5</b>	70.5	5
BA	02 on	<b>DR504</b>	●		Vented	298	65	28	<b>26</b>	71.8	5
BA	02 on	<b>DR505</b>		●	Solid	303	51	16	<b>14.5</b>	70.5	5

### LTD - USA

All Models	74 - 78	<b>DR123</b>	●		Vented	299.7	122.7	30.1	<b>28.4</b>	Hub	5
------------	---------	--------------	---	--	--------	-------	-------	------	-------------	-----	---

### Maverick

GY, KY	88 - 93	<b>DR329</b>	●		Vented	295	29	20	<b>18</b>	104	6
GY, KY	88 - 93	<b>DR622</b>		●	Vented	316	80	18	<b>16</b>	111	6


### Meteor

GA, GB	82 - 85	<b>DR100</b>	●		Solid	228	31	11	<b>10</b>	75	4
GC	85 - 87	<b>DR930</b>	●		Vented	238	31	18	<b>16</b>	75	4

### Mondeo

HA, HC, HD & HE 2.0L DOHC	7/95 - 12/01	<b>DR850</b>	●		Vented	260	47	24	<b>22.2</b>	63.5	4
HA, HC, HD & HE 2.0L DOHC	7/95 - 12/01	<b>DR851</b>		●	Vented	252.3	43.9	20	<b>18</b>	63.6	4
ST 2.5L	8/98 - 12/01	<b>DR508</b>	●		Vented	278	47	24	<b>22.2</b>	63.6	4
Mondeo III	11/00 - 2/07	<b>DR12323</b>	●		Vented	300	47	24	<b>22</b>	63.5	5
Mondeo III	11/00 - 2/07	<b>DR12579</b>		●	Solid	280	34	12	<b>10</b>	63.5	5
Mondeo IV	3/07 on	<b>DR12577</b>	●		Vented	300	52	28	<b>26</b>	63.5	5
Mondeo IV	3/07 on	<b>DR12636</b>		●	Solid	302	50.8	11	<b>9</b>	63.5	5

# Disc Rotors



## FORD

### Mustang

All Models	65 - 67	DR12657	●		Vented	288	58.6	21	19.8	82.6	5
All Models	68 - 73	DR12658	●		Vented	287	108.5	23.9	22.4	Hub	5
All Models	74 - 78	DR12285	●		Vented	236.2	99.3	22.2	20.6	Hub	4
4 & 6 Cyl Engines	79 on	DR12286	●		Vented	236.2	101.5	22.2	20.6	Hub	4
V8	79 on	DR12287	●		Vented	257	102.4	22.1	20.6	Hub	4
All Models	80 - 81	DR12286	●		Vented	236.2	101.5	22.2	20.6	Hub	4
All Models Except SVO	82 - 86	DR12287	●		Vented	257	102.4	22.1	20.6	Hub	4
SVO	84 - 86	DR12288	●		Vented	277.1	92.1	26.2	24.7	Hub	5
SVO	84 - 86	DR12290		●	Vented	287.4	65	24	22.7	70.8	5
4 Cyl	87 - 93	DR12287	●		Vented	257	102.4	22.1	20.6	Hub	4
8 Cyl	87 - 93	DR12289	●		Vented	277	95	26.1	24.7	Hub	4
All Models	93	DR12659	●		Vented	277	95	26.4	24.6	Hub	4
All with Rear Disc	93	DR12291		●	Vented	258.1	59.4	24	22.8	64.5	4
Cobra L/H	94 - 05	DR069B	●		Vented	330	43.5	28	26.4	71	5
Cobra R/H	94 - 05	DR069A	●		Vented	330	43.5	28	26.4	71	5
Excluding Cobra	94 - 05	DR12188	●		Vented	276	46.4	26	24.7	71.1	5
Non-Cobra	94 - 98	DR855	●		Vented	276	46.6	26	24.8	71	5
Cobra	94 - 05	DR102		●	Vented	296	51	18	16.8	71	5
Excluding Cobra	94 - 05	DR856		●	Solid	267	51	14	12.8	71	5
GT 4.6L V8	05 on	DR12660	●		Vented	316	48.3	30	28.4	70.9	5
4.0L V6	05 on	DR12661	●		Vented	293	48	30	28.4	71.1	5
V8	05 on	DR12662		●	Vented	300	35.2	19	17.4	70.6	5
Shelby GT500	07 on	DR12663	●		Vented	355	46	32	30	71	5

### Probe

SU 2.5L 2DR Sports Coupe	94 on	DR950	●		Vented	258	49	24	22	72	5
SU 2.5L 2DR Sports Coupe	94 on	DR951		●	Solid	261	40	9.5	8	72	5

### Raider

All Models	81 - 84	DR941	●		Solid	255	36	20	19	80	4
1.8, 2.0, 2.2, 2.6L 2WD	85 - 96	DR631	●		Vented	256	21	20	18	86	6
2.6L 4WD	5/87 - 98	DR965	●		Vented	272	25	22	20	93	6
PD 2.6L 2WD	4/96 on	DR958	●		Vented	255.5	24	24	22	86	6
2.6L 4WD	11/98 on	DR964	●		Vented	275	24	24	22	93	6


### Ranger

PJ 4WD	10/06 on	DR12502	●		Vented	288.5	70.5	28	26	98	6
PJ	06 on	DR958	●		Vented	255.5	24	24	22	86	6

### Sierra

2.8i 2WD & 4WD	4/83 - 85	DR12271	●		Vented	260	58.1	24	22.8	63.6	4
2.0i With ABS 2WD	3/85 on	DR12271	●		Vented	260	58.1	24	22.8	63.6	4
XR 4x4 2.8 & 2.9L	85 - 93	DR12272	●		Vented	260	53.1	24	22.2	63.6	4
2.8 & 2.9L 2WD	2/87 - 2/93	DR12241		●	Solid	252.5	33	10	8.9	63.6	4
2.9i 2WD	3/89 on	DR12241		●	Solid	252.5	33	10	8.9	63.6	4





## FORD

### Sierra

XR 4x4 2.0L	90 - 93	<b>DR12272</b>	●		Vented	260	53.1	24	<b>22.2</b>	63.6	4
-------------	---------	----------------	---	--	--------	-----	------	----	-------------	------	---

### Spectron

1400, 1600, 2200	3/81 - 3/84	<b>DR939</b>	●		Vented	275	33	20	<b>19</b>	85	4
Spectron SGMB 1600	3/83 - 4/84	<b>DR939</b>	●		Vented	275	33	20	<b>19</b>	85	4
1.4, 1.8, 2.0, 2.2 R/H	4/84 - 96	<b>DR632A</b>	●		Vented	231.5	58.5	18	<b>16</b>	HUB	4
1.4, 1.8, 2.0, 2.2 L/H	4/84 - 96	<b>DR632B</b>	●		Vented	231.5	58.5	18	<b>16</b>	HUB	4
1.8, 2.0, 2.2L	3/84 - 92	<b>DR631</b>	●		Vented	256	21	20	<b>18</b>	86	6
2000 Pick-up, Crew Cab	4/84 - 88	<b>DR934</b>	●		Vented	268	20	20	<b>18</b>	86	6
2000 4WD Wagon	3/86 - 88	<b>DR943</b>	●		Vented	256	25	24	<b>22</b>	93	6
2000 Pick-up, Crew Cab	7/87 - 7/88	<b>DR631</b>	●		Vented	256	21	20	<b>18</b>	86	6
Maxi 4.4m 2.0 & 2.2L	12/94 - 1/97	<b>DR857</b>	●		Vented	256	25	24	<b>22</b>	86	6
Maxi 4.7m Van, 2.2L Cab-Chas, Van 1.8L	12/94 - 1/97	<b>DR934</b>	●		Vented	268	20	20	<b>18</b>	86	6
JG 4.0m Van SWB L/H	2/97 on	<b>DR859B</b>	●		Vented	256	72	18	<b>16</b>	Hub	4
JG 4.0m Van SWB R/H	2/97 on	<b>DR859A</b>	●		Vented	256	72	18	<b>16</b>	Hub	4
JG 4.4m Van 2.0L	6/97 on	<b>DR857</b>	●		Vented	256	25	24	<b>22</b>	86	6

### Taurus

Ghia 4 Door Sedan	2/96 on	<b>DR852</b>	●		Vented	276	46.5	26	<b>24.75</b>	71	5
Ghia 4 Door Sedan	2/96 on	<b>DR853</b>		●	Solid	257	39.5	14	<b>12.75</b>	64.5	5

### Telstar

AR	5/83 - 9/85	<b>DR119</b>	●		Solid	250	35	14	<b>12.5</b>	75	4
AR, AS	5/83 - 9/87	<b>DR945</b>		●	Solid	254	50.2	10.2	<b>9</b>	HUB	4
AS	9/85 - 9/87	<b>DR334</b>	●		Vented	250	35	20	<b>18.5</b>	75	4
AT	10/87 - 89	<b>DR633</b>	●		Vented	264	47	24	<b>22</b>	64	5
AV TX5	90 - 1/92	<b>DR634</b>		●	Solid	258	72	10	<b>8</b>	HUB	5
AX Except 4WS, AY	92 on	<b>DR950</b>	●		Vented	258	49	24	<b>22</b>	72	5
AX Except 4WS, AY	92 on	<b>DR951</b>		●	Solid	261	40	9.5	<b>8</b>	72	5

### Territory

2WD & AWD	04 on	<b>DR12316</b>	●		Vented	322	67.3	28	<b>26</b>	72	5
2WD & AWD	04 on	<b>DR12317</b>		●	Vented	328	58.5	26	<b>24</b>	70.5	5


### Thunderbird

All Models	74 - 76	<b>DR123</b>	●		Vented	299.7	122.7	30.1	<b>28.4</b>	Hub	5
All Models With Rear Drums	80 - 88	<b>DR12287</b>	●		Vented	257	102.4	22.1	<b>20.6</b>	Hub	4
With Rear Disc	87 - 88	<b>DR12292</b>	●		Vented	277.4	95	26.3	<b>24.7</b>	Hub	4
With Rear Disc	87 - 93	<b>DR12291</b>		●	Vented	258.1	59.4	24	<b>22.8</b>	64.5	4

### Tickford/FPV

AU III With Four Piston Calipers	00 - 03	<b>DR12605</b>	●		Vented	355	50.5	32	<b>30</b>	71.8	5
AU III With Four Piston Calipers	00 - 03	<b>DR503</b>		●	Solid	287	51	16	<b>14.5</b>	70.5	5
BA With Blue FPV Twin Piston Calipers	03 - 05	<b>DR12606</b>	●		Vented	325	45.3	32	<b>30</b>	71.5	5
BA With Four & Six Piston Caliper	03 - 05	<b>DR12605</b>	●		Vented	355	50.5	32	<b>30</b>	71.8	5
BA With 2 & 4 Piston Calipers	03 - 05	<b>DR505</b>		●	Solid	303	51	16	<b>14.5</b>	70.5	5

# Disc Rotors



## FORD

### Tickford/FPV

BF - FG With Four & Six Piston Caliper	05 on	<b>DR12605</b>	●		Vented	355	50.5	32	<b>30</b>	71.8	5
BF - FG With Six Piston Caliper L/H	05 on	<b>DR507B</b>		●	Vented	330	51	28	<b>26</b>	70.5	5
BF - FG With Six Piston Caliper R/H	05 on	<b>DR507A</b>		●	Vented	330	51	28	<b>26</b>	70.5	5

### Transit

125 Series V21, V22, V24 V33 SRW	73 - 86	<b>DR127</b>	●		Solid	270	71.5	14.3	<b>13.2</b>	78	5
175 Series V21, 22, 24 33, 51, 54 DRW	73 - 86	<b>DR126</b>	●		Vented	270	71.5	24	<b>22.6</b>	78	5
VE high Roof 2.5 Diesel Australia Post	91 on	<b>DR827</b>	●		Solid	254	32	14.7	<b>12.9</b>	78	5
VE 15" Wheels	1/94 on	<b>DR828</b>	●		Vented	270	43	24.1	<b>22.15</b>	78	5
VG 2.5L 14" Wheels	96 - 00	<b>DR829</b>	●		Vented	254	43	24.1	<b>22.15</b>	78	5
VH & VJ	01 - 06	<b>DR871</b>	●		Vented	294	43	24	<b>22</b>	82	5
VM Front Wheel Drive	3/06 - 09	<b>DR12617</b>	●		Vented	280	54.4	28	<b>25</b>	93	5
VM Rear Wheel Drive	7/06 - 09	<b>DR12522</b>	●		Vented	300	54.5	28	<b>25</b>	93	5
VM * Check Rotor Height *	7/06 - 09	<b>DR12589</b>		●	Solid	280	16	16	<b>13</b>	108	10
VM * Check Rotor Height *	7/06 - 09	<b>DR12618</b>		●	Solid	280	68.8	16	<b>13</b>	96	5

### USA

Crown Victoria V8 SOHC	98 - 02	<b>DR2148</b>	●		Vented	316	65.75	28	<b>27.75</b>	71.75	5
Lincoln Towncar V8 SOHC	98 - 02	<b>DR2148</b>	●		Vented	316	65.75	28	<b>27.75</b>	71.75	5
Mercury Grand Marquis V8	98 - 02	<b>DR2148</b>	●		Vented	316	65.75	28	<b>27.75</b>	71.75	5

## GMC

### Ambulance

Ambulance	98 on	<b>DR848</b>	●		Vented	317	80	32.5	<b>31</b>	HUB	8
-----------	-------	--------------	---	--	--------	-----	----	------	-----------	-----	---

## HILLMAN

### Arrow


Arrow	67 - 74	<b>DR085</b>	●		Solid	244	23.5	8.8	<b>7.9</b>	66	4
-------	---------	--------------	---	--	-------	-----	------	-----	------------	----	---

### Hunter

Hunter	67 - 74	<b>DR085</b>	●		Solid	244	23.5	8.8	<b>7.9</b>	66	4
--------	---------	--------------	---	--	-------	-----	------	-----	------------	----	---

### Hustler

Hustler	67 - 74	<b>DR085</b>	●		Solid	244	23.5	8.8	<b>7.9</b>	66	4
---------	---------	--------------	---	--	-------	-----	------	-----	------------	----	---



## HINO

### Dutro

XZU305 With 15" Wheels	04 - 07	<b>DR12760</b>	●		Vented	280	90	35	<b>33</b>	126	5
------------------------	---------	----------------	---	--	--------	-----	----	----	-----------	-----	---

## HOLDEN

### Adventra

Adventra	03 on	<b>DR12353</b>	●		Vented	302	45	28	<b>25</b>	71.5	5
Adventra	03 on	<b>DR041</b>		●	Solid	286	78.6	16	<b>13.9</b>	70	5

### Apollo

JK, JL, SL, SLX, SLE Executive	89 - 92	<b>DR730</b>	●		Vented	255	47.5	22	<b>21</b>	54	5
JK, JL, SL, SLX, SLE Executive	89 - 92	<b>DR741</b>		●	Solid	269	65	10	<b>9</b>	54	5
JM & JP 4Cyl	3/93 - 95	<b>DR733</b>	●		Vented	255	49	28	<b>26</b>	62	5
JM & JP V6	3/93 - 95	<b>DR735</b>	●		Vented	275	49.5	28	<b>26</b>	62	5
JM & JP Sedan	3/93 - 95	<b>DR736</b>		●	Solid	269	65	10	<b>9</b>	62	5
JM & JP Wagon	3/93 - 95	<b>DR734</b>		●	Solid	288	65	10	<b>9</b>	62	5


### Astra

LB & LC	84 - 7/87	<b>DR302</b>	●		Solid	240	35.5	12	<b>11</b>	76	4
LD	7/87 - 89	<b>DR603</b>	●		Vented	240	45.5	18	<b>16</b>	61	4
TR City 1.6L	96 - 98	<b>DR021</b>	●		Vented	236	41	20	<b>17</b>	60	4
TR GL 1.8 & 2.0L	96 - 98	<b>DR023</b>	●		Vented	256	41	24	<b>21</b>	60	4
TR GL 1.8 & 2.0L	96 - 98	<b>DR819</b>		●	Solid	260	69	10	<b>8</b>	57	4
TS Series II & City Non-ABS	98 on	<b>DR817</b>	●		Vented	256	42	24	<b>21</b>	60	4
TS Series II & City With ABS	98 on	<b>DR815</b>	●		Vented	280	42	25	<b>22</b>	70	5
TS Series II & City Non-ABS	98 on	<b>DR818</b>		●	Solid	240	42	10	<b>8</b>	57	4
TS Series II & City With ABS	98 on	<b>DR816</b>		●	Solid	264	42	10	<b>8</b>	65	5
TS SRI Turbo	02 - 04	<b>DR12443</b>	●		Vented	308	42	25	<b>22</b>	70	5
TS SRI Turbo	02 - 04	<b>DR816</b>		●	Solid	264	42	10	<b>8</b>	65	5
AH	04 on	<b>DR815</b>	●		Vented	280	42	25	<b>22</b>	70	5
AH 1.9L Diesel, 2.0L 16V Turbo	04 on	<b>DR12443</b>	●		Vented	308	42	25	<b>22</b>	70	5
AH	04 on	<b>DR816</b>		●	Solid	264	42	10	<b>8</b>	65	5

### Barina

MB, ML	2/85 - 88	<b>DR012</b>	●		Solid	215	33.5	10	<b>8</b>	86	4
MF, MH	89 - 94	<b>DR022</b>	●		Vented	231	50	17	<b>15</b>	64	4
SB City 1.2L	94 - 3/01	<b>DR011</b>	●		Solid	236	41	12.6	<b>10.7</b>	60	4
SB GSi 1.6L	94 - 3/01	<b>DR822</b>	●		Vented	256	41	20	<b>17</b>	60	4
SB Joy & Swing 1.4L	94 - 3/01	<b>DR821</b>	●		Vented	236	41	20	<b>17</b>	60	4
XC 1.4, 1.6, 1.8L 2 & 4 Door Hatch	4/01 - 9/05	<b>DR847</b>	●		Vented	260	41.2	24	<b>21</b>	60	4
XC 1.4, 1.6, 1.8L 2 & 4 Door Hatch	4/01 - 9/05	<b>DR849</b>		●	Solid	240	41	10	<b>8</b>	57	4
TK 1.6L	10/05 on	<b>DR12555</b>	●		Vented	236	41	20	<b>18</b>	59	4

# Disc Rotors



## HOLDEN

### Calibra

YE	9/91 on	<b>DR023</b>	●		Vented	256	41	24	<b>21</b>	60	4
C20 Turbo, C25 XE V6	92 - 97	<b>DR825</b>	●		Vented	287.8	42.3	25	<b>22</b>	70	5
YE 2D Coupe, 4WD	6/94 on	<b>DR433</b>	●		Vented	284	41	23.9	<b>21</b>	70	5
YE 2D Coupe, 4WD	6/94 on	<b>DR039</b>		●	Solid	270	77	10	<b>8</b>	65	5
YE V6 2D Coupe	7/95 on	<b>DR024</b>		●	Solid	270	77	10	<b>8</b>	57	4

### Camira

JB 1.6L	82 - 84	<b>DR011</b>	●		Solid	236	41	12.6	<b>10.7</b>	60	4
JD 1.8L & JE 2.0L	84 - 8/89	<b>DR021</b>	●		Vented	236	41	20	<b>17</b>	60	4

### Captiva

AWD	06 on	<b>DR12599</b>	●		Vented	296	51.6	29	<b>27.4</b>	70.7	5
AWD	06 on	<b>DR12600</b>		●	Vented	303	71.6	20	<b>18.4</b>	70.7	5

### Colorado


2.4L Petrol	08 on	<b>DR12426</b>	●		Vented	256	40	26	<b>24.6</b>	88	6
V6 & 4Cyl Diesel	08 on	<b>DR2840</b>	●		Vented	280	40.5	27	<b>25.6</b>	88	6

### Combo

SB Van	2/96 - 8/02	<b>DR821</b>	●		Vented	236	41	20	<b>17</b>	60	4
XC 1.6L Van	9/02 on	<b>DR847</b>	●		Vented	260	41.2	24	<b>21</b>	60	4
XC With 4 stud wheels	03 on	<b>DR12419</b>	●		Vented	280	42	25	<b>22</b>	60	4
XC With 4 stud wheels	03 on	<b>DR818</b>		●	Solid	240	42	10	<b>8</b>	57	4
XC	04 - 05	<b>DR12442</b>		●	Solid	264	42	10	<b>8</b>	57	4

### Commodore

VB - VK 6Cyl & V8	78 - 86	<b>DR015</b>	●		Vented	270	82	22	<b>20</b>	HUB	5
VB - VS Incl. Ute Non-IRS	78 - 8/97	<b>DR016</b>		●	Solid	279	83	10.5	<b>8.5</b>	70	5
VC, VH 4Cyl	80 - 84	<b>DR013</b>	●		Solid	256	78	15.6	<b>14.3</b>	Hub	5
VL 6Cyl	86 - 88	<b>DR015</b>	●		Vented	270	82	22	<b>20</b>	HUB	5
VL 6Cyl Turbo	86 - 88	<b>DR017</b>	●		Vented	290	82	22	<b>20</b>	HUB	5
VL V8 & Calais	86 - 88	<b>DR017</b>	●		Vented	290	82	22	<b>20</b>	HUB	5
VN V6 FE2 Suspension	88 - 9/91	<b>DR017</b>	●		Vented	290	82	22	<b>20</b>	HUB	5
VN, VG V6 Incl. Ute	88 - 92	<b>DR015</b>	●		Vented	270	82	22	<b>20</b>	HUB	5
VN, VG V8 Incl. Ute	88 - 92	<b>DR017</b>	●		Vented	290	82	22	<b>20</b>	HUB	5
VP V6 to Chas. L569902	91 - 92	<b>DR015</b>	●		Vented	270	82	22	<b>20</b>	HUB	5
VP V8 To Chas. L570556	91 - 92	<b>DR017</b>	●		Vented	290	82	22	<b>20</b>	HUB	5
VP 6Cyl Non-ABS Limited Run	92 - 10/92	<b>DR025</b>	●		Vented	270	82	23	<b>20</b>	HUB	5
VP II V6 - Suitable for ABS - No sensor	92 - 93	<b>DR027</b>	●		Vented	290	82	23	<b>20</b>	HUB	5
VP V8 All Chas No. 570557 on - No sensor	92 - 93	<b>DR027</b>	●		Vented	290	82	23	<b>20</b>	HUB	5
VP	92 - 7/93	<b>DR026</b>		●	Solid	279	67	10.5	<b>8.5</b>	70	5
VR, VS ABS Incl. Ute	7/93 - 8/97	<b>DR035</b>	●		Vented	289	83	23	<b>20</b>	70	5
VR, VS With IRS	7/93 - 8/97	<b>DR036</b>		●	Solid	279	86	10.7	<b>8.5</b>	70	5
VR, VS With IRS 10 Hole Patten	7/93 - 8/97	<b>DR036B</b>		●	Solid	279	86	10.7	<b>8.5</b>	70	10
VS 10 Hole Patten	2/95 - 96	<b>DR037</b>		●	Solid	279	83	10.7	<b>8.5</b>	70	10



## HOLDEN

### Commodore

VT - VZ V6 & V8	9/97 - 6/06	<b>DR040</b>	●		Vented	296	83	28	<b>25</b>	71.5	5
VT, VU, VX, VY Upgrade Option	9/97 - 6/06	<b>DR046B</b>	●		Vented	328	83	28	<b>25</b>	71.5	5
VT - VZ V6 & V8	9/97 - 6/06	<b>DR041</b>		●	Solid	286	78.6	16	<b>13.9</b>	70	5
VZ SS 5.7L V8	05 - 06	<b>DR12496</b>	●		Vented	320	83	32	<b>30</b>	71.4	5
VZ SS 5.7L V8	05 - 06	<b>DR12497</b>		●	Vented	286	79.5	18	<b>16</b>	70	5
VE V6	7/06 on	<b>DR12436</b>	●		Vented	298	51	30	<b>28</b>	68	5
VE V8	8/06 on	<b>DR12597</b>	●		Vented	321	52	30	<b>28</b>	67.4	5
VE V6	7/06 on	<b>DR12437</b>		●	Vented	302	55	22	<b>20</b>	68	5
VE V8	8/06 on	<b>DR12598</b>		●	Vented	324	56	22	<b>20</b>	67.4	5

### Crewman

Cross 6	04 on	<b>DR040</b>	●		Vented	296	83	28	<b>25</b>	71.5	5
Cross 6/8 AWD & 4WD	04 on	<b>DR12353</b>	●		Vented	302	45	28	<b>25</b>	71.5	5
Cross 6	04 on	<b>DR041</b>		●	Solid	286	78.6	16	<b>13.9</b>	70	5
Cross 8	04 on	<b>DR041</b>		●	Solid	286	78.6	16	<b>13.9</b>	70	5
VZ SS 5.7L V8	05 - 06	<b>DR12496</b>	●		Vented	320	83	32	<b>30</b>	71.4	5

### Cruze

1.3L 3/5Door & Hatch	10/00 on	<b>DR523</b>	●		Vented	257	49	17	<b>15</b>	60	4
JG Diesel With 16" Wheels	5/09 on	<b>DR12786</b>	●		Vented	300	45.5	26	<b>23</b>	70.7	5
JG Petrol With 15" Wheels	5/09 on	<b>DR12737</b>	●		Vented	276	45.5	26	<b>23</b>	60	5
JG Petrol With 15" Wheels	5/09 on	<b>DR12738</b>		●	Solid	268	45.1	12	<b>10</b>	60	5

### Drover

QB 4WD	3/85 - 87	<b>DR510</b>	●		Solid	290	45.9	10	<b>9</b>	107	5
--------	-----------	--------------	---	--	-------	-----	------	----	----------	-----	---

### Epica

2.0L & 2.5L 6Cyl	07 on	<b>DR12527</b>	●		Vented	278	47.5	24	<b>22</b>	60	4
2.0L & 2.5L 6Cyl	07 on	<b>DR12528</b>		●	Solid	276	58.2	12	<b>10.5</b>	60	4

### Frontera

2.0L ABS & Non-ABS	3/95 - 8/01	<b>DR842</b>	●		Vented	280	36	26	<b>24.6</b>	88	6
Sports 4x4 UT 2D Wagon	10/95 - 6/99	<b>DR842</b>	●		Vented	280	36	26	<b>24.6</b>	88	6
2.0L ABS & Non-ABS	3/95 - 8/01	<b>DR841</b>		●	Vented	313	81	18	<b>16.6</b>	101	6
Sports 4x4 UT 2D Wagon	10/95 - 6/99	<b>DR841</b>		●	Vented	313	81	18	<b>16.6</b>	101	6
S & SE 4Cyl, V6 4D Wagon	2/99 - 8/01	<b>DR842</b>	●		Vented	280	36	26	<b>24.6</b>	88	6
S & SE 4Cyl, V6 4D Wagon	2/99 - 8/01	<b>DR841</b>		●	Vented	313	81	18	<b>16.6</b>	101	6
3.2L	9/01 on	<b>DR12484</b>	●		Vented	290	57.2	26	<b>24.6</b>	101	6


### Gemini

TC - TG	75 - 5/85	<b>DR006</b>	●		Solid	239	47	10	<b>8.6</b>	68	4
RB FWD	5/85 - 87	<b>DR007</b>	●		Solid	227	43	11	<b>9.6</b>	57	4

### Holden

HD, HR	65 - 67	<b>DR001</b>	●		Solid	253	50	9.7	<b>9</b>	72	5
HK, HT	68 - 70	<b>DR002</b>	●		Solid	270	55	12.7	<b>11.7</b>	72	5
HT V8 & HG Spacer in Caliper	69 - 71	<b>DR003</b>	●		Solid	270	56.5	15.9	<b>14.7</b>	72	5

# Disc Rotors



## HOLDEN

### Holden

HQ, HJ	71 - 76	<b>DR014</b>	●		Vented	276	72	25.4	<b>24.5</b>	HUB	5
HQ, HJ	71 - 76	<b>DR018</b>		●	Solid	292	90	15.9	<b>14.7</b>	72	5
HX, HZ	76 - 80	<b>DR014</b>	●		Vented	276	72	25.4	<b>24.5</b>	HUB	5
HX, HZ	76 - 80	<b>DR018</b>		●	Solid	292	90	15.9	<b>14.7</b>	72	5
WB Utility, Panel Van	80 - 85	<b>DR014</b>	●		Vented	276	72	25.4	<b>24.5</b>	HUB	5
WB Utility, Panel Van	80 - 85	<b>DR018</b>		●	Solid	292	90	15.9	<b>14.7</b>	72	5


### HSV/Clubsport

VN, VP With 4 Piston Caliper	89 on	<b>DR019</b>	●		Vented	330	82	28	<b>25</b>	HUB	5
VN, VP With IRS	89 on	<b>DR045</b>		●	Vented	280	67	20	<b>19</b>	70	5
VN, VP Without IRS	89 on	<b>DR020</b>		●	Vented	278	83.6	20	<b>19</b>	70	5
VQ Statesman Series I & II	92 on	<b>DR019</b>	●		Vented	330	82	28	<b>25</b>	HUB	5
VQ With IRS	92 on	<b>DR045</b>		●	Vented	280	67	20	<b>19</b>	70	5
VQ Without IRS	92 on	<b>DR020</b>		●	Vented	278	83.6	20	<b>19</b>	70	5
VR, VS With ABS	7/93 on	<b>DR046</b>	●		Vented	328	83	28	<b>25</b>	70	5
VR, VS With IRS	7/93 on	<b>DR047</b>		●	Vented	280	86	20	<b>19</b>	70	5
HSV Premium Pack - Upgrade Option	9/97 on	<b>DR055</b>	●		Vented	343	82.5	32	<b>30</b>	71.5	5
HSV Upgrade Option L/H	9/97 on	<b>DR048L</b>	●		Vented	330	83	32	<b>29</b>	71.5	5
HSV Upgrade Option R/H	9/97 on	<b>DR048R</b>	●		Vented	330	83	32	<b>29</b>	71.5	5
VT, VU, VX, VY V8 Clubsport - R8 L/H	9/97 on	<b>DR048L</b>	●		Vented	330	83	32	<b>29</b>	71.5	5
VT, VU, VX, VY V8 Clubsport - R8 R/H	9/97 on	<b>DR048R</b>	●		Vented	330	83	32	<b>29</b>	71.5	5
XU6 Clubsport (Standard)	9/97 on	<b>DR040</b>	●		Vented	296	83	28	<b>25</b>	71.5	5
HSV Premium Pack - Upgrade Option	9/97 on	<b>DR049</b>		●	Vented	315	71	18	<b>16</b>	70	5
HSV Upgrade Option	9/97 on	<b>DR049</b>		●	Vented	315	71	18	<b>16</b>	70	5
VT, VU, VX, VY V8 Clubsport - R8	9/97 on	<b>DR049</b>		●	Vented	315	71	18	<b>16</b>	70	5
XU6 Clubsport (Standard)	9/97 on	<b>DR041</b>		●	Solid	286	78.6	16	<b>13.9</b>	70	5
HSV GTO Coupe 5.7L V8 L/H	02 on	<b>DR048L</b>	●		Vented	330	83	32	<b>29</b>	71.5	5
HSV GTO Coupe 5.7L V8 R/H	02 on	<b>DR048R</b>	●		Vented	330	83	32	<b>29</b>	71.5	5
HSV GTO Coupe 5.7L V8	02 on	<b>DR049</b>		●	Vented	315	71	18	<b>16</b>	70	5
VE Left Hand	8/06 on	<b>DR12676GL</b>	●		Vented	365	54	32	<b>30</b>	67.4	5
VE Right Hand	8/06 on	<b>DR12676GR</b>	●		Vented	365	54	32	<b>30</b>	67.4	5
VE Left Hand	8/06 on	<b>DR12677GL</b>		●	Vented	350	61.5	26	<b>24</b>	67.4	5
VE Right Hand	8/06 on	<b>DR12677GR</b>		●	Vented	350	61.5	26	<b>24</b>	67.4	5

### Jackaroo

UBS13 & 52	11/81 - 85	<b>DR031</b>	●		Solid	259	37.5	12.5	<b>11</b>	80	6
UBS16, 521 & 522	8/85 - 88	<b>DR032</b>	●		Vented	250	35	18	<b>16.7</b>	80	6
UBS16, 17, 52, & 55	87 - 91	<b>DR034</b>		●	Solid	265	47	12	<b>10.6</b>	97	6
UBS17 & 55	88 - 91	<b>DR033</b>	●		Vented	257	36	22	<b>20.6</b>	88	6
UBS25 Non-ABS	92 on	<b>DR842</b>	●		Vented	280	36	26	<b>24.6</b>	88	6
UBS25 Non-ABS	92 on	<b>DR841</b>		●	Vented	313	81	18	<b>16.6</b>	101	6
Monterey U8 3.5L ABS	2/98 on	<b>DR842</b>	●		Vented	280	36	26	<b>24.6</b>	88	6
US, S & SE ,U8 S & SE Monterey	2/98 on	<b>DR842</b>	●		Vented	280	36	26	<b>24.6</b>	88	6





## HOLDEN

### Jackaroo

Monterey U8 3.5L ABS	2/98 on	<b>DR841</b>	●	●	Vented	313	81	18	<b>16.6</b>	101	6
US, S & SE ,U8 S & SE Monterey	2/98 on	<b>DR841</b>		●	Vented	313	81	18	<b>16.6</b>	101	6

### Monaro

CV6 & CV8 2D Coupe	12/01 on	<b>DR040</b>	●		Vented	296	83	28	<b>25</b>	71.5	5
CV6 & CV8 2D Coupe	12/01 on	<b>DR041</b>		●	Solid	286	78.6	16	<b>13.9</b>	70	5
VZ Gen III 5.7L V8	05 - 06	<b>DR12496</b>	●		Vented	320	83	32	<b>30</b>	71.4	5
VZ Gen III 5.7L V8	05 - 06	<b>DR12497</b>		●	Vented	286	79.5	18	<b>16</b>	70	5

### Nova

LE, LF	89 - 9/92	<b>DR704</b>	●		Vented	238	48	18	<b>17</b>	54	4
LE, LF	89 - 10/94	<b>DR701</b>	●		Solid	243	48	13.5	<b>12.5</b>	54	4
LE OPT, LF GS	89 - 10/94	<b>DR703</b>		●	Solid	242	37	9	<b>8</b>	54	4
LE, LF	6/91 - 94	<b>DR708</b>	●		Vented	258	48	22	<b>20</b>	54	4
LG GS, SLX	10/94 on	<b>DR709</b>	●		Vented	255	48	22	<b>20</b>	55	4
LG GS, SLX	10/94 on	<b>DR710</b>		●	Solid	266	37	9	<b>8</b>	55	4

### Panther

Panther	10/94 on	<b>DR844</b>	●		Vented	231	35	22	<b>20.6</b>	63	4
---------	----------	--------------	---	--	--------	-----	----	----	-------------	----	---

### Piazza

Impulse	83 - 89	<b>DR811</b>	●		Vented	250	32	18	<b>16.6</b>	68	4
Impulse	83 - 89	<b>DR812</b>		●	Vented	266	60	18	<b>16.6</b>	57	4
Impulse	90 - 92	<b>DR12278</b>	●		Vented	230	43	18	<b>16.6</b>	57	4

### Rodeo

KB, KBD, 2, 4 Series	80 - 82	<b>DR030</b>	●		Solid	250	35	18	<b>17</b>	80	6
KB, KBD, 2, 4 Series	82 - 84	<b>DR031</b>	●		Solid	259	37.5	12.5	<b>11</b>	80	6
KB28, 29, 43, 49, KBD27, 28, 43, 47	84 - 88	<b>DR032</b>	●		Vented	250	35	18	<b>16.7</b>	80	6
TFR, TFS17, 54 G3 Petrol & G6 Diesel	88 - 94	<b>DR033</b>	●		Vented	257	36	22	<b>20.6</b>	88	6
R7 4x2 2.6 & 2.8L	96 on	<b>DR033</b>	●		Vented	257	36	22	<b>20.6</b>	88	6
R9 4x4 2.6 & 2.8L	96 on	<b>DR033</b>	●		Vented	257	36	22	<b>20.6</b>	88	6
V6 R7 & R9 3.2L 4x2 & 4x4	97 - 98	<b>DR842</b>	●		Vented	280	36	26	<b>24.6</b>	88	6
RA 4 Cyl Petrol	03 - 08	<b>DR12426</b>	●		Vented	256	40	26	<b>24.6</b>	88	6
RA V6 & 4Cyl Diesel	03 - 08	<b>DR2840</b>	●		Vented	280	40.5	27	<b>25.6</b>	88	6

### Scurry

NB	7/85 - 87	<b>DR012</b>	●		Solid	215	33.5	10	<b>8</b>	86	4
----	-----------	--------------	---	--	-------	-----	------	----	----------	----	---

### Shuttle


WFR	82 - 90	<b>DR032</b>	●		Vented	250	35	18	<b>16.7</b>	80	6
WFR	82 - 84	<b>DR031</b>	●		Solid	259	37.5	12.5	<b>11</b>	80	6

### Statesman

VQ Non-ABS	3/90 - 10/92	<b>DR017</b>	●		Vented	290	82	22	<b>20</b>	HUB	5
VQ Non-IRS	90 on	<b>DR016</b>		●	Solid	279	83	10.5	<b>8.5</b>	70	5
VQ - Suitable for ABS - No sensor ring	10/92 on	<b>DR027</b>	●		Vented	290	82	23	<b>20</b>	HUB	5



# Disc Rotors



## HOLDEN

### Statesman

VQ IRS	92 - 7/93	<b>DR026</b>		●	Solid	279	67	10.5	<b>8.5</b>	70	5
VR, VS ABS	7/93 on	<b>DR035</b>	●		Vented	289	83	23	<b>20</b>	70	5
VR, VS With IRS	7/93 on	<b>DR036</b>		●	Solid	279	86	10.7	<b>8.5</b>	70	5
VR, VS With IRS 10 Hole Patten	7/93 on	<b>DR036B</b>		●	Solid	279	86	10.7	<b>8.5</b>	70	10
VS 10 Hole Patten	2/95 on	<b>DR037</b>		●	Solid	279	83	10.7	<b>8.5</b>	70	10
WH	9/97 on	<b>DR040</b>	●		Vented	296	83	28	<b>25</b>	71.5	5
WH	9/97 on	<b>DR041</b>		●	Solid	286	78.6	16	<b>13.9</b>	70	5
WK	03 on	<b>DR040</b>	●		Vented	296	83	28	<b>25</b>	71.5	5
WK	03 on	<b>DR041</b>		●	Solid	286	78.6	16	<b>13.9</b>	70	5
WL	04 on	<b>DR040</b>	●		Vented	296	83	28	<b>25</b>	71.5	5
WL	04 on	<b>DR041</b>		●	Solid	286	78.6	16	<b>13.9</b>	70	5
WM V6	7/06 on	<b>DR12436</b>	●		Vented	298	51	30	<b>28</b>	68	5
WM V8	8/06 on	<b>DR12597</b>	●		Vented	321	52	30	<b>28</b>	67.4	5
WM V6	7/06 on	<b>DR12437</b>		●	Vented	302	55	22	<b>20</b>	68	5
WM V8	8/06 on	<b>DR12598</b>		●	Vented	324	56	22	<b>20</b>	67.4	5

### Suburban

With 11" Rear Drums	94 - 01	<b>DR12249</b>	●		Vented	294.8	66.6	32.7	<b>30.7</b>	78.7	6
K2500 Diesel 8 Stud	98 on	<b>DR774</b>	●		Vented	317.5	70	32.9	<b>30.9</b>	137.4	8

### Tigra

XC 1.8L	9/05 on	<b>DR847</b>	●		Vented	260	41.2	24	<b>21</b>	60	4
XC 1.8L	9/05 on	<b>DR849</b>		●	Solid	240	41	10	<b>8</b>	57	4

### Torana/Sunbird

HB - LJ 4Cyl	69 - 72	<b>DR009</b>	●		Solid	215	28.5	10	<b>9</b>	61	4
LC, LJ 6Cyl	69 - 72	<b>DR008</b>	●		Solid	256	60	12.7	<b>12</b>	72	5
LJ XU-1	72 - 73	<b>DR004</b>	●		Solid	256	60	15.9	<b>14.7</b>	72	5
LH, LX, UC	74 - 79	<b>DR010</b>	●		Solid	256	77	16	<b>14.3</b>	Hub	5
A9X	77 - 78	<b>DR014</b>	●		Vented	276	72	25.4	<b>24.5</b>	HUB	5

### Vectra


JR, JS, JS II 2.0, 2.2 & 2.5L	6/97 - 2/03	<b>DR825</b>	●		Vented	287.8	42.3	25	<b>22</b>	70	5
ZC 2.2L & V6	6/97 on	<b>DR12428</b>	●		Vented	285	42	25	<b>22</b>	70	5
JR, JS, JS II 2.0, 2.2 & 2.5L	6/97 - 2/03	<b>DR826</b>		●	Solid	286	69	10	<b>8</b>	65.5	5
ZC 2.2L & V6 To Vin 38047796	03 on	<b>DR12401</b>	●		Vented	302	45	28	<b>25</b>	70	5
ZC V6 From Vin 38047796	03 on	<b>DR12386</b>	●		Vented	314	45.1	28	<b>25</b>	70	5
ZC 2.2L	03 on	<b>DR12395</b>		●	Solid	278	41.5	12	<b>10</b>	65	5
ZC 3.0, 3.2 & 2.0L Turbo	03 on	<b>DR12430</b>		●	Vented	292	41.5	20	<b>18</b>	65.5	5

### Viva

JF 1.8L	10/05 on	<b>DR12407</b>	●		Vented	256	47.3	23.9	<b>22</b>	60.2	4
JF 1.8L	10/05 on	<b>DR12408</b>		●	Solid	257	57.5	10.5	<b>8</b>	60.2	4

### Zafira

TT 2.2L DOHC	6/01 on	<b>DR815</b>	●		Vented	280	42	25	<b>22</b>	70	5
--------------	---------	--------------	---	--	--------	-----	----	----	-----------	----	---



## HOLDEN

### Zafira

TT 2.2L DOHC	6/01 on	<b>DR816</b>		●	Solid	264	42	10	<b>8</b>	65	5
--------------	---------	--------------	--	---	-------	-----	----	----	----------	----	---

## HONDA

### Accord

SJ 1600, 1602	76 - 81	<b>DR189</b>	●		Solid	231	41	12	<b>10.5</b>	86	4
SY, SZ 1602	81 - 83	<b>DR190</b>	●		Solid	231	50	12	<b>10</b>	61	4
SY, SZ Hatch & 4 Door	5/82 - 83	<b>DR195</b>	●		Vented	231	50	17	<b>15</b>	61	4
AC, AD 1600, 1800	84 - 86	<b>DR196</b>	●		Vented	241.5	50	19	<b>17</b>	61	4
CA4 2000 AD, CA4 CXi	86 - 89	<b>DR184</b>	●		Vented	262	51	21	<b>19</b>	64	4
CA4, CA5	88 on	<b>DR182</b>		●	Solid	239	48.1	10	<b>8</b>	61	4
CB, CC Sedans Only	10/89 - 94	<b>DR470</b>	●		Vented	260	34	23	<b>21</b>	92	4
CB 2WS & CC Sedan/Wagon	10/89 - 94	<b>DR471</b>		●	Solid	260	49	10	<b>8</b>	64	4
CB 4WS	10/89 - 94	<b>DR481</b>		●	Solid	260	43	10	<b>8</b>	64	4
CB & CC Wagon, Aerodeck	92 - 94	<b>DR472</b>	●		Vented	282	34	25	<b>23</b>	92	4
CE 2.0L Manual, Exi, Vti, VTiR	94 - 97	<b>DR470</b>	●		Vented	260	34	23	<b>21</b>	92	4
Exi, Vti, VTiR With 151mm Hat	94 - 97	<b>DR471</b>		●	Solid	260	49	10	<b>8</b>	64	4
4 Cyl	98 - 02	<b>DR12279</b>	●		Vented	260	47	23	<b>21</b>	64.2	4
CG V6	98 on	<b>DR488</b>	●		Vented	282	47	23	<b>21</b>	64	5
CG2 V6 Imported	98 - 02	<b>DR405</b>	●		Vented	282	47	28	<b>26</b>	64.1	5
4 Cyl	98 - 02	<b>DR12280</b>		●	Solid	259.8	48.2	9	<b>8</b>	64.2	4
CG V6	98 on	<b>DR489</b>		●	Solid	260	48	9	<b>8</b>	64	5
Type R 2.2i VTEC	00 on	<b>DR476</b>	●		Vented	300	47.5	28	<b>26</b>	70	5
Euro	6/03 on	<b>DR12362</b>	●		Vented	300	46.9	28	<b>26</b>	64	5
Euro	6/03 on	<b>DR12385</b>		●	Solid	260	48	9	<b>8</b>	64	5


### City

VF	84 - 86	<b>DR194</b>	●		Solid	212	40	10	<b>8</b>	61	4
----	---------	--------------	---	--	-------	-----	----	----	----------	----	---

### Civic

SBI SC Sedan 1200	73 - 79	<b>DR188</b>	●		Solid	225	44.5	10	<b>9</b>	92	4
SB, SE Sedan/Wagon 1.5L	75 - 78	<b>DR188</b>	●		Solid	225	44.5	10	<b>9</b>	92	4
SF Hatch 1200	78 - 79	<b>DR188</b>	●		Solid	225	44.5	10	<b>9</b>	92	4
SL, SS, SR, ST VC Hatch	79 - 83	<b>DR193</b>	●		Solid	215	50	11	<b>9</b>	61	4
WC 1300 Wagon	80 - 81	<b>DR193</b>	●		Solid	215	50	11	<b>9</b>	61	4
SR, ST Wagon	82 - 83	<b>DR193</b>	●		Solid	215	50	11	<b>9</b>	61	4
1.3, 1.5L AH - AK CRX	84 - 87	<b>DR178</b>	●		Vented	231	43.8	17	<b>15</b>	61	4
AA Solid Rotor	84 - 87	<b>DR191</b>	●		Solid	231	44	12	<b>10</b>	61	4
AA Vented Rotor	84 - 87	<b>DR178</b>	●		Vented	231	43.8	17	<b>15</b>	61	4
ED 4 Door	88 - 91	<b>DR187</b>	●		Vented	242	44.5	19	<b>17</b>	61	4
ED 4WD Wagon	88 - 91	<b>DR187</b>	●		Vented	242	44.5	19	<b>17</b>	61	4

# Disc Rotors



## HONDA

### Civic

1.3 16V EG33	91 - 94	<b>DR178</b>	●		Vented	231	43.8	17	<b>15</b>	61	4
1.5i 16V VTEC-E	91 - 95	<b>DR473</b>	●		Vented	240	45	21	<b>19</b>	61	4
1.6i 16V VTEC EG53/EH95	91 - 95	<b>DR473</b>	●		Vented	240	45	21	<b>19</b>	61	4
EE, EF, EG 1.6 VTEC VTi	11/91 - 95	<b>DR474</b>	●		Vented	262	45	21	<b>19</b>	64	4
EG GL, GLi & VEi Sedan	11/91 - 94	<b>DR473</b>	●		Vented	240	45	21	<b>19</b>	61	4
EE, EF, EG 1.6 VTEC VTi	11/91 - 95	<b>DR475</b>		●	Solid	239	48	9	<b>8</b>	61	4
EH1 4WD, EJ1 Coupe 1.6	11/91 - 95	<b>DR475</b>		●	Solid	239	48	9	<b>8</b>	61	4
1.3i 16V EG33	94 - 95	<b>DR473</b>	●		Vented	240	45	21	<b>19</b>	61	4
1.5i Coupe 16V EJ2	94 - 95	<b>DR473</b>	●		Vented	240	45	21	<b>19</b>	61	4
1.4i 16V 3 & 4 Door	96 - 97	<b>DR473</b>	●		Vented	240	45	21	<b>19</b>	61	4
1.6i 16V EJ6-Automatic	96 - 97	<b>DR473</b>	●		Vented	240	45	21	<b>19</b>	61	4
MC3 2.0TDi EJ6/8 EK 3D	97 on	<b>DR474</b>	●		Vented	262	45	21	<b>19</b>	64	4
MC3 2.0TDi EJ6/8 EK 3D	97 on	<b>DR475</b>		●	Solid	239	48	9	<b>8</b>	61	4
All Models	01 - 05	<b>DR474</b>	●		Vented	262	45	21	<b>19</b>	64	4
Type R	01 - 05	<b>DR12509</b>	●		Vented	300	47	25	<b>23</b>	64.1	5
Civic 1.7L SOHC 4/5 Door	01 on	<b>DR2502</b>		●	Solid	260	48	9	<b>8</b>	61	4
Civic Hybrid 1.3L	2/04 on	<b>DR474</b>	●		Vented	262	45	21	<b>19</b>	64	4
1.8L SOHC, 2.0L DOHC Sport	06 on	<b>DR12477</b>	●		Vented	282	47	23	<b>21</b>	64.2	5
1.8L SOHC, 2.0L DOHC Sport	06 on	<b>DR438</b>		●	Solid	260	42	9	<b>8</b>	64	5
Type R	1/06 on	<b>DR438</b>		●	Solid	260	42	9	<b>8</b>	64	5

### Civic / City

EH1 4WD, EJ1 Coupe 1.6	11/91 - 95	<b>DR474</b>	●		Vented	262	45	21	<b>19</b>	64	4
MA8 1.4i, MA9, MB1/4	12/94 on	<b>DR474</b>	●		Vented	262	45	21	<b>19</b>	64	4
MA8 1.4i, MA9, MB1/4	12/94 on	<b>DR475</b>		●	Solid	239	48	9	<b>8</b>	61	4
MB2, MB3, MB7/8/9 MC1	97 on	<b>DR474</b>	●		Vented	262	45	21	<b>19</b>	64	4
MB2, MB3, MB7/8/9 MC1	97 on	<b>DR475</b>		●	Solid	239	48	9	<b>8</b>	61	4

### Concerto


EXI	10/91 on	<b>DR187</b>	●		Vented	242	44.5	19	<b>17</b>	61	4
EXI	10/91 on	<b>DR182</b>		●	Solid	239	48.1	10	<b>8</b>	61	4

### CRV

4 D Wagon Auto/Manual	10/97 - 12/01	<b>DR478</b>	●		Vented	282	47	23	<b>21</b>	70	5
2.4L	02 - 05	<b>DR12477</b>	●		Vented	282	47	23	<b>21</b>	64.2	5
2.4L	02 - 05	<b>DR12508</b>		●	Solid	282	58.5	9	<b>7.5</b>	64.2	5
RD 2.4L	05 - 06	<b>DR12509</b>	●		Vented	300	47	25	<b>23</b>	64.1	5
RD & RE 2.4L	05 on	<b>DR12510</b>		●	Solid	304.5	60.8	9	<b>7.5</b>	64.1	5
RE 2.4L	07 on	<b>DR12656</b>	●		Vented	296	47.3	28	<b>26</b>	64.1	5

### CRX

ED 1.6L 2 Door	87 - 91	<b>DR187</b>	●		Vented	242	44.5	19	<b>17</b>	61	4
ED 1.6L 2 Door	87 - 91	<b>DR182</b>		●	Solid	239	48.1	10	<b>8</b>	61	4
EE8 VTEC 1.6L	89 - 92	<b>DR474</b>	●		Vented	262	45	21	<b>19</b>	64	4
EE8 VTEC 1.6L	89 - 92	<b>DR475</b>		●	Solid	239	48	9	<b>8</b>	61	4



## HONDA

### CRX

EG VTEC	6/92 on	<b>DR474</b>	●		Vented	262	45	21	<b>19</b>	64	4
EG21 VTi, EH61 1.6L	92 - 97	<b>DR474</b>	●		Vented	262	45	21	<b>19</b>	64	4
EG VTEC	6/92 on	<b>DR475</b>		●	Solid	239	48	9	<b>8</b>	61	4
EG21 VTi, EH61 1.6L	92 - 97	<b>DR475</b>		●	Solid	239	48	9	<b>8</b>	61	4

### HRV

1.6L 16V	99 on	<b>DR478</b>	●		Vented	282	47	23	<b>21</b>	70	5
----------	-------	--------------	---	--	--------	-----	----	----	-----------	----	---

### Integra

Quint 1.6L	84 - 86	<b>DR178</b>	●		Vented	231	43.8	17	<b>15</b>	61	4
DA3, DA4 1.6L	86 - 88	<b>DR187</b>	●		Vented	242	44.5	19	<b>17</b>	61	4
DA3, DA4 1.6L	86 - 88	<b>DR192</b>		●	Solid	239	27.5	10	<b>8</b>	48	4
1.8L DOHC 16V	89 - 94	<b>DR474</b>	●		Vented	262	45	21	<b>19</b>	64	4
1.8L DOHC 16V	89 - 94	<b>DR475</b>		●	Solid	239	48	9	<b>8</b>	61	4
Acura Integra	90 on	<b>DR474</b>	●		Vented	262	45	21	<b>19</b>	64	4
Acura Integra	90 on	<b>DR475</b>		●	Solid	239	48	9	<b>8</b>	61	4
1.8L GSi VTi-R	93 - 98	<b>DR474</b>	●		Vented	262	45	21	<b>19</b>	64	4
1.8L GSi VTi-R	93 - 98	<b>DR475</b>		●	Solid	239	48	9	<b>8</b>	61	4
Type R	00 - 04	<b>DR478</b>	●		Vented	282	47	23	<b>21</b>	70	5
Type R	00 - 04	<b>DR489</b>		●	Solid	260	48	9	<b>8</b>	64	5

### Jazz

1.3L, 1.5L SOHC	10/02 on	<b>DR2504</b>	●		Vented	240	39	21	<b>19</b>	61	4
-----------------	----------	---------------	---	--	--------	-----	----	----	-----------	----	---

### Legend

KA2 4 Door Sedan	86 - 87	<b>DR186</b>	●		Vented	262	51.5	21	<b>19</b>	64	4
KA3 4 Door Sedan	11/87 - 91	<b>DR185</b>	●		Vented	282	51	21	<b>19</b>	64	4
KA4 2 Door Coupe	11/87 - 91	<b>DR185</b>	●		Vented	282	51	21	<b>19</b>	64	4
KA3 4 Door Sedan	11/87 - 91	<b>DR199</b>		●	Solid	260	53	10	<b>8</b>	64	4
KA4 2 Door Coupe	11/87 - 91	<b>DR199</b>		●	Solid	260	53	10	<b>8</b>	64	4
Acura Coupe & Sedan GS	91 on	<b>DR478</b>	●		Vented	282	47	23	<b>21</b>	70	5
KA7, KA8, KA9	3/91 - 95	<b>DR478</b>	●		Vented	282	47	23	<b>21</b>	70	5
Acura Coupe & Sedan GS	91 on	<b>DR479</b>		●	Solid	282	61	9	<b>7.5</b>	70	5
KA7, KA8, KA9	3/91 - 95	<b>DR479</b>		●	Solid	282	61	9	<b>7.5</b>	70	5
3.5L V6 15" Wheels	96 on	<b>DR478</b>	●		Vented	282	47	23	<b>21</b>	70	5
3.5L V6 16" Wheels	96 on	<b>DR476</b>	●		Vented	300	47.5	28	<b>26</b>	70	5
3.5L V6 15" Wheels	96 on	<b>DR479</b>		●	Solid	282	61	9	<b>7.5</b>	70	5
3.5L V6 16" Wheels	96 on	<b>DR499</b>		●	Solid	282	61	12	<b>10</b>	64	5


### MDX

4WD 3.5L V6	03 on	<b>DR12362</b>	●		Vented	300	46.9	28	<b>26</b>	64	5
-------------	-------	----------------	---	--	--------	-----	------	----	-----------	----	---

### NSX

4 Speed Auto	91 - 98	<b>DR484</b>	●		Vented	282	36	28	<b>26</b>	70	5
5 Speed Manual	91 - 98	<b>DR484</b>	●		Vented	282	36	28	<b>26</b>	70	5
4 Speed Auto	91 - 98	<b>DR485</b>		●	Vented	282	32.5	21	<b>19</b>	69	5

# Disc Rotors



## HONDA

### NSX

5 Speed Manual	91 - 98	<b>DR485</b>		●	Vented	282	32.5	21	<b>19</b>	69	5
6 Speed Manual	4/97 on	<b>DR486</b>	●		Vented	298	36.5	28	<b>26</b>	70	5
6 Speed Manual	4/97 on	<b>DR487</b>		●	Vented	303	32.5	23	<b>21</b>	64	5

### Odyssey

4 Door Wagon	6/95 - 00	<b>DR478</b>	●		Vented	282	47	23	<b>21</b>	70	5
4 Door Wagon	6/95 - 00	<b>DR479</b>		●	Solid	282	61	9	<b>7.5</b>	70	5
2.3L & V6	00 - 04	<b>DR12362</b>	●		Vented	300	46.9	28	<b>26</b>	64	5
2.3L & V6	00 - 02	<b>DR2503</b>		●	Solid	282	61	9	<b>7.5</b>	64	5
2.3L & V6	02 - 03	<b>DR12771</b>		●	Solid	282	61.2	9	<b>7.5</b>	64.1	5
2.3L & V6	04 - 07	<b>DR12773</b>	●		Vented	300	47.2	28	<b>26</b>	64.2	5
2.3L & V6	04 - 07	<b>DR12774</b>		●	Solid	305	60	10	<b>8.5</b>	64.2	5

### Prelude

SU, SN	79 - 82	<b>DR190</b>	●		Solid	231	50	12	<b>10</b>	61	4
AB, ALB 1800	83 - 87	<b>DR197</b>	●		Vented	231	50	19	<b>17</b>	61	4
AB, BA3 Non-ABS	83 - 87	<b>DR183</b>		●	Solid	239	45	10	<b>8</b>	HUB	4
BA3	86 - 87	<b>DR196</b>	●		Vented	241.5	50	19	<b>17</b>	61	4
BA4 Si, SE	10/87 - 91	<b>DR182</b>		●	Solid	239	48.1	10	<b>8</b>	61	4
BA4 Si, SE	88 - 91	<b>DR184</b>	●		Vented	262	51	21	<b>19</b>	64	4
BB Including 4WS	12/91 - 94	<b>DR480</b>	●		Vented	260	47	23	<b>21</b>	64	4
BB Including 4WS	12/91 - 94	<b>DR481</b>		●	Solid	260	43	10	<b>8</b>	64	4
VTi-R	2/94 - 97	<b>DR200</b>	●		Vented	282	47	23	<b>21</b>	64	4
VTi-s & Si	2/94 on	<b>DR480</b>	●		Vented	260	47	23	<b>21</b>	64	4
VTi-R	2/94 - 97	<b>DR481</b>		●	Solid	260	43	10	<b>8</b>	64	4
VTi-s & Si	2/94 on	<b>DR481</b>		●	Solid	260	43	10	<b>8</b>	64	4
VTi-R 2.2L DOHC	97 - 01	<b>DR478</b>	●		Vented	282	47	23	<b>21</b>	70	5
VTi-R 2.2L DOHC	97 - 01	<b>DR438</b>		●	Solid	260	42	9	<b>8</b>	64	5

### S2000

2.0L 4Cyl	99 on	<b>DR482</b>	●		Vented	300	40	25	<b>23</b>	70	5
2.0L 4Cyl	99 on	<b>DR483</b>		●	Solid	282	40	12	<b>10</b>	64	5


### Shuttle

2.3i RA1, 2.3i ES, EL RA3	6/95 on	<b>DR478</b>	●		Vented	282	47	23	<b>21</b>	70	5
---------------------------	---------	--------------	---	--	--------	-----	----	----	-----------	----	---

## HUMBER

### Snipe/Hawk

Series II,III,IV	60 - 69	<b>DR094</b>	●		Solid	290	39	12.75	<b>11</b>	79.5	5
------------------	---------	--------------	---	--	-------	-----	----	-------	-----------	------	---



## HUMMER

### H2

H2	03 - 06	<b>DR12465</b>	●		Vented	324.8	89.2	38	<b>36.5</b>	118.1	8
H2	03 - 06	<b>DR12466</b>		●	Vented	330	85.6	29	<b>26.5</b>	117.6	8

### H3

3.7L	06 on	<b>DR12748</b>	●		Vented	315	70	28	<b>26.5</b>	100.7	6
3.7L	06 on	<b>DR12749</b>		●	Solid	312	68	12	<b>10.5</b>	101	6

## HYUNDAI

### Accent

1.3 & 1.5L 12V, 1.5i 16V	94 - 99	<b>DR451</b>	●		Vented	242	40.5	19	<b>17.7</b>	86	4
GL, GLS, Sprint, Lifestyle	99 on	<b>DR450</b>	●		Vented	242	51	19	<b>17.7</b>	63	4
Sedan/Coupe	02 on	<b>DR12416</b>	●		Vented	241	52	19	<b>17</b>	62.2	4

### Coupe

S Coupe	89 - 4/95	<b>DR451</b>	●		Vented	242	40.5	19	<b>17.7</b>	86	4
FX, SX, SFX Tiburon	8/96 - 98	<b>DR453</b>	●		Vented	257	34	22	<b>20</b>	86	4
FX, SX, SFX Tiburon	8/96 - 98	<b>DR457</b>		●	Solid	257.9	40.5	10	<b>8</b>	76	4
Coupe, Turbulence	8/98 on	<b>DR456</b>	●		Vented	257	45	24	<b>22.4</b>	69	4

### Elantra

XD GL 1.8L & GLS 2.0L	5/00 on	<b>DR456</b>	●		Vented	257	45	24	<b>22.4</b>	69	4
XD GL 1.8L & GLS 2.0L	5/00 on	<b>DR457</b>		●	Solid	257.9	40.5	10	<b>8</b>	76	4

### Excel

X1	85 - 88	<b>DR215</b>	●		Solid	229	39.4	13	<b>11.4</b>	86	4
Pony/Excel 1.3 & 1.5L	89 - 00	<b>DR451</b>	●		Vented	242	40.5	19	<b>17.7</b>	86	4

### Galopper 4WD

V6 3.0L LWB	9/88 - 92	<b>DR2229</b>	●		Vented	276	45.5	22	<b>20.4</b>	87	6
-------------	-----------	---------------	---	--	--------	-----	------	----	-------------	----	---

### Getz

ABS	7/02 on	<b>DR12394</b>	●		Vented	256	48	19	<b>17</b>	62	4
Non-ABS	7/02 on	<b>DR12409</b>	●		Vented	241	48	19	<b>17</b>	62.2	4
1.3, 1.5L	3/03 on	<b>DR12629</b>		●	Solid	262	64	10	<b>8.4</b>	62.5	4

### Grandeur


XG 4D Sedan DOHC V6	7/99 - 05	<b>DR460</b>	●		Vented	276	46.5	26	<b>24.4</b>	69	5
XG 4D Sedan DOHC V6	7/99 - 05	<b>DR461</b>		●	Solid	262	61.2	10	<b>8.4</b>	76	5
TG	05 on	<b>DR12475</b>	●		Vented	303	47.1	28	<b>26.4</b>	68.7	5
TG	05 on	<b>DR12476</b>		●	Solid	284	54.6	10	<b>8.4</b>	76	5

### H100

2.4 & 2.5L	93 - 00	<b>DR12455</b>	●		Vented	253	28.7	20	<b>18.4</b>	84	5
------------	---------	----------------	---	--	--------	-----	------	----	-------------	----	---



# Disc Rotors



## HYUNDAI

### I20

1.4L & 1.6L	2008 on	<b>DR12446</b>	●		Vented	256	46.9	22	<b>20</b>	62.3	4
1.4L & 1.6L	2008 on	<b>DR12629</b>		●	Solid	262	64	10	<b>8.4</b>	62.5	4

### I30

Elantra I30	10/07 on	<b>DR468</b>	●		Vented	280	47.4	26	<b>22.4</b>	69	5
Elantra I30	10/07 on	<b>DR12630</b>		●	Solid	262	61	10	<b>8.4</b>	76	5

### I-Load

TQ	1/07 on	<b>DR12732</b>	●		Vented	300	52.5	30	<b>28.4</b>	96.3	6
TQ	1/07 on	<b>DR12755</b>		●	Vented	324	82.6	18	<b>16.4</b>	96.3	6

### I-Max

Van	1/07 on	<b>DR12732</b>	●		Vented	300	52.5	30	<b>28.4</b>	96.3	6
Van	1/07 on	<b>DR12755</b>		●	Vented	324	82.6	18	<b>16.4</b>	96.3	6

### Lantra

J1 & J2	5/91 - 5/98	<b>DR453</b>	●		Vented	257	34	22	<b>20</b>	86	4
KF2, KF3, J1 & J2	5/91 - 5/98	<b>DR453</b>	●		Vented	257	34	22	<b>20</b>	86	4
J1 & J2	2/91 - 8/95	<b>DR459</b>		●	Solid	257	40	10	<b>8</b>	90	4
KF2, KF3, J1 & J2	5/91 - 8/95	<b>DR459</b>		●	Solid	257	40	10	<b>8</b>	90	4
J2	9/95 on	<b>DR457</b>		●	Solid	257.9	40.5	10	<b>8</b>	76	4
KF2, KF3, J1 & J2	9/95 on	<b>DR457</b>		●	Solid	257.9	40.5	10	<b>8</b>	76	4
J2	5/98 on	<b>DR456</b>	●		Vented	257	45	24	<b>22.4</b>	69	4
KF2, KF3, J1 & J2	5/98 on	<b>DR456</b>	●		Vented	257	45	24	<b>22.4</b>	69	4

### S Coupe

Coupe	89 - 4/95	<b>DR451</b>	●		Vented	242	40.5	19	<b>17.7</b>	86	4
-------	-----------	--------------	---	--	--------	-----	------	----	-------------	----	---


### Santa Fe

GL 2.4, GL/GLS 2.7L V6	11/00 on	<b>DR2452</b>	●		Vented	294	46	26	<b>24.4</b>	69	5
GL 2.4L, GL & GLS 2.7L V6	11/00 on	<b>DR464</b>	●		Vented	276	47	26	<b>24</b>	69	5
GLS Rear Only	11/00 on	<b>DR465</b>		●	Solid	284	61	10	<b>8.4</b>	76	5
CM 2.2 & 2.7L	06 on	<b>DR12492</b>	●		Vented	298	49.2	28	<b>26</b>	69	5
2.2L 4 Cyl, 2.7 & 3.3L 6 Cyl	06 on	<b>DR12538</b>		●	Solid	302	71.5	11	<b>9.4</b>	69	5

### Sonata

Y1 & Y2	89 - 98	<b>DR452</b>	●		Vented	257	45.5	22	<b>20</b>	69	4
Y1 Rear	89 - 94	<b>DR454</b>		●	Solid	263	46	12	<b>10</b>	90	4
Y2 Rear	7/93 - 98	<b>DR455</b>		●	Solid	260	59.5	12	<b>10.5</b>	90	4
Y3 ABS & Non-ABS	5/98 - 01	<b>DR456</b>	●		Vented	257	45	24	<b>22.4</b>	69	4
Y3 ABS & Non-ABS	5/98 - 01	<b>DR458</b>		●	Solid	262	61	10	<b>8</b>	76	4
EF-B 2.3L, 2.7L V6	4/01 on	<b>DR463</b>	●		Vented	257	47.5	25	<b>22.4</b>	69	4
EF-B 2.3L, 2.7L V6	4/01 on	<b>DR458</b>		●	Solid	262	61	10	<b>8</b>	76	4
NF 3.3L	04 on	<b>DR12491</b>	●		Vented	300	47.3	28	<b>26</b>	69	5
NF 2.4L 4Cyl	6/05 on	<b>DR468</b>	●		Vented	280	47.4	26	<b>22.4</b>	69	5
NF 2.4L 4Cyl	6/05 on	<b>DR461</b>		●	Solid	262	61.2	10	<b>8.4</b>	76	5
3.3L	06 on	<b>DR12462</b>		●	Solid	284	54.6	10	<b>8.4</b>	75.5	5





## HYUNDAI

### Terracan

3.5 V6 DOHC Petrol, 2.9L Diesel	01 - 03	<b>DR466</b>	●		Vented	280	43	27	<b>25.4</b>	87	6
3.5 V6 DOHC Petrol, 2.9L Diesel	01 on	<b>DR467</b>		●	Vented	315	86.5	20	<b>18.4</b>	108	6
3.5L Petrol	12/03 on	<b>DR12486</b>	●		Vented	303	42.8	28	<b>26.4</b>	87	6
2.9L Diesel	9/04 on	<b>DR12486</b>	●		Vented	303	42.8	28	<b>26.4</b>	87	6

### Tiburon

2.7L V6, 2.0L GT	9/01 on	<b>DR468</b>	●		Vented	280	47.4	26	<b>22.4</b>	69	5
Coupe 1.6S, 2.0SE, 2.7L	9/01 on	<b>DR468</b>	●		Vented	280	47.4	26	<b>22.4</b>	69	5
2.7L V6, 2.0L GT	9/01 on	<b>DR469</b>		●	Solid	258	45	10	<b>8</b>	75.5	5
Coupe 1.6S, 2.0SE, 2.7L	9/01 on	<b>DR469</b>		●	Solid	258	45	10	<b>8</b>	75.5	5

### Trajjet

GL, GLS 2.7L V6 Wagon	00 on	<b>DR464</b>	●		Vented	276	47	26	<b>24</b>	69	5
GL, GLS 2.7L V6 Wagon	00 on	<b>DR465</b>		●	Solid	284	61	10	<b>8.4</b>	76	5

### Tucson

2.0 & 2.7L	4/04 on	<b>DR468</b>	●		Vented	280	47.4	26	<b>22.4</b>	69	5
2.0L & 2.7L	4/04 on	<b>DR461</b>		●	Solid	262	61.2	10	<b>8.4</b>	76	5

## INTERNATIONAL

### Scout

Scout	74 - 80	<b>DR095</b>	●		Vented	298	56	30	<b>28.5</b>	96	5
-------	---------	--------------	---	--	--------	-----	----	----	-------------	----	---

## ISUZU

### D-Max

3.0L 4Cyl Diesel	08 on	<b>DR2840</b>	●		Vented	280	40.5	27	<b>25.6</b>	88	6
------------------	-------	---------------	---	--	--------	-----	------	----	-------------	----	---

### MU

Imported	89 - 95	<b>DR033</b>	●		Vented	257	36	22	<b>20.6</b>	88	6
Imported	89 - 95	<b>DR034</b>		●	Solid	265	47	12	<b>10.6</b>	97	6


### NPR

NPR66	91 - 02	<b>CDR1012</b>	●		Vented	293	58.7	40	<b>37</b>	110	12
NPR70 7-7.5 Ton	00- 05	<b>CDR1054</b>	●		Vented	310	54.2	42	<b>39</b>	110	12
NPR75 7-7.5 Ton	05 on	<b>CDR1054</b>	●		Vented	310	54.2	42	<b>39</b>	110	12
NPR75 8.0 - 8.5 T	05 on	<b>CDR1059</b>	●		Vented	363	100.2	42.2	<b>39</b>	110	12

### NQR

NQR75 8.0 - 8.5 T	05 on	<b>CDR1059</b>	●		Vented	363	100.2	42.2	<b>39</b>	110	12
-------------------	-------	----------------	---	--	--------	-----	-------	------	-----------	-----	----

# Disc Rotors



## IVECO

### Daily 35 Series

35C9, 10, 11, 12, 13, 14, 17	7/99 - 6/06	DR12042	●		Solid	290	110.5	22	19	68	6
35C9, 10, 11, 12, 13, 14, 17	7/99 - 6/06	DR12551	●		Solid	290	110.5	22	19	64	6
35S12, S13, S14	7/99 - 6/06	DR12403	●		Solid	276	72.5	22	19	73	5
35S12, S13, S14	7/99 - 6/06	DR12042	●		Solid	290	110.5	22	19	68	6
35C9, 10, 11, 12, 13, 14, 17	7/99 - 6/06	DR12043		●	Solid	289	84.5	22	19	84	8
35S12, S13, S14 ABS	7/99 - 6/06	DR12544		●	Solid	276	69.5	16	13	73	5
35S12, S13, S14 Non-ABS	7/99 - 6/06	DR12404		●	Solid	276	66.5	16	13	73	5
35S12	5/06 on	DR12635	●		Vented	300	74.5	28	25	78	6
35S14	5/06 on	DR12635	●		Vented	300	74.5	28	25	78	6
35S14	5/06 on	DR12770		●	Solid	296	69.5	16	13	76	6

### Daily 40 Series

45.10, 49.10	1/87 - 7/99	DR12041	●		Solid	280	142	16	14.5	58.3	6
49.12	1/90 - 1/97	DR12041	●		Solid	280	142	16	14.5	58.3	6
45C15, C18	5/06 on	DR12635	●		Vented	300	74.5	28	25	78	6
40C12, 40C14, 45C14	5/06 on	DR12043		●	Solid	289	84.5	22	19	84	8

### Daily 50 Series

50C11, 13, 14, 15, 17	7/99 - 6/06	DR12042	●		Solid	290	110.5	22	19	68	6
50C11, 13, 14, 15, 17	7/99 - 6/06	DR12551	●		Solid	290	110.5	22	19	64	6
50C11, 13, 14, 15, 17	7/99 - 6/06	DR12043		●	Solid	289	84.5	22	19	84	8
50C17, 18	5/06 on	DR12551	●		Solid	290	110.5	22	19	64	6
50C18	5/06 on	DR12667	●		Vented	290	46	28	25	64	9
50C17, 18	6/06 on	DR12043		●	Solid	289	84.5	22	19	84	8

### Daily 65 Series

65C13, 15	7/99 on	DR12411	●		Vented	290	53	26	23	80	6
65C13, 15	7/99 on	DR12412		●	Solid	306	136	22	19	178	6
65C17	9/04 - 4/06	DR12411	●		Vented	290	53	26	23	80	6
65C17	9/04 - 4/06	DR12412		●	Solid	306	136	22	19	178	6
65C18	07 on	DR12784	●		Vented	300	59	60	27	83	9
65C18	07 on	DR12785		●	Vented	306	132	28	25	154	6


## JAGUAR

### 240, 340

240, 340	67 - 69	DR072	●		Solid	280	51.5	9.75	8.5	82.5	5
240, 340	67 - 69	DR073		●	Solid	287	53	9.5	8	82.5	5

### E Type

3.8, 4.2L	61 - 68	DR072	●		Solid	280	51.5	9.75	8.5	82.5	5
V12 4.2L	68 - 74	DR076	●		Vented	285	60.5	24	22.9	82	5
V12 4.2L	68 - 74	DR075		●	Solid	262	25.5	12.5	11.4	70	4



## JAGUAR

### Mk 10

Mk 10	61 - 66	<b>DR072</b>	●		Solid	280	51.5	9.75	<b>8.5</b>	82.5	5
-------	---------	--------------	---	--	-------	-----	------	------	------------	------	---

### Mk 2

All Models	59 - 67	<b>DR072</b>	●		Solid	280	51.5	9.75	<b>8.5</b>	82.5	5
All Models	59 - 67	<b>DR073</b>		●	Solid	287	53	9.5	<b>8</b>	82.5	5

### S Type

3, 4 3.8L	63 - 68	<b>DR072</b>	●		Solid	280	51.5	9.75	<b>8.5</b>	82.5	5
3, 4 3.8L	63 - 68	<b>DR075</b>		●	Solid	262	25.5	12.5	<b>11.4</b>	70	4
S Type	98 on	<b>DR12121</b>	●		Vented	300	43	30	<b>28</b>	71	5
S Type	98 on	<b>DR12122</b>		●	Vented	288	32.5	20	<b>18.5</b>	64.5	5
3.0L V6	1/99 on	<b>DR12780</b>	●		Vented	320	42.9	30	<b>28.4</b>	71	5
2.5L V6 & 4.2L V8	4/02 on	<b>DR12780</b>	●		Vented	320	42.9	30	<b>28.4</b>	71	5
2.7L Diesel	6/04 on	<b>DR12780</b>	●		Vented	320	42.9	30	<b>28.4</b>	71	5

### XJ6

Series I	68 - 2/74	<b>DR074</b>	●		Solid	284	60.3	12.7	<b>11.4</b>	82.5	5
Series I	68 - 2/74	<b>DR075</b>		●	Solid	262	25.5	12.5	<b>11.4</b>	70	4
Series II & III	74 - 10/86	<b>DR076</b>	●		Vented	285	60.5	24	<b>22.9</b>	82	5
Series II & III	74 - 10/86	<b>DR075</b>		●	Solid	262	25.5	12.5	<b>11.4</b>	70	4
Dana Diff. 120.5mm PCD	11/86 - 90	<b>DR075B</b>		●	Solid	262	25.5	12.5	<b>11.4</b>	70	4
X300 3.2 & 4.0L	10/94 - 97	<b>DR098</b>	●		Vented	291	66.8	28	<b>27</b>	80	5
X300 3.2 & 4.0L	10/94 - 97	<b>DR12155</b>		●	Vented	305	67.8	20	<b>18.5</b>	73.8	5

### XJ8

X308 3.2 & 4.0L	97 on	<b>DR12156</b>	●		Vented	305	49.5	28	<b>26</b>	73.8	5
X308 3.2 & 4.0L	97 on	<b>DR12155</b>		●	Vented	305	67.8	20	<b>18.5</b>	73.8	5

### XJ12

XJ12	73 - 90	<b>DR076</b>	●		Vented	285	60.5	24	<b>22.9</b>	82	5
XJ12	73 - 90	<b>DR075</b>		●	Solid	262	25.5	12.5	<b>11.4</b>	70	4
Dana Diff. 120.5mm PCD	11/86 - 90	<b>DR075B</b>		●	Solid	262	25.5	12.5	<b>11.4</b>	70	4

### XJ40

3.6L	11/86 - 90	<b>DR077</b>	●		Vented	295	67	22.3	<b>21</b>	80	5
3.6L	11/86 - 90	<b>DR078</b>		●	Solid	278	68	10	<b>8.8</b>	74	5
3.2 & 4.0L	90 on	<b>DR098</b>	●		Vented	291	66.8	28	<b>27</b>	80	5
3.2 & 4.0L	90 on	<b>DR099</b>		●	Solid	294	67	10	<b>8.8</b>	74	5


### XJS

XJS	73 - 90	<b>DR076</b>	●		Vented	285	60.5	24	<b>22.9</b>	82	5
XJS	73 - 90	<b>DR075</b>		●	Solid	262	25.5	12.5	<b>11.4</b>	70	4
Dana Diff. 120.5mm PCD	11/86 - 90	<b>DR075B</b>		●	Solid	262	25.5	12.5	<b>11.4</b>	70	4

### XK8

4.0L V8	98 - 99	<b>DR12156</b>	●		Vented	305	49.5	28	<b>26</b>	73.8	5
4.0L V8	98 on	<b>DR12155</b>		●	Vented	305	67.8	20	<b>18.5</b>	73.8	5

# Disc Rotors



## JAGUAR

### XK8

4.0L V8	99 - 04	<b>DR12313</b>	●		Vented	325	49.5	28.3	<b>26</b>	73.7	5
---------	---------	----------------	---	--	--------	-----	------	------	-----------	------	---

### XKR

4.0L V8 Turbo	98 on	<b>DR12156</b>	●		Vented	305	49.5	28	<b>26</b>	73.8	5
4.0L V8 Turbo	98 on	<b>DR12155</b>		●	Vented	305	67.8	20	<b>18.5</b>	73.8	5

### X-Type

2.5i & 3.0i V6 24v	01 on	<b>DR12323</b>	●		Vented	300	47	24	<b>22</b>	63.5	5
2.5i & 3.0i V6 24v	01 on	<b>DR12579</b>		●	Solid	280	34	12	<b>10</b>	63.5	5

## JEEP

### Cherokee

Cherokee	79 - 85	<b>DR180</b>	●		Vented	301	58.8	32.9	<b>31</b>	101.7	6
4D Wagon	4/94 on	<b>DR096</b>	●		Vented	280	81	24	<b>22.7</b>	72	5
XJ 4.0L 4D Turbo Diesel 2.5L	94 - 99	<b>DR096</b>	●		Vented	280	81	24	<b>22.7</b>	72	5
XJ 4.0L	00 - 01	<b>DR888</b>	●		Vented	280	78	24.4	<b>22.7</b>	72	5
2.4L, 3.7L V6 & 2.5L & 2.8L Turbo Diesel	02 - 03	<b>DR889</b>	●		Vented	287	64.8	28	<b>26</b>	72	5
2.4L, 3.7L V6 & 2.5L & 2.8L Turbo Diesel	03 on	<b>DR889</b>	●		Vented	287	64.8	28	<b>26</b>	72	5
2.4L, 3.7L V6 & 2.5L & 2.8L Turbo Diesel	03 on	<b>DR12431</b>		●	Solid	285	57.9	12	<b>11</b>	72	5

### CJ Series

CJ Universal	77 - 78	<b>DR095</b>	●		Vented	298	56	30	<b>28.5</b>	96	5
CJ7 Renegade	9/78 - 81	<b>DR181</b>	●		Vented	298	56.5	22.5	<b>21</b>	95.5	5
CJ8 Hawk	81 - 85	<b>DR181</b>	●		Vented	298	56.5	22.5	<b>21</b>	95.5	5

### Commander


XH	06 on	<b>DR12581</b>	●		Vented	328	53	30	<b>28.5</b>	72	5
XH	06 on	<b>DR12582</b>		●	Solid	320	66.4	14.1	<b>12.5</b>	71.9	5

### Compass

2.0L & 2.4L	07 on	<b>DR12444</b>	●		Vented	294	45.7	26	<b>24.4</b>	69	5
2.0L & 2.4L	07 on	<b>DR12445</b>		●	Solid	262	60.2	9.9	<b>8.4</b>	80	5

### Grand Cherokee

ZJ Series	93 on	<b>DR096</b>	●		Vented	280	81	24	<b>22.7</b>	72	5
ZJ Series	93 on	<b>DR097</b>		●	Solid	285	59.5	11	<b>9.5</b>	72	5
ZG Series	96 - 99	<b>DR096</b>	●		Vented	280	81	24	<b>22.7</b>	72	5
ZG Series	96 - 99	<b>DR097</b>		●	Solid	285	59.5	11	<b>9.5</b>	72	5
KJ	00 - 06	<b>DR540</b>	●		Vented	305	64	26	<b>24.5</b>	72	5
KJ	00 - 06	<b>DR541</b>		●	Solid	305	75.5	10	<b>8.5</b>	72	5
WH Except SRT-8	06 on	<b>DR12581</b>	●		Vented	328	53	30	<b>28.5</b>	72	5
WH SRT-8	06 on	<b>DR12720</b>	●		Vented	360	53	32	<b>30</b>	72	5
WH Except SRT-8	06 on	<b>DR12582</b>		●	Solid	320	66.4	14.1	<b>12.5</b>	71.9	5



## JEEP

### Grand Cherokee

WH SRT-8	06 on	<b>DR12580</b>		●	Vented	350	68.5	28	<b>26</b>	72	5
----------	-------	----------------	--	---	--------	-----	------	----	-----------	----	---

### J10

1/2 Ton	83 - 85	<b>DR180</b>	●		Vented	301	58.8	32.9	<b>31</b>	101.7	6
---------	---------	--------------	---	--	--------	-----	------	------	-----------	-------	---

### J20

3/4 Ton	81 - 90	<b>DR998</b>	●		Vented	317.2	71	32.6	<b>31</b>	130.2	8
---------	---------	--------------	---	--	--------	-------	----	------	-----------	-------	---

### Overlander

4 Cyl	81 - 85	<b>DR181</b>	●		Vented	298	56.5	22.5	<b>21</b>	95.5	5
-------	---------	--------------	---	--	--------	-----	------	------	-----------	------	---

### Patriot

2.0L & 2.4L	07 on	<b>DR12444</b>	●		Vented	294	45.7	26	<b>24.4</b>	69	5
2.0L & 2.4L	07 on	<b>DR12550</b>		●	Solid	302	60.1	10	<b>8.4</b>	80	5

### Wrangler

TJ 4.0L 6Cyl	97 on	<b>DR096</b>	●		Vented	280	81	24	<b>22.7</b>	72	5
WJ	00 on	<b>DR540</b>	●		Vented	305	64	26	<b>24.5</b>	72	5
XJ	00 on	<b>DR888</b>	●		Vented	280	78	24.4	<b>22.7</b>	72	5
WJ	00 on	<b>DR541</b>		●	Solid	305	75.5	10	<b>8.5</b>	72	5
KJ	02 on	<b>DR889</b>	●		Vented	287	64.8	28	<b>26</b>	72	5
XJ	03 - 04	<b>DR12431</b>		●	Solid	285	57.9	12	<b>11</b>	72	5
JK 2.8L Diesel & 3.8L Petrol	07 on	<b>DR12646</b>	●		Vented	302	55	28	<b>26.4</b>	72	5
JK 2.8L Diesel & 3.8L Petrol	07 on	<b>DR12647</b>		●	Solid	316	76.8	12	<b>10.4</b>	72	5

## JENSEN

### Interceptor

Mk 1		<b>DR073</b>	●		Solid	287	53	9.5	<b>8</b>	82.5	5
------	--	--------------	---	--	-------	-----	----	-----	----------	------	---

## KIA

### Carens

1.8L	11/00 - 7/02	<b>DR873</b>	●		Vented	258	48.5	24	<b>22</b>	72	4
------	--------------	--------------	---	--	--------	-----	------	----	-----------	----	---


### Carnival

Single Piston Caliper	9/99 - 4/00	<b>DR877</b>	●		Vented	274	48	24	<b>22</b>	72	5
Twin Piston Caliper	5/00 - 11/03	<b>DR878</b>	●		Vented	274	48	26	<b>24</b>	72	5
Twin Piston Caliper	12/03 - 11/05	<b>DR962</b>	●		Vented	274	51	28	<b>26</b>	72	5
V6	05 on	<b>DR12539</b>	●		Vented	300	54	28	<b>26</b>	96.3	6

### Cerato

2.0L	04 on	<b>DR12467</b>	●		Vented	275	47.3	26	<b>24</b>	69	4
------	-------	----------------	---	--	--------	-----	------	----	-----------	----	---

# Disc Rotors



## KIA

### Cerato

2.0L	04 on	DR12468		●	Solid	258	41.6	10	8	76	4
------	-------	---------	--	---	-------	-----	------	----	---	----	---

### Credos

2.0L	5/98 on	DR873	●		Vented	258	48.5	24	22	72	4
2.0L	5/98 on	DR874		●	Solid	260	40	10	8	72	4

### Grand Carnival

VQ	06 on	DR12539	●		Vented	300	54	28	26	96.3	6
VQ	06 on	DR12668		●	Solid	324	69.5	12	10	96.3	6

### K2700

2.7 Diesel	10/02 on	DR12393	●		Vented	261	24	24	22.4	86	6
------------	----------	---------	---	--	--------	-----	----	----	------	----	---

### Magentis

2.4L 4Cyl & 2.7L V6	2006 on	DR468	●		Vented	280	47.4	26	22.4	69	5
2.4L 4Cyl & 2.7L V6	2006 on	DR461		●	Solid	262	61.2	10	8.4	76	5

### Mentor

1.5 & 1.8L Coupe & Sedan	11/96 on	DR875	●		Vented	240	44	20	18	57	4
1.5 & 1.8L Coupe & Sedan	11/96 on	DR879		●	Solid	260	40	10	8	57	4

### Optima

2.5L V6 GL & GLS	01 - 02	DR463	●		Vented	257	47.5	25	22.4	69	4
2.5L V6 GL & GLS	01 on	DR458		●	Solid	262	61	10	8	76	4
GD	02 on	DR12456	●		Vented	280	47.5	26	24.4	69	4

### Pregio

2.7L	02 on	DR12392	●		Vented	258	56	26	24	87	6
------	-------	---------	---	--	--------	-----	----	----	----	----	---

### Rio

4 Cyl	00 - 02	DR12308	●		Vented	235	45	22	20	55	4
BC 1.5L	03 - 05	DR12459	●		Vented	235	50.9	22	20	54.9	4
JB 1.6L DOHC	05 on	DR12446	●		Vented	256	46.9	22	20	62.3	4

### Rondo

UN 2.0L	08 on	DR468	●		Vented	280	47.4	26	22.4	69	5
---------	-------	-------	---	--	--------	-----	------	----	------	----	---

### Shuma

Shuma	01 on	DR875	●		Vented	240	44	20	18	57	4
Shuma	01 on	DR879		●	Solid	260	40	10	8	57	4

### Sorento


4WD 3.5L V6	03 on	DR2898	●		Vented	302	54	28	26	96.2	5
4WD 3.5L V6	03 - 06	DR2899		●	Vented	315	87.5	20	18.4	96.2	5
4WD 3.5L V6	06 on	DR12666		●	Vented	315	78.5	20	18.4	96.3	5

### Spectra

FB 1.8L	02 on	DR12427	●		Vented	258	48.6	24	22	57	4
---------	-------	---------	---	--	--------	-----	------	----	----	----	---

### Sportage

Sportswagon 4WD	11/96 on	DR876	●		Vented	284	51	24	22.4	96	5
-----------------	----------	-------	---	--	--------	-----	----	----	------	----	---



## KIA

### Sportage

4WD	05 on	<b>DR468</b>	●		Vented	280	47.4	26	<b>22.4</b>	69	5
4WD	05 on	<b>DR465</b>		●	Solid	284	61	10	<b>8.4</b>	76	5

## LADA

### Cevaro

2108	88 - 5/91	<b>DR870</b>	●		Solid	239	42.5	12	<b>11</b>	58.5	4
------	-----------	--------------	---	--	-------	-----	------	----	-----------	------	---

### Niva

2121, 4WD	84 - 9/92	<b>DR872</b>	●		Solid	272	50.5	11	<b>10</b>	108	5
-----------	-----------	--------------	---	--	-------	-----	------	----	-----------	-----	---

### Samara

2108	88 - 5/91	<b>DR870</b>	●		Solid	239	42.5	12	<b>11</b>	58.5	4
------	-----------	--------------	---	--	-------	-----	------	----	-----------	------	---

### Stable

Stable	12/93 on	<b>DR870</b>	●		Solid	239	42.5	12	<b>11</b>	58.5	4
--------	----------	--------------	---	--	-------	-----	------	----	-----------	------	---

### Volante

Volante	12/93 on	<b>DR870</b>	●		Solid	239	42.5	12	<b>11</b>	58.5	4
---------	----------	--------------	---	--	-------	-----	------	----	-----------	------	---

## LANCIA

### Beta

Beta	72 - 84	<b>DR390</b>	●		Solid	251	51	12.7	<b>11.5</b>	48.5	4
Beta	72 - 84	<b>DR391</b>		●	Solid	251	55	10	<b>9</b>	48.5	4

### Delta

Evoluzione	92 - 95	<b>DR12238</b>	●		Vented	281	54.2	26	<b>24.2</b>	59	5
HF Integrale	92 - 95	<b>DR12238</b>	●		Vented	281	54.2	26	<b>24.2</b>	59	5

## LAND ROVER

### 110


130 TD4 200, 300 TDi	84 - 94	<b>DR087</b>	●		Solid	298	70	14	<b>13</b>	101.6	5
110, 130 TD4 & TD5 TDi & LF Crew Cab	94 on	<b>DR086</b>	●		Vented	298	70	24	<b>22</b>	101.6	5
110, 130 TD4 & TD5 TDi & LF Crew Cab	94 on	<b>DR087</b>	●		Solid	298	70	14	<b>13</b>	101.6	5
110 Series	99 on	<b>DR549</b>		●	Solid	298	59	14	<b>13</b>	101.6	5

### Defender

130 TD4 200, 300 TDi	92 - 94	<b>DR087</b>	●		Solid	298	70	14	<b>13</b>	101.6	5
----------------------	---------	--------------	---	--	-------	-----	----	----	-----------	-------	---



# Disc Rotors



## LAND ROVER

### Defender

110, 130 TD4 & TD5 TDi & LF Crew Cab	94 on	<b>DR086</b>	●		Vented	298	70	24	<b>22</b>	101.6	5
110, 130 TD4 & TD5 TDi & LF Crew Cab	94 on	<b>DR087</b>	●		Solid	298	70	14	<b>13</b>	101.6	5
110 Series	99 on	<b>DR549</b>		●	Solid	298	59	14	<b>13</b>	101.6	5

### Discovery I

V8 All Models	89 - 95	<b>DR088</b>		●	Solid	290	61	12.7	<b>11.7</b>	101	5
V8 Petrol & 2.5 Diesel	92 - 98	<b>DR087</b>	●		Solid	298	70	14	<b>13</b>	101.6	5
V8 Petrol & 2.5 Diesel	92 - 98	<b>DR086</b>	●		Vented	298	70	24	<b>22</b>	101.6	5

### Discovery II

V8 Petrol, TD5 Diesel	10/99 - 04	<b>DR528</b>	●		Vented	297	91.5	25	<b>22</b>	70	5
V8 Petrol, TD5 Diesel	10/99 - 04	<b>DR093</b>		●	Solid	304	62.7	12.6	<b>11.7</b>	70	5

### Discovery III

2.7L TDV6, 4.0L V6	04 on	<b>DR12429</b>	●		Vented	317	62	30	<b>27</b>	79	5
4.4L V8 Petrol	04 on	<b>DR12461</b>	●		Vented	337	62	30	<b>27</b>	79	5
2.7L TDV6, 4.0L V6	04 on	<b>DR12460</b>		●	Vented	325	59.6	20	<b>17</b>	79	5
4.4L V8 Petrol	04 on	<b>DR12474</b>		●	Vented	350	59	20	<b>17</b>	79	5

### Freelander

1.8L Petrol & 2.0L Diesel	97 - 00	<b>DR526</b>	●		Solid	262	51.2	14	<b>11</b>	66.2	5
V6 Petrol & TD4 Diesel	01 on	<b>DR527</b>	●		Vented	277	51.5	21	<b>18</b>	66	5

### Range Rover


Classic	72 - 86	<b>DR087</b>	●		Solid	298	70	14	<b>13</b>	101.6	5
Classic	72 on	<b>DR088</b>		●	Solid	290	61	12.7	<b>11.7</b>	101	5
Classic	90 on	<b>DR086</b>	●		Vented	298	70	24	<b>22</b>	101.6	5

### Range Rover II

2.5L 6Cyl Turbo Diesel	95 - 01	<b>DR092</b>	●		Vented	297	64.6	25	<b>22</b>	70	5
4.0 & 4.6L V8	95 - 01	<b>DR092</b>	●		Vented	297	64.6	25	<b>22</b>	70	5
4.0 & 4.6L V8	95 - 01	<b>DR093</b>		●	Solid	304	62.7	12.6	<b>11.7</b>	70	5
4.2L V8 DOHC, 2.9L Turbo-Diesel	8/02 on	<b>DR2092</b>	●		Vented	344	76.2	30	<b>28.4</b>	79	5
4.2L V8 DOHC, 2.9L Turbo-Diesel	8/02 on	<b>DR2093</b>		●	Solid	354	75	12	<b>10.4</b>	79	5

### Range Rover III

2.7L TD V6	5/05 on	<b>DR12429</b>	●		Vented	317	62	30	<b>27</b>	79	5
3.0L TD6 & 4.4L V8 Petrol	3/05 on	<b>DR12779</b>	●		Vented	343	76	30	<b>27</b>	79	5
4.2L V8 Supercharged	3/05 on	<b>DR12742</b>	●		Vented	360	81	30	<b>27</b>	78	5
4.4L V8 Petrol	5/05 on	<b>DR12461</b>	●		Vented	337	62	30	<b>27</b>	79	5
Sport 4.2L	3/05 on	<b>DR12473</b>	●		Vented	360	62	30	<b>27</b>	79	5
2.7L TD V6	5/05 on	<b>DR12460</b>		●	Vented	325	59.6	20	<b>17</b>	79	5
Sport 4.2L & 4.4L V8	3/05 on	<b>DR12474</b>		●	Vented	350	59	20	<b>17</b>	79	5
3.6L TD 8	4/06 on	<b>DR2092</b>	●		Vented	344	76.2	30	<b>28.4</b>	79	5



## LEXUS

### ES300

VCV10	92 - 96	<b>DR735</b>	●		Vented	275	49.5	28	<b>26</b>	62	5
VCV10, MCV20	92 on	<b>DR734</b>		●	Solid	288	65	10	<b>9</b>	62	5
MCV20	8/96 - 7/01	<b>DR736</b>		●	Solid	269	65	10	<b>9</b>	62	5
MCV20	8/96 - 7/01	<b>DR735</b>	●		Vented	275	49.5	28	<b>26</b>	62	5
MCV30	7/01 on	<b>DR12463</b>		●	Solid	269	65	12	<b>10.5</b>	62	5

### GS300

JZS147, JZS160	93 - 05	<b>DR748</b>	●		Vented	296	51	32	<b>30</b>	62	5
JZS160	98 - 05	<b>DR749</b>		●	Solid	307	63	12	<b>10.5</b>	62	5
GRS190 L/H	1/05 on	<b>DR12638</b>	●		Vented	334	50.9	30	<b>27</b>	62	5
GRS190 R/H	1/05 on	<b>DR12639</b>	●		Vented	334	50.9	30	<b>27</b>	62	5
GRS190	1/05 on	<b>DR12637</b>		●	Vented	310	67.5	18	<b>16.5</b>	62	5

### GS430

UZS190 L/H	1/05 on	<b>DR12638</b>	●		Vented	334	50.9	30	<b>27</b>	62	5
UZS190 R/H	1/05 on	<b>DR12639</b>	●		Vented	334	50.9	30	<b>27</b>	62	5
UZS190	1/05 on	<b>DR12637</b>		●	Vented	310	67.5	18	<b>16.5</b>	62	5

### IS200

GXE10	99 - 05	<b>DR748</b>	●		Vented	296	51	32	<b>30</b>	62	5
GXE10	99 - 05	<b>DR749</b>		●	Solid	307	63	12	<b>10.5</b>	62	5

### IS250C

GSE20	7/06 on	<b>DR12559</b>	●		Vented	296	49.3	28	<b>26</b>	62	5
GSE20	7/06 on	<b>DR12560</b>		●	Solid	291	61.2	10	<b>8.5</b>	62	5

### IS300

JCE10	99 - 2/02	<b>DR748</b>	●		Vented	296	51	32	<b>30</b>	62	5
-------	-----------	--------------	---	--	--------	-----	----	----	-----------	----	---

### LS400

UCF10	8/90 - 8/92	<b>DR737</b>	●		Vented	276	51	28	<b>26</b>	60	5
UCF10	8/90 - 8/92	<b>DR738</b>		●	Vented	291	67.5	16	<b>15</b>	60	5
UCF10	8/92 - 10/94	<b>DR748</b>	●		Vented	296	51	32	<b>30</b>	62	5
UCF20	10/94 - 8/00	<b>DR745</b>	●		Vented	315	53.5	28	<b>26</b>	62	5
UCF20	10/94 - 8/00	<b>DR746</b>		●	Vented	307	67	16	<b>15</b>	62	5

### LS430

UCF30	7/03 - 8/06	<b>DR845</b>	●		Vented	315	50.25	30	<b>28</b>	62	5
UCF30	7/03 - 8/06	<b>DR846</b>		●	Vented	310	67.5	16	<b>14.5</b>	62	5


### LX470

UZJ100	1/98 - 12/05	<b>DR788</b>	●		Vented	312	71	32	<b>30</b>	115	5
UZJ100	1/98 - 12/05	<b>DR789</b>		●	Vented	330	103	18	<b>16</b>	110	5

### LX570

URJ201 5.7L V8	11/07 on	<b>DR12561</b>	●		Vented	340	83.2	32	<b>29</b>	112	5
URJ201 5.7L V8	11/07 on	<b>DR12562</b>		●	Vented	345	76.2	18	<b>16</b>	112	5

# Disc Rotors



## LEXUS

### **RX300**

MCU10, ACU10 4WD	1/98 - 2/03	<b>DR12322</b>	●		Vented	296	49.2	28	<b>26</b>	62	5
MCU10, ACU10 4WD	1/98 - 2/03	<b>DR734</b>		●	Solid	288	65	10	<b>9</b>	62	5

### **RX330**

MCU38	2/03 - 1/06	<b>DR2702</b>	●		Vented	320	49.3	28	<b>26</b>	62	5
MCU38	2/03 - 1/06	<b>DR12384</b>		●	Solid	288	69.4	10	<b>8.5</b>	62	5

### **RX350**

GSU35	2/03 on	<b>DR2702</b>	●		Vented	320	49.3	28	<b>26</b>	62	5
GSU35	2/03 on	<b>DR12384</b>		●	Solid	288	69.4	10	<b>8.5</b>	62	5
GGL15	12/08 on	<b>DR12621</b>	●		Vented	328	49	28	<b>25</b>	62	5
GGL15	12/08 on	<b>DR12750</b>		●	Solid	309	62.5	10	<b>8.5</b>	62	5

### **RX400H**

MHU38	3/05 on	<b>DR2702</b>	●		Vented	320	49.3	28	<b>26</b>	62	5
MHU38	3/05 on	<b>DR12384</b>		●	Solid	288	69.4	10	<b>8.5</b>	62	5

### **RX450H**

GYL15	12/08 on	<b>DR12621</b>	●		Vented	328	49	28	<b>25</b>	62	5
GYL15	12/08 on	<b>DR12750</b>		●	Solid	309	62.5	10	<b>8.5</b>	62	5

### **SC400**

UZZ30, UZZ31	8/91 - 8/98	<b>DR568</b>	●		Vented	275	49.5	28	<b>26</b>	62	5
UZZ30, UZZ31	8/91 - 8/98	<b>DR586</b>		●	Vented	291	67.5	16	<b>15</b>	62	5
UZZ30, UZZ31	4/91 - 7/00	<b>DR746</b>		●	Vented	307	67	16	<b>15</b>	62	5
UZZ30, UZZ31	8/98 - 7/00	<b>DR748</b>	●		Vented	296	51	32	<b>30</b>	62	5

### **SC430**

UZZ40	1/01 on	<b>DR748</b>	●		Vented	296	51	32	<b>30</b>	62	5
UZZ40	1/01 on	<b>DR749</b>		●	Solid	307	63	12	<b>10.5</b>	62	5

## LEYLAND


### **P76**

P76	73 - 74	<b>DR068</b>	●		Vented	273	100	25.4	<b>22.74</b>	Hub	5
-----	---------	--------------	---	--	--------	-----	-----	------	--------------	-----	---

## LOTUS

### **Elise**

Elise	3/00 on	<b>DR5355</b>	●		Vented	280	29.3	26	<b>24.5</b>	56.6	4
-------	---------	---------------	---	--	--------	-----	------	----	-------------	------	---



## MASERATI

### Biturbo

2.0 & 2.5L	82 - 88	<b>DR439</b>	●		Solid	282	59	12.7	<b>11.4</b>	60	4
2.0 & 2.5L	82 - 88	<b>DR12045</b>		●	Solid	272	61.5	10	<b>9</b>	60	4
2.8L V6 18V/24V	87 - 94	<b>DR12044</b>	●		Vented	284	46	22	<b>20.4</b>	60	5
2.0L V6 24V	90 - 96	<b>DR12044</b>	●		Vented	284	46	22	<b>20.4</b>	60	5

### Ghibli

2.0, 2.8L V6 24V ATE Brake	94 - 95	<b>DR12162</b>	●		Vented	307	50	30	<b>28</b>	59	5
2.0, 2.8L V6 24V ATE Brake	94 - 95	<b>DR12163</b>		●	Vented	316	80	20	<b>18</b>	59	5

### Quattro Porte

2.8L V6 24V ATE Brake	3/94 on	<b>DR12162</b>	●		Vented	307	50	30	<b>28</b>	59	5
2.8L V6 24V ATE Brake	3/94 on	<b>DR12163</b>		●	Vented	316	80	20	<b>18</b>	59	5

## MAZDA


### 121

121, 121L, CD2, CD5	76 - 80	<b>DR335</b>	●		Vented	250	37.5	18	<b>17</b>	80	4
DA Shades	86 - 11/90	<b>DR635</b>	●		Solid	219	37	13	<b>11</b>	75	4
DB 1.3 Litre	11/90 on	<b>DR525</b>	●		Solid	235	45	12	<b>10</b>	55	4
DB 1.5 Litre	11/90 on	<b>DR530</b>	●		Vented	235	45.5	18	<b>16</b>	55	4
DW Metro	8/96 on	<b>DR530</b>	●		Vented	235	45.5	18	<b>16</b>	55	4

### 323

FA4 RWD	11/76 - 80	<b>DR339</b>	●		Solid	206	54	13	<b>12</b>	HUB	4
FA4 P/Van Wagon RWD	78 - 85	<b>DR337</b>	●		Solid	229	54	13	<b>12</b>	HUB	4
BD10 FWD	81 - 85	<b>DR100</b>	●		Solid	228	31	11	<b>10</b>	75	4
BF	11/85 - 89	<b>DR930</b>	●		Vented	238	31	18	<b>16</b>	75	4
BF Wagon	6/86 - 88	<b>DR930</b>	●		Vented	238	31	18	<b>16</b>	75	4
BF Wagon	6/86 - 88	<b>DR933</b>		●	Solid	221	35	10	<b>8</b>	Hub	4
BF10 Except Wagon Turbo only	4/87 - 89	<b>DR101</b>	●		Vented	260	32	18	<b>16</b>	75	4
BF10 Turbo, 2WD	4/87 - 89	<b>DR931</b>		●	Solid	222	35	10	<b>8</b>	HUB	4
BF10 Turbo, 4WD	4/87 - 89	<b>DR932</b>		●	Solid	247	30	10	<b>8</b>	75	4
BG Astina 1.8L DOHC	90 - 94	<b>DR533</b>	●		Vented	257	45.5	22	<b>20</b>	55	4
BG SOHC Automatic	90 - 94	<b>DR532</b>	●		Vented	235	45.5	22	<b>20</b>	55	4
BG SOHC Manual	90 - 94	<b>DR530</b>	●		Vented	235	45.5	18	<b>16</b>	55	4
BG Astina 1.8L DOHC	90 - 94	<b>DR534</b>		●	Solid	250.5	34.5	9	<b>8</b>	55	4
BG OHC	90 - 94	<b>DR531</b>		●	Solid	231	35	9	<b>8</b>	55	4
BA Astina 2.0L & V6	94 - 4/98	<b>DR535</b>	●		Vented	274	45	22	<b>20</b>	72	5
BA Protégé 1.6L 1.8L DOHC	94 - 4/98	<b>DR533</b>	●		Vented	257	45.5	22	<b>20</b>	55	4
BA Astina 2.0L & V6	94 - 4/98	<b>DR536</b>		●	Solid	251	34.5	9	<b>8</b>	72	5
BA Protégé 1.6L 1.8L DOHC	94 - 4/98	<b>DR534</b>		●	Solid	250.5	34.5	9	<b>8</b>	55	4
BJ Astina 1.6L	9/98 on	<b>DR12139</b>	●		Vented	235	46	22	<b>20</b>	55	4

# Disc Rotors



## MAZDA

### 323

BJ Astina 1.6L	98 on	<b>DR532</b>	●		Vented	235	45.5	22	<b>20</b>	55	4
BJ Astina 1.8, 2.0L Series III	98 on	<b>DR576</b>	●		Vented	258	47	24	<b>22</b>	55	4
BJ Astina 1.8, 2.0L Series III	98 on	<b>DR539</b>		●	Solid	261	40	10	<b>8</b>	55	4

### 626

CB2MS RWD - With no Bearing Cups	78 - 82	<b>DR333</b>	●		Solid	231	50	13	<b>12</b>	HUB	4
GC FWD	2/83 - 2/84	<b>DR119</b>	●		Solid	250	35	14	<b>12.5</b>	75	4
GC 1.8L Non-Compliance	84 - 88	<b>DR12164</b>	●		Solid	228	34.5	14	<b>12.6</b>	75.1	4
GC FWD & Turbo	84 - 87	<b>DR334</b>	●		Vented	250	35	20	<b>18.5</b>	75	4
GC FWD & Turbo	84 - 87	<b>DR945</b>		●	Solid	254	50.2	10.2	<b>9</b>	HUB	4
GD FWD	87 - 91	<b>DR633</b>	●		Vented	264	47	24	<b>22</b>	64	5
GD (2 Wheel Steer) 58mm Bearing	87 - 91	<b>DR634</b>		●	Solid	258	72	10	<b>8</b>	HUB	5
GD (4 Wheel Steer) 64mm Bearing	5/89 - 91	<b>DR948</b>		●	Solid	260	72	10	<b>8</b>	HUB	5
GE 2.0L & V6	92 - 3/97	<b>DR950</b>	●		Vented	258	49	24	<b>22</b>	72	5
GE 2.0L & V6	92 - 3/97	<b>DR951</b>		●	Solid	261	40	9.5	<b>8</b>	72	5
GF 2.0L Including Series II	4/97 on	<b>DR950</b>	●		Vented	258	49	24	<b>22</b>	72	5
GF 2.0L Including Series II	4/97 on	<b>DR951</b>		●	Solid	261	40	9.5	<b>8</b>	72	5

### 808

808	72 - 75	<b>DR331</b>	●		Solid	230	33	11	<b>10</b>	72	4
-----	---------	--------------	---	--	-------	-----	----	----	-----------	----	---

### 929

LA2 RWD	74 - 76	<b>DR338</b>	●		Solid	230	34.5	12	<b>11</b>	72	4
LA2 RWD	76 - 79	<b>DR335</b>	●		Vented	250	37.5	18	<b>17</b>	80	4
929L LA4, LA5 RWD P.C.D. 120mm	78 - 2/82	<b>DR630</b>	●		Vented	250	56	18	<b>17</b>	Hub	4
HBE Coupe, Sedan & Hardtop	84 - 87	<b>DR940</b>	●		Vented	246	56	20	<b>18</b>	HUB	4
HBES	84 - 87	<b>DR942</b>		●	Solid	255	45	10	<b>9</b>	66	4
HC10 V6 Series I Non-ABS	87 - 91	<b>DR638</b>	●		Vented	255	72.2	22	<b>20</b>	HUB	5
HC10 V6	87 - 91	<b>DR639</b>		●	Solid	265	57	10	<b>8</b>	68	5
HC10 V6 Series II ABS & Non-ABS	11/89 on	<b>DR659</b>	●		Vented	255	72.4	22	<b>20</b>	Hub	5
HD10	5/91 on	<b>DR955</b>	●		Vented	274	47.5	24	<b>22</b>	72	5
HD10	5/91 on	<b>DR956</b>		●	Vented	286	56.5	18	<b>16</b>	72	5
HE10	11/95 - 9/97	<b>DR955</b>	●		Vented	274	47.5	24	<b>22</b>	72	5
HE10	11/95 - 9/97	<b>DR956</b>		●	Vented	286	56.5	18	<b>16</b>	72	5

### 1300


FA3, STB	70 - 75	<b>DR332</b>	●		Solid	244	50	10	<b>9</b>	72	4
STC	72 - 75	<b>DR331</b>	●		Solid	230	33	11	<b>10</b>	72	4

### 1500

SUE	11/66 - 68	<b>DR330</b>	●		Solid	250	31	10	<b>9</b>	80	4
SS	67 - 68	<b>DR330</b>	●		Solid	250	31	10	<b>9</b>	80	4

### 1800

SUA	67 - 68	<b>DR330</b>	●		Solid	250	31	10	<b>9</b>	80	4
-----	---------	--------------	---	--	-------	-----	----	----	----------	----	---



## MAZDA

### B Series

B1800	77 - 83	<b>DR941</b>	●		Solid	255	36	20	<b>19</b>	80	4
B2200	80 - 85	<b>DR941</b>	●		Solid	255	36	20	<b>19</b>	80	4
B2000	82 - 88	<b>DR941</b>	●		Solid	255	36	20	<b>19</b>	80	4
B1800 2WD	85 - 96	<b>DR631</b>	●		Vented	256	21	20	<b>18</b>	86	6
B1800 4WD	85 - 96	<b>DR965</b>	●		Vented	272	25	22	<b>20</b>	93	6
B2200 2WD	85 - 96	<b>DR631</b>	●		Vented	256	21	20	<b>18</b>	86	6
B2600 2WD	85 - 96	<b>DR631</b>	●		Vented	256	21	20	<b>18</b>	86	6
B2600 4WD	85 - 96	<b>DR965</b>	●		Vented	272	25	22	<b>20</b>	93	6
B2500 2WD	96 - 06	<b>DR958</b>	●		Vented	255.5	24	24	<b>22</b>	86	6
B2500 4WD	96 - 98	<b>DR959</b>	●		Vented	274	28	28	<b>26</b>	93	6
B2600 2WD	96 - 06	<b>DR958</b>	●		Vented	255.5	24	24	<b>22</b>	86	6
B2600 4WD	96 - 98	<b>DR959</b>	●		Vented	274	28	28	<b>26</b>	93	6
UN B2500 & B2600 4WD	11/98 - 10/02	<b>DR964</b>	●		Vented	275	24	24	<b>22</b>	93	6
B2500, B2600 4WD	11/02 - 06	<b>DR12502</b>	●		Vented	288.5	70.5	28	<b>26</b>	98	6
BT-50 2WD Excl. High Rider	10/06 on	<b>DR958</b>	●		Vented	255.5	24	24	<b>22</b>	86	6
BT-50 2WD High Rider	10/06 on	<b>DR12502</b>	●		Vented	288.5	70.5	28	<b>26</b>	98	6
BT-50 4WD	10/06 on	<b>DR12502</b>	●		Vented	288.5	70.5	28	<b>26</b>	98	6

### Bravo

UN 2.5 & 2.6L 4WD	11/98 on	<b>DR964</b>	●		Vented	275	24	24	<b>22</b>	93	6
-------------------	----------	--------------	---	--	--------	-----	----	----	-----------	----	---

### Capella

SNA 1600	73 - 74	<b>DR338</b>	●		Solid	230	34.5	12	<b>11</b>	72	4
----------	---------	--------------	---	--	-------	-----	------	----	-----------	----	---

### CX-7

2.3L	2/06 on	<b>DR12570</b>	●		Vented	296	48.3	28	<b>26</b>	72	5
2.3L	2/06 on	<b>DR12571</b>		●	Vented	302	57	18	<b>16</b>	72	5

### CX-9


3.7L V6	9/07 on	<b>DR12572</b>	●		Vented	320	48.3	28	<b>26</b>	72	5
3.7L V6	9/07 on	<b>DR12573</b>		●	Vented	324	56	18	<b>16</b>	72	5

### E Series

E1400 Van, Wagon & Short Body L/H	84 - 87	<b>DR632B</b>	●		Vented	231.5	58.5	18	<b>16</b>	Hub	4
E1400 Van, Wagon & Short Body R/H	84 - 87	<b>DR632A</b>	●		Vented	231.5	58.5	18	<b>16</b>	Hub	4
E1800 Van, Wagon & Short Body L/H	84 - 87	<b>DR632B</b>	●		Vented	231.5	58.5	18	<b>16</b>	Hub	4
E1800 Van, Wagon & Short Body R/H	84 - 87	<b>DR632A</b>	●		Vented	231.5	58.5	18	<b>16</b>	Hub	4
E2000 Pickup	84 - 97	<b>DR934</b>	●		Vented	268	20	20	<b>18</b>	86	6
E2000 Van STD & LWB	84 - 92	<b>DR631</b>	●		Vented	256	21	20	<b>18</b>	86	6
E2200 Pickup	84 - 97	<b>DR934</b>	●		Vented	268	20	20	<b>18</b>	86	6
E2200 Van STD & LWB	84 - 92	<b>DR631</b>	●		Vented	256	21	20	<b>18</b>	86	6
E1800	90 on	<b>DR631</b>	●		Vented	256	21	20	<b>18</b>	86	6
E2000 Van	5/92 on	<b>DR958</b>	●		Vented	255.5	24	24	<b>22</b>	86	6
E2200 Van	5/92 on	<b>DR958</b>	●		Vented	255.5	24	24	<b>22</b>	86	6
E1800 E2000,E2200 SWB L/H	11/96 - 9/99	<b>DR859B</b>	●		Vented	256	72	18	<b>16</b>	Hub	4



# Disc Rotors



## MAZDA

### E Series

E1800 E2000,E2200 SWB R/H	11/96 - 9/99	<b>DR859A</b>	●		Vented	256	72	18	<b>16</b>	Hub	4
E2000, E2200 Van	03 on	<b>DR12655</b>	●		Vented	255.5	28	28	<b>26</b>	93	6

### LVW

4 Door Wagon	99 on	<b>DR962</b>	●		Vented	274	51	28	<b>26</b>	72	5
4 Door Wagon	99 on	<b>DR956</b>		●	Vented	286	56.5	18	<b>16</b>	72	5

### Mazda 2

1.5L Sedan & Hatch	03 on	<b>DR2958</b>	●		Vented	258	43.5	22	<b>20</b>	55	4
--------------------	-------	---------------	---	--	--------	-----	------	----	-----------	----	---

### Mazda 3

2.0L	04 on	<b>DR12346</b>	●		Vented	278	48.6	25	<b>23</b>	72	5
2.3L	04 on	<b>DR12347</b>	●		Vented	300	48.7	24.9	<b>23</b>	72	5
2.0L	04 on	<b>DR12333</b>		●	Solid	265	41	11	<b>9</b>	71.8	5
2.3L	04 on	<b>DR12334</b>		●	Solid	280	40.9	11	<b>9</b>	71.7	5
2.3L MPS	06 on	<b>DR12730</b>	●		Vented	320	48.4	25	<b>23</b>	72	5
2.3L MPS	06 on	<b>DR12334</b>		●	Solid	280	40.9	11	<b>9</b>	71.7	5

### Mazda 6

2.3L DOHC MZR	02 on	<b>DR2950</b>	●		Vented	274	47.5	24	<b>22</b>	72	5
Wagon	02 on	<b>DR12358</b>	●		Vented	282	48.8	25	<b>23</b>	71.7	5
2.3L DOHC MZR	02 on	<b>DR2951</b>		●	Solid	280	40.2	10	<b>8</b>	71.7	5
MPS 2.3L Turbo	3/05 on	<b>DR12613</b>	●		Vented	320	46	25	<b>23</b>	72	5
MPS 2.3L Turbo	3/05 on	<b>DR12614</b>		●	Solid	314	41	11	<b>9</b>	72	5

### MPV


LV10E1	93 on	<b>DR960</b>	●		Vented	276	64	28	<b>26</b>	72	5
LV10E2	12/95 on	<b>DR961</b>	●		Vented	276	58	28	<b>26</b>	72	5
LV10E2	12/95 on	<b>DR956</b>		●	Vented	286	56.5	18	<b>16</b>	72	5
LVW (D) 2.5 & 3.0L V6	9/99 on	<b>DR962</b>	●		Vented	274	51	28	<b>26</b>	72	5
LVW (D) 2.5 & 3.0L V6	9/99 on	<b>DR956</b>		●	Vented	286	56.5	18	<b>16</b>	72	5

### MX5

NA 1.6, 1.8	10/89 - 93	<b>DR530</b>	●		Vented	235	45.5	18	<b>16</b>	55	4
NA 1.6, 1.8	10/89 - 93	<b>DR531</b>		●	Solid	231	35	9	<b>8</b>	55	4
NA & NB 1.8L	93 on	<b>DR538</b>	●		Vented	255	45	20	<b>18</b>	55	4
NA & NB 1.8L	93 on	<b>DR534</b>		●	Solid	250.5	34.5	9	<b>8</b>	55	4
1.8L Titanium & SP Turbo Manual	00 on	<b>DR545</b>	●		Vented	270	46	22	<b>20</b>	55	4
1.8L Titanium & SP Turbo Manual	00 on	<b>DR546</b>		●	Solid	276	35	10	<b>8</b>	55	4

### MX6

GC & Turbo	86 - 87	<b>DR334</b>	●		Vented	250	35	20	<b>18.5</b>	75	4
GC & Turbo	86 - 87	<b>DR945</b>		●	Solid	254	50.2	10.2	<b>9</b>	HUB	4
GD Turbo	87 - 91	<b>DR633</b>	●		Vented	264	47	24	<b>22</b>	64	5
GD Rear With 2WS 58mm Bearing	87 - 91	<b>DR634</b>		●	Solid	258	72	10	<b>8</b>	HUB	5
GD Read With 4WS 64mm Bearing	5/89 - 91	<b>DR948</b>		●	Solid	260	72	10	<b>8</b>	HUB	5
GE	11/91 on	<b>DR950</b>	●		Vented	258	49	24	<b>22</b>	72	5



## MAZDA

### MX6

GE	11/91 on	<b>DR951</b>		●	Solid	261	40	9.5	<b>8</b>	72	5
----	----------	--------------	--	---	-------	-----	----	-----	----------	----	---

### Premacy

1.8L With Rear Drum	99 - 01	<b>DR950</b>	●		Vented	258	49	24	<b>22</b>	72	5
2.0L	7/01 - 03	<b>DR2950</b>	●		Vented	274	47.5	24	<b>22</b>	72	5
2.0L	02 - 03	<b>DR951</b>		●	Solid	261	40	9.5	<b>8</b>	72	5

### RX Series

R100	69 - 72	<b>DR332</b>	●		Solid	244	50	10	<b>9</b>	72	4
------	---------	--------------	---	--	-------	-----	----	----	----------	----	---

### RX2

S122A	70 - 76	<b>DR338</b>	●		Solid	230	34.5	12	<b>11</b>	72	4
-------	---------	--------------	---	--	-------	-----	------	----	-----------	----	---

### RX3

S102A	72 - 76	<b>DR331</b>	●		Solid	230	33	11	<b>10</b>	72	4
S124A	72 - 78	<b>DR338</b>	●		Solid	230	34.5	12	<b>11</b>	72	4

### RX4

RX4	72 - 78	<b>DR338</b>	●		Solid	230	34.5	12	<b>11</b>	72	4
-----	---------	--------------	---	--	-------	-----	------	----	-----------	----	---

### RX5

CD23	76 - 79	<b>DR335</b>	●		Vented	250	37.5	18	<b>17</b>	80	4
------	---------	--------------	---	--	--------	-----	------	----	-----------	----	---

### RX7

Series 1 & 2 SA22	79 - 83	<b>DR336</b>	●		Vented	228	59	18	<b>17</b>	HUB	4
Series 2 SA22C	81 - 83	<b>DR935</b>		●	Solid	235	50	10	<b>9</b>	47.5	4
Series 3	83 - 1/86	<b>DR946</b>	●		Vented	250	65	22	<b>20</b>	Hub	4
Series 3	83 - 1/86	<b>DR936</b>		●	Vented	258	63	20	<b>18</b>	66	4
Series 4 FC1	2/86 - 4/92	<b>DR636</b>	●		Vented	276	65	22	<b>20</b>	77	5
Series 4 FC1 Turbo	2/86 - 4/92	<b>DR637</b>		●	Vented	273	53	20	<b>18</b>	66	5
FD 103	4/92 on	<b>DR947</b>	●		Vented	294	67	22	<b>20</b>	72	5
FD 103	4/92 on	<b>DR952</b>		●	Vented	294	45	20	<b>18</b>	72	5

### RX8

Sports Suspension	7/03 on	<b>DR12375</b>	●		Vented	323	44.9	24	<b>22</b>	72	5
Standard Suspension	7/03 on	<b>DR12374</b>	●		Vented	303	45	24	<b>22</b>	72	5
Sports Suspension	7/03 on	<b>DR12376</b>		●	Vented	301	44.2	18	<b>16</b>	72	5
Standard Suspension	7/03 on	<b>DR12376</b>		●	Vented	301	44.2	18	<b>16</b>	72	5


### Traveller

2000 R/H	11/82 - 88	<b>DR632A</b>	●		Vented	231.5	58.5	18	<b>16</b>	HUB	4
2001 L/H	11/82 - 88	<b>DR632B</b>	●		Vented	231.5	58.5	18	<b>16</b>	HUB	4
1600	2/84 - 7/86	<b>DR939</b>	●		Vented	275	33	20	<b>19</b>	85	4
1600, 2000	2/84 - 88	<b>DR934</b>	●		Vented	268	20	20	<b>18</b>	86	6

### Tribute

2.0L 4Cyl & 3.0L V6	00 - 05	<b>DR957</b>	●		Vented	278	47	24	<b>22</b>	72	5
2.3L & 3.0L	05 on	<b>DR12448</b>	●		Vented	303	46.7	26	<b>24</b>	72	5
2.3L & 3.0L	05 on	<b>DR12449</b>		●	Solid	302	56	12	<b>11</b>	72	5

# Disc Rotors



## MERCEDES

### 180E

W201 1.8L	88 - 93	<b>DR260</b>	●		Solid	262	43	11	<b>9</b>	67	5
-----------	---------	--------------	---	--	-------	-----	----	----	----------	----	---

### 190C

W110 / W111	1965	<b>DR253</b>	●		Solid	253	67.3	12.7	<b>11.1</b>	69.5	5
-------------	------	--------------	---	--	-------	-----	------	------	-------------	------	---

### 190D

W110 / W111	1965	<b>DR253</b>	●		Solid	253	67.3	12.7	<b>11.1</b>	69.5	5
W201 2.5L	85 - 88	<b>DR260</b>	●		Solid	262	43	11	<b>9</b>	67	5
W201 2.5L	85 - 91	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5
W201 1.8L	88 - 91	<b>DR260</b>	●		Solid	262	43	11	<b>9</b>	67	5

### 190E

W201	84 - 93	<b>DR260</b>	●		Solid	262	43	11	<b>9</b>	67	5
W201 2.3L 16 Valve	85 - 88	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
W201	85 - 91	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5
W201 2.3, 2.6L	86 - 93	<b>DR279</b>	●		Vented	262	44.5	22	<b>19.4</b>	67	5

### 200

W110 / W111	1965	<b>DR253</b>	●		Solid	253	67.3	12.7	<b>11.1</b>	69.5	5
W114 / W115	68 - 71	<b>DR250</b>	●		Solid	273	63.3	12.7	<b>10.6</b>	70	5
W114 / W115	68 - 71	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 220

W114 / W115	68 - 71	<b>DR250</b>	●		Solid	273	63.3	12.7	<b>10.6</b>	70	5
W114 / W115	68 - 71	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W202 / T202	94 - 95	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5

### 220B

W110 / W111	1965	<b>DR253</b>	●		Solid	253	67.3	12.7	<b>11.1</b>	69.5	5
W110 / W111	1965	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 220E

W124	90 - 95	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5
W124	91 - 95	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5

### 220S

W110 / W111	1965	<b>DR253</b>	●		Solid	253	67.3	12.7	<b>11.1</b>	69.5	5
-------------	------	--------------	---	--	-------	-----	------	------	-------------	------	---

### 220SB


W110 / W111	1965	<b>DR253</b>	●		Solid	253	67.3	12.7	<b>11.1</b>	69.5	5
-------------	------	--------------	---	--	-------	-----	------	------	-------------	------	---

### 220SEB

W110 / W111	1965	<b>DR253</b>	●		Solid	253	67.3	12.7	<b>11.1</b>	69.5	5
W110 / W111	1965	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 230

W110 / W111	1965	<b>DR253</b>	●		Solid	253	67.3	12.7	<b>11.1</b>	69.5	5
W113 / Sports	65 - 72	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W114 / W115	68 - 71	<b>DR250</b>	●		Solid	273	63.3	12.7	<b>10.6</b>	70	5
W114 / W115	68 - 71	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5



## MERCEDES

### 230

W114 / W115	71 - 74	<b>DR252</b>	●		Solid	273	63.3	12.7	<b>10.6</b>	80	5
W114 / W115	71 - 74	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W123	76 - 78	<b>DR254</b>	●		Solid	278	63.3	12.7	<b>10.6</b>	80	5
W123	76 - 78	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W124	86 - 91	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5

### 230/6

W114	1/68 - 11/76	<b>DR252</b>	●		Solid	273	63.3	12.7	<b>10.6</b>	80	5
W114 / W115	68 - 71	<b>DR250</b>	●		Solid	273	63.3	12.7	<b>10.6</b>	70	5
W114	1/68 - 11/76	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W114 / W115	68 - 71	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W114 / W115	73 - 76	<b>DR254</b>	●		Solid	278	63.3	12.7	<b>10.6</b>	80	5
W114 / W115	73 - 76	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 230E

W123	76 - 84	<b>DR254</b>	●		Solid	278	63.3	12.7	<b>10.6</b>	80	5
W123	76 - 84	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W124	86 - 89	<b>DR263</b>	●		Solid	284	46	12	<b>10</b>	67	5
W124	90 - 95	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5
W124	91 - 95	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5

### 230S

W110 / W111	1965	<b>DR253</b>	●		Solid	253	67.3	12.7	<b>11.1</b>	69.5	5
W110 / W111	1965	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 230SL

W113 / Sports	65 - 68	<b>DR253</b>	●		Solid	253	67.3	12.7	<b>11.1</b>	69.5	5
---------------	---------	--------------	---	--	-------	-----	------	------	-------------	------	---

### 230TE

S123	4/80 - 11/85	<b>DR254</b>	●		Solid	278	63.3	12.7	<b>10.6</b>	80	5
S123	4/80 - 11/85	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
S124	86 - 89	<b>DR263</b>	●		Solid	284	46	12	<b>10</b>	67	5
S124	86 - 91	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5

### 240D

W123	76 - 78	<b>DR254</b>	●		Solid	278	63.3	12.7	<b>10.6</b>	80	5
W123	76 - 78	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5


### 250

W123	76 - 78	<b>DR254</b>	●		Solid	278	63.3	12.7	<b>10.6</b>	80	5
W123	76 - 78	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W202 / T202	94 - 95	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5

### 250C

W114	4/69 - 11/76	<b>DR252</b>	●		Solid	273	63.3	12.7	<b>10.6</b>	80	5
W114	4/69 - 11/76	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

# Disc Rotors



## MERCEDES

### 250D

W124	4/85 - 6/93	<b>DR263</b>	●		Solid	284	46	12	<b>10</b>	67	5
W124	4/85 - 6/93	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5

### 260E

W124 With ASR, ETS	9/85 - 8/89	<b>DR262</b>	●		Vented	300	68.5	27.8	<b>25.4</b>	80	5
W124 Without ASR, ETS	9/85 - 93	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
W124 With ASR, ETS	9/85 - 8/89	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W124 Without ASR, ETS	9/85 - 93	<b>DR267</b>		●	Solid	278	56	9	<b>7.3</b>	67	5

### 280CE

C123	3/77 - 11/85	<b>DR254</b>	●		Solid	278	63.3	12.7	<b>10.6</b>	80	5
C123	3/77 - 11/85	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 280E

W114	73 - 76	<b>DR254</b>	●		Solid	278	63.3	12.7	<b>10.6</b>	80	5
W114	73 - 76	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W123	76 - 84	<b>DR254</b>	●		Solid	278	63.3	12.7	<b>10.6</b>	80	5
W123	76 - 84	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W124	90 - 95	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5
W124	91 - 95	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5

### 280S

W116	72 - 80	<b>DR255</b>	●		Vented	278	67	22	<b>20</b>	80	5
W116	72 - 80	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 280SE

W116	72 - 80	<b>DR255</b>	●		Vented	278	67	22	<b>20</b>	80	5
W116	72 - 80	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W126	10/79 - 7/85	<b>DR254</b>	●		Solid	278	63.3	12.7	<b>10.6</b>	80	5
W126	10/79 - 7/85	<b>DR258</b>	●		Vented	278	69	22	<b>19.4</b>	80	5
W126	10/79 - 7/85	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 280SEL

W116	8/72 - 7/80	<b>DR255</b>	●		Vented	278	67	22	<b>20</b>	80	5
W116	8/72 - 7/80	<b>DR254</b>	●		Solid	278	63.3	12.7	<b>10.6</b>	80	5
W116	8/72 - 7/80	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 280SL


R107	3/76 - 8/79	<b>DR255</b>	●		Vented	278	67	22	<b>20</b>	80	5
R107	9/79 - 7/80	<b>DR258</b>	●		Vented	278	69	22	<b>19.4</b>	80	5
R107	3/76 - 7/80	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 280TE

S123	76 - 84	<b>DR254</b>	●		Solid	278	63.3	12.7	<b>10.6</b>	80	5
S123	76 - 84	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 300CE

C124	3/87 - 12/89	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
------	--------------	--------------	---	--	--------	-----	----	----	-------------	----	---




## MERCEDES

<b>300CE</b>											
C124	3/87 - 12/89	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5
<b>300D</b>											
W123	76 - 85	<b>DR254</b>	●		Solid	278	63.3	12.7	<b>10.6</b>	80	5
W123	76 - 85	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W124	9/86 - 8/92	<b>DR263</b>	●		Solid	284	46	12	<b>10</b>	67	5
W124	9/86 - 8/92	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5
<b>300E</b>											
W124	9/86 - 6/93	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
W124	9/86 - 6/93	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5
W124 24 V	90 - 92	<b>DR266</b>	●		Vented	295	49.5	22	<b>19.4</b>	67	5
W124 24 V	90 - 95	<b>DR267</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
<b>300SE</b>											
W126	9/85 - 6/91	<b>DR262</b>	●		Vented	300	68.5	27.8	<b>25.4</b>	80	5
W126	9/85 - 6/91	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W140 3.2L To Chassis No. A050548	92 - 93	<b>DR282</b>	●		Vented	310	82	28	<b>25.4</b>	67	5
W140 3.2L	92 - 95	<b>DR283</b>		●	Solid	290	60	12	<b>9.8</b>	67	5
W140 3.2L Chassis No. A050548 on	93 - 95	<b>DR284</b>	●		Vented	320	82	30	<b>27.4</b>	67	5
<b>300SEL</b>											
W126	86 - 91	<b>DR262</b>	●		Vented	300	68.5	27.8	<b>25.4</b>	80	5
W126	86 - 91	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
<b>300SL</b>											
R107	9/85 - 8/89	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
R107	9/85 - 8/89	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
R129	3/89 - 8/93	<b>DR280</b>	●		Vented	300	45.5	28	<b>25.4</b>	67	5
R129	3/89 - 8/93	<b>DR281</b>		●	Solid	278	58.5	9.1	<b>7.3</b>	67	5
<b>300TD</b>											
S123	9/77 - 10/85	<b>DR254</b>	●		Solid	278	63.3	12.7	<b>10.6</b>	80	5
S123	9/77 - 10/85	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
<b>300TE</b>											
S124	9/86 - 6/93	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
S124	9/86 - 6/93	<b>DR267</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
<b>320CE</b>											
W124 From B162121 on	93 - 94	<b>DR268</b>	●		Vented	294	50	24	<b>22.4</b>	67	5
W124 To Chassis No. B162121	93 - 94	<b>DR266</b>	●		Vented	295	49.5	22	<b>19.4</b>	67	5
W124	93 - 94	<b>DR267</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
<b>320E</b>											
W124	90 - 95	<b>DR267</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
W124	93 - 94	<b>DR266</b>	●		Vented	295	49.5	22	<b>19.4</b>	67	5
W124	94 - 95	<b>DR268</b>	●		Vented	294	50	24	<b>22.4</b>	67	5



# Disc Rotors



## MERCEDES

### 320S

W140	3/91 - 10/98	DR282	●		Vented	310	82	28	25.4	67	5
W140	3/91 - 10/98	DR283		●	Solid	290	60	12	9.8	67	5

### 350SE

W116	8/72 - 2/76	DR255	●		Vented	278	67	22	20	80	5
------	-------------	-------	---	--	--------	-----	----	----	----	----	---

### 350SL

R107	1/72 - 2/80	DR255	●		Vented	278	67	22	20	80	5
R107	1/72 - 2/80	DR251		●	Solid	279	72	10	8.3	67	5

### 350SLC

R107	1/72 - 2/80	DR255	●		Vented	278	67	22	20	80	5
R107	1/72 - 2/80	DR251		●	Solid	279	72	10	8.3	67	5

### 380SE

W126	8/81 - 8/84	DR258	●		Vented	278	69	22	19.4	80	5
W126	8/81 - 8/84	DR251		●	Solid	279	72	10	8.3	67	5

### 380SEC

C126	10/81 - 7/85	DR259	●		Vented	286	60	22	19.4	80	5
C126	10/81 - 7/85	DR251		●	Solid	279	72	10	8.3	67	5

### 380SEL

W126	8/81 - 8/84	DR258	●		Vented	278	69	22	19.4	80	5
W126	8/81 - 8/84	DR251		●	Solid	279	72	10	8.3	67	5

### 380SL

R107	9/80 - 8/85	DR258	●		Vented	278	69	22	19.4	80	5
R107	9/80 - 8/85	DR251		●	Solid	279	72	10	8.3	67	5

### 400SE

W140	2/91 - 10/98	DR284	●		Vented	320	82	30	27.4	67	5
W140	2/91 - 10/98	DR285		●	Vented	300	60	22	19.4	67	5

### 420SEL

W140	2/91 - 10/98	DR284	●		Vented	320	82	30	27.4	67	5
W140	2/91 - 10/98	DR285		●	Vented	300	60	22	19.4	67	5

### 450SE


W116	1/73 - 4/80	DR255	●		Vented	278	67	22	20	80	5
W116	1/73 - 4/80	DR251		●	Solid	279	72	10	8.3	67	5

### 450SEL

W116	1/73 - 4/80	DR255	●		Vented	278	67	22	20	80	5
W116	1/73 - 4/80	DR251		●	Solid	279	72	10	8.3	67	5

### 450SL

R107	10/72 - 2/76	DR255	●		Vented	278	67	22	20	80	5
R107	3/76 - 10/80	DR258	●		Vented	278	69	22	19.4	80	5
R107	10/72 - 10/80	DR251		●	Solid	279	72	10	8.3	67	5



## MERCEDES

### 450SLC

R107	1/73 - 2/76	<b>DR255</b>	●		Vented	278	67	22	<b>20</b>	80	5
R107	3/76 - 2/80	<b>DR258</b>	●		Vented	278	69	22	<b>19.4</b>	80	5
R107	1/73 - 2/80	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 500SE

W126	12/79 - 6/91	<b>DR258</b>	●		Vented	278	69	22	<b>19.4</b>	80	5
W126	12/79 - 6/91	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 500SEC

W126	1/79 - 8/85	<b>DR258</b>	●		Vented	278	69	22	<b>19.4</b>	80	5
W126	1/79 - 8/85	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W126	9/85 - 6/91	<b>DR262</b>	●		Vented	300	68.5	27.8	<b>25.4</b>	80	5
W126	9/85 - 6/91	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
W140	2/91 - 5/93	<b>DR280</b>	●		Vented	300	45.5	28	<b>25.4</b>	67	5

### 500SEL

W140	2/91 - 10/98	<b>DR284</b>	●		Vented	320	82	30	<b>27.4</b>	67	5
W140	2/91 - 10/98	<b>DR285</b>		●	Vented	300	60	22	<b>19.4</b>	67	5

### 500SL

R107	5/80 - 12/85	<b>DR258</b>	●		Vented	278	69	22	<b>19.4</b>	80	5
R107	5/80 - 12/85	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5
R129	8/89 - 8/92	<b>DR280</b>	●		Vented	300	45.5	28	<b>25.4</b>	67	5
R129	8/89 - 8/92	<b>DR281</b>		●	Solid	278	58.5	9.1	<b>7.3</b>	67	5

### 560SEC

C126	10/85 - 6/91	<b>DR262</b>	●		Vented	300	68.5	27.8	<b>25.4</b>	80	5
C126	10/85 - 6/91	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 560SEL

W126	10/85 - 6/91	<b>DR262</b>	●		Vented	300	68.5	27.8	<b>25.4</b>	80	5
W126	10/85 - 6/91	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 560SL

R107	86 - 90	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
R107	86 - 90	<b>DR251</b>		●	Solid	279	72	10	<b>8.3</b>	67	5

### 600SEL

W140	4/91 - 12/92	<b>DR284</b>	●		Vented	320	82	30	<b>27.4</b>	67	5
W140	4/91 - 12/92	<b>DR285</b>		●	Vented	300	60	22	<b>19.4</b>	67	5

### A140

W168	00 on	<b>DR556</b>	●		Solid	260	40.5	12	<b>10</b>	67	5
------	-------	--------------	---	--	-------	-----	------	----	-----------	----	---


### A150

W169	9/04 on	<b>DR12768</b>	●		Solid	276	44.5	12	<b>10</b>	67	5
W169	9/04 on	<b>DR12554</b>		●	Solid	258	55.5	8	<b>7</b>	67	5

### A160

W168	7/98 on	<b>DR557</b>	●		Vented	260	40.5	22	<b>19.4</b>	67	5
------	---------	--------------	---	--	--------	-----	------	----	-------------	----	---

# Disc Rotors



## MERCEDES

### A160

W168	7/98 on	DR559		●	Solid	258	55.2	8	7	67	5
------	---------	-------	--	---	-------	-----	------	---	---	----	---

### A170

W169	9/04 on	DR12553	●		Vented	276	44.5	22	19.4	67	5
W169	9/04 on	DR12554		●	Solid	258	55.5	8	7	67	5

### A180

W169	9/04 on	DR12553	●		Vented	276	44.5	22	19.4	67	5
W169	9/04 on	DR12554		●	Solid	258	55.5	8	7	67	5

### A190

W168	3/99 - 8/04	DR558	●		Vented	276	35.5	22	19	67	5
W168	3/99 - 8/04	DR559		●	Solid	258	55.2	8	7	67	5

### A200

W169	9/04 on	DR12553	●		Vented	276	44.5	22	19.4	67	5
W169	9/04 on	DR12554		●	Solid	258	55.5	8	7	67	5

### B180

W245	3/05 on	DR12553	●		Vented	276	44.5	22	19.4	67	5
W245	3/05 on	DR12554		●	Solid	258	55.5	8	7	67	5

### B200

W245 2.0L & 2.0L Turbo	3/05 on	DR12725	●		Vented	288	44.4	25	22.4	67	5
W245 2.0L & 2.0L Turbo	3/05 on	DR12554		●	Solid	258	55.5	8	7	67	5

### C32AMG


W203 Kompressor	2/01 on	DR12557X	●		Vented	345	47.5	30	27.4	67	5
W203 Kompressor	2/01 on	DR12521		●	Vented	300	55.3	22	19.4	67	5

### C55AMG

W203	2/04 on	DR12557X	●		Vented	345	47.5	30	27.4	67	5
W203	2/04 on	DR12521		●	Vented	300	55.3	22	19.4	67	5

### C180

W202	11/94 - 5/00	DR265	●		Solid	284	43.5	12	10	67	5
W202	11/94 - 5/00	DR261		●	Solid	258	55	9	7.3	67	5
W203	10/00 - 5/02	DR12320	●		Vented	288	46.5	25	22.4	67	5
W203	10/00 - 5/02	DR287		●	Solid	278	56	9	7.3	67	5
CL203	3/01 - 5/02	DR12320	●		Vented	288	46.5	25	22.4	67	5
CL203	3/01 - 5/02	DR287		●	Solid	278	56	9	7.3	67	5
W203 Kompressor	5/02 on	DR12320	●		Vented	288	46.5	25	22.4	67	5
W203 Kompressor With Sports Package	5/02 on	DR12601X	●		Vented	330	46.5	28	26	67	5
W203 Kompressor	5/02 on	DR287		●	Solid	278	56	9	7.3	67	5
W203 Kompressor With Sports Package	5/02 on	DR289		●	Solid	290	55.2	10	8.3	67	5
W204	1/07 on	DR12578	●		Vented	295	64.5	28	25.4	67	5
W204 Kompressor & Sportsline	1/07 on	DR12602X	●		Vented	295	64.4	28	26	67	5
W204 Sportspaket	1/07 on	DR12603		●	Solid	300	57.7	10	8.3	67	5



## MERCEDES

### C200

W202	1/94 - 5/00	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
W202	1/94 - 5/00	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
C200T S202	6/96 - 3/01	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
C200T S202	6/96 - 3/01	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
W203 Kompressor	5/00 on	<b>DR12320</b>	●		Vented	288	46.5	25	<b>22.4</b>	67	5
W203 Kompressor With Sports Package	5/00 on	<b>DR12601X</b>	●		Vented	330	46.5	28	<b>26</b>	67	5
W203 Kompressor	5/00 on	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
W203 Kompressor With Sports Package	5/00 on	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5
C200K CL203	5/02 on	<b>DR12320</b>	●		Vented	288	46.5	25	<b>22.4</b>	67	5
C200K CL203	5/02 on	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
W204	1/07 on	<b>DR12578</b>	●		Vented	295	64.5	28	<b>25.4</b>	67	5
W204 Kompressor & Sportsline	1/07 on	<b>DR12602X</b>	●		Vented	295	64.4	28	<b>26</b>	67	5
W204 Sportspaket	1/07 on	<b>DR12603</b>		●	Solid	300	57.7	10	<b>8.3</b>	67	5

### C220

W202	3/93 - 5/00	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
W203	5/00 on	<b>DR12320</b>	●		Vented	288	46.5	25	<b>22.4</b>	67	5
W203	5/00 on	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
Cdi W204	1/07 on	<b>DR12578</b>	●		Vented	295	64.5	28	<b>25.4</b>	67	5
Cdi W204	1/07 on	<b>DR12603</b>		●	Solid	300	57.7	10	<b>8.3</b>	67	5

### C230

W202	6/96 - 6/97	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
C230K CL203	1/02 on	<b>DR12320</b>	●		Vented	288	46.5	25	<b>22.4</b>	67	5
C230K CL203	1/02 on	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
C230T S203	1/05 on	<b>DR12320</b>	●		Vented	288	46.5	25	<b>22.4</b>	67	5
C230T S203	1/05 on	<b>DR12601X</b>	●		Vented	330	46.5	28	<b>26</b>	67	5
W203	1/05 on	<b>DR12320</b>	●		Vented	288	46.5	25	<b>22.4</b>	67	5
W203 Made in Indonesia Vin MLH	9/05 on	<b>DR12726</b>	●		Vented	300	46.3	28	<b>25.4</b>	67	5
W203 Sports	1/05 on	<b>DR12601X</b>	●		Vented	330	46.5	28	<b>26</b>	67	5
C230T S203	1/05 on	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5
W203	1/05 on	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
W203 Made in Indonesia Vin MLH	9/05 on	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
W204	1/07 on	<b>DR12578</b>	●		Vented	295	64.5	28	<b>25.4</b>	67	5
W204 Sportspaket	1/07 on	<b>DR12603</b>		●	Solid	300	57.7	10	<b>8.3</b>	67	5


### C240

S202	6/97 - 9/00	<b>DR286</b>	●		Vented	288	47	25	<b>22.4</b>	67	5
W202	6/97 - 5/00	<b>DR286</b>	●		Vented	288	47	25	<b>22.4</b>	67	5
S202	6/97 - 9/00	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
W202	6/97 - 5/00	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
W203	5/00 on	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5

### C250

C250D W202	5/93 - 5/00	<b>DR265</b>	●		Solid	284	43.5	12	<b>10</b>	67	5
------------	-------------	--------------	---	--	-------	-----	------	----	-----------	----	---

# Disc Rotors



## MERCEDES

### C250

C250TD W202	10/95 - 5/00	<b>DR286</b>	●		Vented	288	47	25	<b>22.4</b>	67	5
C250TD W202	10/95 - 5/00	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5

### C280

W202	5/93 - 5/00	<b>DR286</b>	●		Vented	288	47	25	<b>22.4</b>	67	5
W204 Without Sports Package	1/07 on	<b>DR12578</b>	●		Vented	295	64.5	28	<b>25.4</b>	67	5
W204	1/07 on	<b>DR12603</b>		●	Solid	300	57.7	10	<b>8.3</b>	67	5

### CL600

C215	3/99 - 3/06	<b>DR12734X</b>	●		Vented	345	76	32	<b>30</b>	67	5
C215	3/99 - 3/06	<b>DR12735</b>		●	Vented	315	52.4	22	<b>19.4</b>	67	5

### CLC200

CL203	5/08 on	<b>DR12320</b>	●		Vented	288	46.5	25	<b>22.4</b>	67	5
CL203	5/08 on	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5

### CLK55AMG

C208	8/99 - 6/02	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5
C209	9/02 on	<b>DR12557X</b>	●		Vented	345	47.5	30	<b>27.4</b>	67	5
C209	9/02 on	<b>DR12521</b>		●	Vented	300	55.3	22	<b>19.4</b>	67	5

### CLK200

C208	6/97 - 6/02	<b>DR286</b>	●		Vented	288	47	25	<b>22.4</b>	67	5
C208	6/97 - 6/02	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5
A208	3/98 - 3/02	<b>DR286</b>	●		Vented	288	47	25	<b>22.4</b>	67	5
A208	3/98 - 3/02	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
C209	9/02 on	<b>DR12320</b>	●		Vented	288	46.5	25	<b>22.4</b>	67	5
C209	9/02 on	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5
A209	10/06 on	<b>DR288</b>	●		Vented	300	47	28	<b>25.4</b>	67	5
A209	10/06 on	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5

### CLK280


C209	9/05 on	<b>DR12726</b>	●		Vented	300	46.3	28	<b>25.4</b>	67	5
C209	9/05 on	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5

### CLK320

C208	6/97 - 6/02	<b>DR288</b>	●		Vented	300	47	28	<b>25.4</b>	67	5
C208	6/97 - 6/02	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5
A208	3/98 - 3/02	<b>DR288</b>	●		Vented	300	47	28	<b>25.4</b>	67	5
A208	3/98 - 3/02	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5
C209	6/02 on	<b>DR12726</b>	●		Vented	300	46.3	28	<b>25.4</b>	67	5
C209	6/02 on	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5
A209	2/03 on	<b>DR288</b>	●		Vented	300	47	28	<b>25.4</b>	67	5
A209	2/03 on	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5

### CLK350

A209 With Sports Brake Upgrade	1/05 on	<b>DR12557X</b>	●		Vented	345	47.5	30	<b>27.4</b>	67	5
--------------------------------	---------	-----------------	---	--	--------	-----	------	----	-------------	----	---



## MERCEDES

### CLK350

C209	1/05 on	<b>DR12726</b>	●		Vented	300	46.3	28	<b>25.4</b>	67	5
C209 With Sports Brake Upgrade	1/05 on	<b>DR12557X</b>	●		Vented	345	47.5	30	<b>27.4</b>	67	5
A209	1/05 on	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5
C209	1/05 on	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5

### CLK430

A208	9/98 - 3/02	<b>DR288</b>	●		Vented	300	47	28	<b>25.4</b>	67	5
C208	7/98 - 6/02	<b>DR288</b>	●		Vented	300	47	28	<b>25.4</b>	67	5
A208	9/98 - 3/02	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5
C208	7/98 - 6/02	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5

### CLS55AMG

C219	1/05 on	<b>DR12664X</b>	●		Vented	360	64.5	36	<b>34</b>	67	5
C219	1/05 on	<b>DR12665X</b>		●	Vented	330	68.4	26	<b>24</b>	67	5

### CLS350

C219	10/04 on	<b>DR12365</b>		●	Vented	300	68.3	22	<b>19.4</b>	67	5
------	----------	----------------	--	---	--------	-----	------	----	-------------	----	---

### E55AMG

W211	10/02 on	<b>DR12664X</b>	●		Vented	360	64.5	36	<b>34</b>	67	5
W211	10/02 on	<b>DR12665X</b>		●	Vented	330	68.4	26	<b>24</b>	67	5

### E55T

S211	7/03 on	<b>DR12664X</b>	●		Vented	360	64.5	36	<b>34</b>	67	5
S211	7/03 on	<b>DR12665X</b>		●	Vented	330	68.4	26	<b>24</b>	67	5

### E200

W124	6/93 - 6/95	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
W124	6/93 - 6/95	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5
W210	6/95 - 8/00	<b>DR286</b>	●		Vented	288	47	25	<b>22.4</b>	67	5
W210	6/95 - 8/00	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
E200K W210	8/00 - 3/02	<b>DR286</b>	●		Vented	288	47	25	<b>22.4</b>	67	5
E200K W210	8/00 - 3/02	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
W211	11/02 on	<b>DR12632</b>	●		Vented	296	54.5	28	<b>25.4</b>	67	5
W211	11/02 on	<b>DR12365</b>		●	Vented	300	68.3	22	<b>19.4</b>	67	5

### E220


S124	6/93 - 1/96	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
W124 Without ETS	6/93 - 6/95	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
S124	6/93 - 6/95	<b>DR267</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
S124	7/95 - 1/96	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
W124 Without ETS	6/93 - 6/95	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5

### E230

W210	6/95 - 6/97	<b>DR286</b>	●		Vented	288	47	25	<b>22.4</b>	67	5
W210	6/95 - 6/97	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
E230T S210	6/96 - 6/97	<b>DR286</b>	●		Vented	288	47	25	<b>22.4</b>	67	5



# Disc Rotors



## MERCEDES

### E240

S210	8/00 - 3/03	<b>DR286</b>	●		Vented	288	47	25	<b>22.4</b>	67	5
W210 With EDS	6/97 - 8/00	<b>DR288</b>	●		Vented	300	47	28	<b>25.4</b>	67	5
W210 Without EDS	6/97 - 8/00	<b>DR286</b>	●		Vented	288	47	25	<b>22.4</b>	67	5
W210 With EDS	6/97 - 8/00	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5
W210 Without EDS	6/97 - 8/00	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
W210	8/00 - 3/02	<b>DR286</b>	●		Vented	288	47	25	<b>22.4</b>	67	5
W210	8/00 - 3/02	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
W211	3/02 - 7/05	<b>DR12632</b>	●		Vented	296	54.5	28	<b>25.4</b>	67	5
W211	3/02 - 7/05	<b>DR12365</b>		●	Vented	300	68.3	22	<b>19.4</b>	67	5

### E270

W210	7/99 - 3/02	<b>DR288</b>	●		Vented	300	47	28	<b>25.4</b>	67	5
W210	7/99 - 3/02	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5
W211	3/02 on	<b>DR12632</b>	●		Vented	296	54.5	28	<b>25.4</b>	67	5

### E280

E280T S124	6/93 - 1/96	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
W124 Without ASR, ETS	6/93 - 6/95	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
E280T S124	7/95 - 1/96	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
E280T S124	6/93 - 6/95	<b>DR267</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
W124 Without ASR, ETS	6/93 - 6/95	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5
W210	4/97 - 3/02	<b>DR288</b>	●		Vented	300	47	28	<b>25.4</b>	67	5
W210	4/97 - 3/02	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5
W211	5/04 on	<b>DR12632</b>	●		Vented	296	54.5	28	<b>25.4</b>	67	5
W211	5/04 on	<b>DR12365</b>		●	Vented	300	68.3	22	<b>19.4</b>	67	5

### E300


E300D W124 Without ETS	7/93 - 6/95	<b>DR269</b>	●		Vented	284	43	22	<b>19.4</b>	67	5
E300D W124 Without ETS	7/93 - 6/95	<b>DR261</b>		●	Solid	258	55	9	<b>7.3</b>	67	5
E300TD W210	12/96 - 7/99	<b>DR288</b>	●		Vented	300	47	28	<b>25.4</b>	67	5
E300TD W210	12/96 - 7/99	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5

### E320

W124	6/93 - 6/95	<b>DR268</b>	●		Vented	294	50	24	<b>22.4</b>	67	5
W124	6/93 - 6/95	<b>DR267</b>		●	Solid	278	56	9	<b>7.3</b>	67	5
W210	6/95 - 3/02	<b>DR288</b>	●		Vented	300	47	28	<b>25.4</b>	67	5
W210	6/95 - 3/02	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5
S210	12/96 - 3/03	<b>DR288</b>	●		Vented	300	47	28	<b>25.4</b>	67	5
W211	3/02 on	<b>DR12364</b>	●		Vented	312	64.6	28	<b>25.4</b>	67	5
W211	3/02 on	<b>DR12632</b>	●		Vented	296	54.5	28	<b>25.4</b>	67	5
W211	3/02 on	<b>DR12769</b>		●	Solid	300	68.3	10	<b>8.3</b>	67	5

### E350

W211	3/03 on	<b>DR12364</b>	●		Vented	312	64.6	28	<b>25.4</b>	67	5
S211	3/05 on	<b>DR12364</b>	●		Vented	312	64.6	28	<b>25.4</b>	67	5



## MERCEDES

### E350

S211	3/05 on	DR12365		●	Vented	300	68.3	22	19.4	67	5
------	---------	---------	--	---	--------	-----	------	----	------	----	---

### E430

W210	3/97 - 3/02	DR12128	●		Vented	316	46.5	28	25.4	67	5
W210	3/97 - 3/02	DR289		●	Solid	290	55.2	10	8.3	67	5

### E500

W211	3/02 on	DR12364	●		Vented	312	64.6	28	25.4	67	5
W211	3/02 on	DR12365		●	Vented	300	68.3	22	19.4	67	5
S211	10/03 - 6/05	DR12364	●		Vented	312	64.6	28	25.4	67	5
S211	10/03 - 6/05	DR12365		●	Vented	300	68.3	22	19.4	67	5

### GL320

X164	9/06 on	DR12534	●		Vented	350	54.5	32	29.4	67	5
X164	9/06 on	DR12535		●	Vented	330	54.5	22	19.4	67	5

### GL500

X164	9/06 on	DR12536	●		Vented	330	54.5	32	29.4	67	5
X164	9/06 on	DR12537		●	Solid	330	63	14	11.4	67	5
X164 With 18" Wheels	9/06 on	DR12535		●	Vented	330	54.5	22	19.4	67	5

### MB100D

MB100D	87 - 95	DR12242	●		Solid	238.5	79	16	14.5	102	5
MB100D	11/99 - 03	DR2266	●		Vented	294	68.5	24	22	85	5

### MB140D

MB140D	11/99 - 03	DR2266	●		Vented	294	68.5	24	22	85	5
--------	------------	--------	---	--	--------	-----	------	----	----	----	---

### ML55

W163	2/00 - 6/05	DR552	●		Vented	345	51	32	30	67	5
W163	2/00 - 6/05	DR553		●	Solid	331	46	14	12.3	67	5

### ML270

W163	98 - 8/00	DR550	●		Vented	303	51	26	23	67	5
W163	98 - 8/00	DR551		●	Solid	285	53	15	13	67	5
W163	9/00 - 6/05	DR552	●		Vented	345	51	32	30	67	5
W163	9/00 - 6/05	DR553		●	Solid	331	46	14	12.3	67	5


### ML280

W164	7/05 on	DR12536	●		Vented	330	54.5	32	29.4	67	5
W164	7/05 on	DR12537		●	Solid	330	63	14	11.4	67	5

### ML320

W163	2/98 - 8/00	DR550	●		Vented	303	51	26	23	67	5
W163	2/98 - 8/00	DR551		●	Solid	285	53	15	13	67	5
W163	9/00 - 8/02	DR552	●		Vented	345	51	32	30	67	5
W163	9/00 - 8/02	DR553		●	Solid	331	46	14	12.3	67	5
W164	7/05 on	DR12536	●		Vented	330	54.5	32	29.4	67	5
W164	7/05 on	DR12537		●	Solid	330	63	14	11.4	67	5

# Disc Rotors



## MERCEDES

**ML350**

W163	8/02 - 6/05	DR552	●		Vented	345	51	32	30	67	5
W163	8/02 - 6/05	DR553		●	Solid	331	46	14	12.3	67	5
W164	7/05 on	DR12536	●		Vented	330	54.5	32	29.4	67	5
W164	7/05 on	DR12537		●	Solid	330	63	14	11.4	67	5

**ML430**

W163	11/98 - 8/00	DR550	●		Vented	303	51	26	23	67	5
W163	11/98 - 8/00	DR551		●	Solid	285	53	15	13	67	5
W163	9/00 - 8/02	DR552	●		Vented	345	51	32	30	67	5
W163	9/00 - 8/02	DR553		●	Solid	331	46	14	12.3	67	5

**ML500**

ML500	9/01 - 6/05	DR552	●		Vented	345	51	32	30	67	5
ML500	9/01 - 6/05	DR553		●	Solid	331	46	14	12.3	67	5
W164	7/05 on	DR12534	●		Vented	350	54.5	32	29.4	67	5
W164	7/05 on	DR12535		●	Vented	330	54.5	22	19.4	67	5

**R280**

W251	1/07 on	DR12536	●		Vented	330	54.5	32	29.4	67	5
W251	1/07 on	DR12537		●	Solid	330	63	14	11.4	67	5

**R320**

W251	1/06 on	DR12536	●		Vented	330	54.5	32	29.4	67	5
W251	1/06 on	DR12537		●	Solid	330	63	14	11.4	67	5

**R350**

W251	1/06 on	DR12536	●		Vented	330	54.5	32	29.4	67	5
W251	1/06 on	DR12537		●	Solid	330	63	14	11.4	67	5

**R500**

W251	6/06 on	DR12534	●		Vented	350	54.5	32	29.4	67	5
W251	6/06 on	DR12535		●	Vented	330	54.5	22	19.4	67	5

**S280**


W140	2/93 - 10/98	DR284	●		Vented	320	82	30	27.4	67	5
W140	2/93 - 10/98	DR283		●	Solid	290	60	12	9.8	67	5

**S320**

W140	3/91 - 10/98	DR284	●		Vented	320	82	30	27.4	67	5
W140	3/91 - 10/98	DR283		●	Solid	290	60	12	9.8	67	5
W220	10/98 - 8/02	DR12405	●		Vented	312	76	28	26	67	5
W220	10/98 - 8/02	DR12406		●	Solid	300	58.5	11	9.3	67	5
W221	12/05 on	DR12595X	●		Vented	335	64.5	32	30	67	5
W221	12/05 on	DR12596		●	Solid	300	56	12	10	67	5

**S350**

W220	9/02 - 8/05	DR12405	●		Vented	312	76	28	26	67	5
W220	9/02 - 8/05	DR12406		●	Solid	300	58.5	11	9.3	67	5



## MERCEDES

### S350

W221	10/05 on	<b>DR12595X</b>	●		Vented	335	64.5	32	<b>30</b>	67	5
W221	10/05 on	<b>DR12596</b>		●	Solid	300	56	12	<b>10</b>	67	5

### S420

W140	1/93 - 10/98	<b>DR284</b>	●		Vented	320	82	30	<b>27.4</b>	67	5
W140	1/93 - 10/98	<b>DR285</b>		●	Vented	300	60	22	<b>19.4</b>	67	5

### S430

W220	99 - 03	<b>DR12761X</b>	●		Vented	330	76	32	<b>30</b>	67	5
W220	99 - 03	<b>DR12762</b>		●	Vented	300	52.5	22	<b>19.4</b>	67	5

### S500

W140	1/93 - 10/98	<b>DR284</b>	●		Vented	320	82	30	<b>27.4</b>	67	5
W140	1/93 - 10/98	<b>DR285</b>		●	Vented	300	60	22	<b>19.4</b>	67	5

### S600

W140	1/93 - 10/98	<b>DR284</b>	●		Vented	320	82	30	<b>27.4</b>	67	5
W140	1/93 - 10/98	<b>DR285</b>		●	Vented	300	60	22	<b>19.4</b>	67	5

### SL55AMG

R230 Kompressor	6/02 on	<b>DR12664X</b>	●		Vented	360	64.5	36	<b>34</b>	67	5
R230 Kompressor	6/02 on	<b>DR12665X</b>		●	Vented	330	68.4	26	<b>24</b>	67	5

### SL65AMG

R230	3/04 on	<b>DR12664X</b>	●		Vented	360	64.5	36	<b>34</b>	67	5
R230	3/04 on	<b>DR12665X</b>		●	Vented	330	68.4	26	<b>24</b>	67	5

### SL500

R129	9/89 - 10/01	<b>DR280</b>	●		Vented	300	45.5	28	<b>25.4</b>	67	5
R129	9/89 - 10/01	<b>DR281</b>		●	Solid	278	58.5	9.1	<b>7.3</b>	67	5

### SL600

R230	4/03 on	<b>DR12664X</b>	●		Vented	360	64.5	36	<b>34</b>	67	5
R230	4/03 on	<b>DR12665X</b>		●	Vented	330	68.4	26	<b>24</b>	67	5

### SLK200

R171	3/04 on	<b>DR12320</b>	●		Vented	288	46.5	25	<b>22.4</b>	67	5
R171	3/04 on	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5

### SLK230

R170	3/00 - 4/04	<b>DR288</b>	●		Vented	300	47	28	<b>25.4</b>	67	5
R170	3/00 - 4/04	<b>DR287</b>		●	Solid	278	56	9	<b>7.3</b>	67	5


### SLK350

R171	6/04 on	<b>DR12601X</b>	●		Vented	330	46.5	28	<b>26</b>	67	5
R171	6/04 on	<b>DR289</b>		●	Solid	290	55.2	10	<b>8.3</b>	67	5

### Sprinter 208Cdi

(902)	4/00 - 12/01	<b>DR566</b>	●		Vented	276	77	22	<b>19.5</b>	85	5
(902)	4/00 - 12/01	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6

# Disc Rotors



## MERCEDES

### Sprinter 208Cdi

(902)	4/00 - 12/01	<b>DR12171</b>		●	Solid	258	96.5	12	<b>10</b>	85	5
(902)	4/00 - 12/01	<b>DR567</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(902)	1/02 - 5/06	<b>DR12305</b>	●		Vented	276	77	22	<b>19</b>	85	5
(902)	1/02 - 5/06	<b>DR12424</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(902)	1/02 - 5/06	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6

### Sprinter 308Cdi

(903)	4/00 - 12/01	<b>DR566</b>	●		Vented	276	77	22	<b>19.5</b>	85	5
(903)	4/00 - 12/01	<b>DR12171</b>		●	Solid	258	96.5	12	<b>10</b>	85	5
(903)	4/00 - 12/01	<b>DR567</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(903)	4/00 - 12/01	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6
(903)	1/02 - 5/06	<b>DR12305</b>	●		Vented	276	77	22	<b>19</b>	85	5
(903)	1/02 - 5/06	<b>DR12424</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(903)	1/02 - 5/06	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6

### Sprinter 308D

(903)	2/95 - 4/00	<b>DR566</b>	●		Vented	276	77	22	<b>19.5</b>	85	5
(903)	2/95 - 4/00	<b>DR12171</b>		●	Solid	258	96.5	12	<b>10</b>	85	5
(903)	2/95 - 4/00	<b>DR567</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(903)	2/95 - 4/00	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6

### Sprinter 311Cdi


(903)	4/00 - 12/01	<b>DR566</b>	●		Vented	276	77	22	<b>19.5</b>	85	5
(903)	4/00 - 12/01	<b>DR12171</b>		●	Solid	258	96.5	12	<b>10</b>	85	5
(903)	4/00 - 12/01	<b>DR567</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(903)	4/00 - 12/01	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6
(903)	1/02 - 5/06	<b>DR12305</b>	●		Vented	276	77	22	<b>19</b>	85	5
(903)	1/02 - 5/06	<b>DR12523</b>	●		Vented	300	69	28	<b>25</b>	85	6
(903)	1/02 - 5/06	<b>DR12424</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(903)	1/02 - 5/06	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6
(903)	1/02 - 5/06	<b>DR12524</b>		●	Solid	298	71	16	<b>14</b>	85	6
(906)	6/06 on	<b>DR12523</b>	●		Vented	300	69	28	<b>25</b>	85	6
(906)	6/06 on	<b>DR12524</b>		●	Solid	298	71	16	<b>14</b>	85	6

### Sprinter 312D

(903)	2/95 - 4/00	<b>DR566</b>	●		Vented	276	77	22	<b>19.5</b>	85	5
(903)	2/95 - 4/00	<b>DR12171</b>		●	Solid	258	96.5	12	<b>10</b>	85	5
(903)	2/95 - 4/00	<b>DR567</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(903)	2/95 - 4/00	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6

### Sprinter 313Cdi

(903)	96 - 06	<b>DR566</b>	●		Vented	276	77	22	<b>19.5</b>	85	5
(903)	96 - 06	<b>DR12305</b>	●		Vented	276	77	22	<b>19</b>	85	5
(903)	96 - 06	<b>DR12171</b>		●	Solid	258	96.5	12	<b>10</b>	85	5
(903)	96 - 06	<b>DR567</b>		●	Solid	272	96.5	16	<b>14</b>	85	5



## MERCEDES

### Sprinter 313Cdi

(903)	96 - 06	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6
-------	---------	----------------	--	---	--------	-----	----	----	-----------	-----	---

### Sprinter 315Cdi

(906)	6/06 on	<b>DR12523</b>	●		Vented	300	69	28	<b>25</b>	85	6
(906)	6/06 on	<b>DR12524</b>		●	Solid	298	71	16	<b>14</b>	85	6

### Sprinter 316Cdi

(903)	4/00 - 12/01	<b>DR566</b>	●		Vented	276	77	22	<b>19.5</b>	85	5
(903)	4/00 - 12/01	<b>DR567</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(903)	4/00 - 12/01	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6
(903)	4/00 - 12/01	<b>DR12171</b>		●	Solid	258	96.5	12	<b>10</b>	85	5
(903)	1/02 - 5/06	<b>DR12305</b>	●		Vented	276	77	22	<b>19</b>	85	5
(903)	1/02 - 5/06	<b>DR12424</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(903)	1/02 - 5/06	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6

### Sprinter 318Cdi

(906)	6/06 on	<b>DR12523</b>	●		Vented	300	69	28	<b>25</b>	85	6
(906)	6/06 on	<b>DR12524</b>		●	Solid	298	71	16	<b>14</b>	85	6

### Sprinter 319Cdi

(906)	6/06 on	<b>DR12523</b>	●		Vented	300	69	28	<b>25</b>	85	6
(906)	6/06 on	<b>DR12524</b>		●	Solid	298	71	16	<b>14</b>	85	6

### Sprinter 408Cdi

(904)	4/00 - 12/01	<b>DR566</b>	●		Vented	276	77	22	<b>19.5</b>	85	5
(904)	4/00 - 12/01	<b>DR12171</b>		●	Solid	258	96.5	12	<b>10</b>	85	5
(904)	4/00 - 12/01	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6
(904)	4/00 - 12/01	<b>DR567</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(904)	1/02 - 5/06	<b>DR12305</b>	●		Vented	276	77	22	<b>19</b>	85	5
(904)	1/02 - 5/06	<b>DR12424</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(904)	1/02 - 5/06	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6

### Sprinter 412D


(904)	4/00 - 12/01	<b>DR566</b>	●		Vented	276	77	22	<b>19.5</b>	85	5
(904)	4/00 - 12/01	<b>DR12171</b>		●	Solid	258	96.5	12	<b>10</b>	85	5
(904)	4/00 - 12/01	<b>DR567</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(904)	4/00 - 12/01	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6
(904)	1/02 - 5/06	<b>DR12305</b>	●		Vented	276	77	22	<b>19</b>	85	5
(904)	1/02 - 5/06	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6
(904)	1/02 - 5/06	<b>DR12424</b>		●	Solid	272	96.5	16	<b>14</b>	85	5

### Sprinter 413Cdi

(904)	4/00 - 12/01	<b>DR566</b>	●		Vented	276	77	22	<b>19.5</b>	85	5
(904)	4/00 - 12/01	<b>DR567</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(904)	4/00 - 12/01	<b>DR12171</b>		●	Solid	258	96.5	12	<b>10</b>	85	5
(904)	1/02 - 5/06	<b>DR12305</b>	●		Vented	276	77	22	<b>19</b>	85	5
(904)	1/02 - 5/06	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6



# Disc Rotors



## MERCEDES

### Sprinter 413Cdi

(904)	4/00 - 12/01	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6
(904)	1/02 - 5/06	<b>DR12524</b>		●	Solid	298	71	16	<b>14</b>	85	6

### Sprinter 416Cdi

(904)	4/00 - 12/01	<b>DR566</b>	●		Vented	276	77	22	<b>19.5</b>	85	5
(904)	4/00 - 12/01	<b>DR12171</b>		●	Solid	258	96.5	12	<b>10</b>	85	5
(904)	4/00 - 12/01	<b>DR567</b>		●	Solid	272	96.5	16	<b>14</b>	85	5
(904)	4/00 - 12/01	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6
(904) With ATE Brakes	1/02 - 5/06	<b>DR12305</b>	●		Vented	276	77	22	<b>19</b>	85	5
(904) With ATE Brakes	1/02 - 5/06	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6
(904) With Bosch Brakes	1/02 - 5/06	<b>DR12424</b>		●	Solid	272	96.5	16	<b>14</b>	85	5

### Sprinter 509Cdi

(906)	6/06 on	<b>DR12523</b>	●		Vented	300	69	28	<b>25</b>	85	6
(906)	6/06 on	<b>DR12651</b>		●	Vented	303	93	28	<b>25</b>	120	6

### Sprinter 511Cdi

(906)	6/06 on	<b>DR12523</b>	●		Vented	300	69	28	<b>25</b>	85	6
(906)	6/06 on	<b>DR12651</b>		●	Vented	303	93	28	<b>25</b>	120	6

### Sprinter 515Cdi

(906)	6/06 on	<b>DR12523</b>	●		Vented	300	69	28	<b>25</b>	85	6
(906)	6/06 on	<b>DR12524</b>		●	Solid	298	71	16	<b>14</b>	85	6
(906)	6/06 on	<b>DR12651</b>		●	Vented	303	93	28	<b>25</b>	120	6

### Sprinter 518Cdi

(906)	6/06 on	<b>DR12523</b>	●		Vented	300	69	28	<b>25</b>	85	6
(906)	6/06 on	<b>DR12524</b>		●	Solid	298	71	16	<b>14</b>	85	6
(906)	6/06 on	<b>DR12651</b>		●	Vented	303	93	28	<b>25</b>	120	6

### Sprinter 616Cdi


(905)	4/01 on	<b>DR12529</b>	●		Vented	290	70	26	<b>23</b>	70	8
(905)	4/01 on	<b>DR12590</b>		●	Vented	304	115	30	<b>27</b>	117	6

### Viano

639	7/05 on	<b>DR12328</b>	●		Vented	300	58.5	28	<b>25</b>	67	5
639	7/05 on	<b>DR12371</b>		●	Solid	296	53	10	<b>8</b>	67	5

### Vito

108D (638)	3/99 - 7/03	<b>DR564</b>	●		Vented	276	60	22	<b>19.5</b>	67	5
110D (638)	3/99 - 7/03	<b>DR564</b>	●		Vented	276	60	22	<b>19.5</b>	67	5
112CDi (638)	3/99 - 7/03	<b>DR564</b>	●		Vented	276	60	22	<b>19.5</b>	67	5
113D (638)	3/99 - 7/03	<b>DR564</b>	●		Vented	276	60	22	<b>19.5</b>	67	5
108D (638)	3/99 - 7/03	<b>DR565</b>		●	Solid	280	63	10	<b>8.5</b>	67	5
110D (638)	3/99 - 7/03	<b>DR565</b>		●	Solid	280	63	10	<b>8.5</b>	67	5
112CDi (638)	3/99 - 7/03	<b>DR565</b>		●	Solid	280	63	10	<b>8.5</b>	67	5
113D (638)	3/99 - 7/03	<b>DR565</b>		●	Solid	280	63	10	<b>8.5</b>	67	5



## MERCEDES

### Vito II

109 CDI (639)	9/03 on	<b>DR12328</b>	●		Vented	300	58.5	28	<b>25</b>	67	5
111 CDI (639)	9/03 on	<b>DR12328</b>	●		Vented	300	58.5	28	<b>25</b>	67	5
115 CDI (639)	9/03 on	<b>DR12328</b>	●		Vented	300	58.5	28	<b>25</b>	67	5
119 (639)	9/03 on	<b>DR12328</b>	●		Vented	300	58.5	28	<b>25</b>	67	5
122 (639)	9/03 on	<b>DR12328</b>	●		Vented	300	58.5	28	<b>25</b>	67	5
All Models (639)	4/04 on	<b>DR12371</b>		●	Solid	296	53	10	<b>8</b>	67	5

## MERCURY

### Cougar

Cougar	68 - 73	<b>DR106H</b>	●		Vented	287	75	24	<b>22.2</b>	Hub	5
--------	---------	---------------	---	--	--------	-----	----	----	-------------	-----	---

### Montego

Montego	68 - 71	<b>DR106H</b>	●		Vented	287	75	24	<b>22.2</b>	Hub	5
---------	---------	---------------	---	--	--------	-----	----	----	-------------	-----	---

## MG

### MG Midget

Mk I & II Steel Wheels	63 - 67	<b>DR061</b>	●		Solid	209.8	60	7.7	<b>7.3</b>	63	4
Mk I & II Wire Wheels	63 - 67	<b>DR060</b>	●		Solid	209.8	39.5	7.5	<b>7</b>	63.5	4
Mk III Steel Wheels	67 - 72	<b>DR061</b>	●		Solid	209.8	60	7.7	<b>7.3</b>	63	4
Mk III Wire Wheels	67 - 72	<b>DR060</b>	●		Solid	209.8	39.5	7.5	<b>7</b>	63.5	4

### MGB

GT	62 - 66	<b>DR062</b>	●		Solid	273.4	44.5	8.7	<b>7.6</b>	73	4
Mk II, GT MkII	67 - 72	<b>DR062</b>	●		Solid	273.4	44.5	8.7	<b>7.6</b>	73	4

### MGF

MGF	95 on	<b>DR063</b>	●		Vented	240	44	22	<b>20</b>	66	4
MGF	95 on	<b>DR064</b>		●	Solid	240	44	10	<b>8.5</b>	66	4

## MINI


### Clubman

GT	70 - 73	<b>DR081</b>	●		Solid	190	77.5	9.5	<b>8.5</b>	73.5	4
----	---------	--------------	---	--	-------	-----	------	-----	------------	------	---

### Cooper S

Cooper S	64 - 67	<b>DR081</b>	●		Solid	190	77.5	9.5	<b>8.5</b>	73.5	4
Cooper S	01 - 06	<b>DR542</b>	●		Vented	276	44	22	<b>20.4</b>	64	4

# Disc Rotors



## MINI

### Cooper S

Cooper S	01 - 06	<b>DR543</b>		●	Solid	259	44	10	<b>8.4</b>	64	4
Cooper S	7/06 on	<b>DR12574</b>	●		Vented	294	44	22	<b>20.4</b>	64.1	4
Cooper S	7/06 on	<b>DR12575</b>		●	Solid	259	44	10	<b>8.4</b>	64.1	4

### Mini Cooper

1.6L	01 - 06	<b>DR542</b>	●		Vented	276	44	22	<b>20.4</b>	64	4
1.6L	01 - 06	<b>DR543</b>		●	Solid	259	44	10	<b>8.4</b>	64	4
R55 & R56	10/06 on	<b>DR12583</b>	●		Vented	280	44	22	<b>20.4</b>	64.1	4

### Mini Moke

California	71 - 73	<b>DR079</b>	●		Solid	213	61	10	<b>8.5</b>	55	4
------------	---------	--------------	---	--	-------	-----	----	----	------------	----	---

## MITSUBISHI

### 380

DB II	9/06 on	<b>DR12438</b>	●		Vented	294	45	28	<b>26.4</b>	69	5
DB II	9/06 on	<b>DR12439</b>		●	Vented	302	58	18	<b>16.4</b>	69	5

### 3000 GT

JF	10/92 - 5/94	<b>DR213</b>	●		Vented	296	45.2	30	<b>28.4</b>	69	5
JF	10/92 - 5/94	<b>DR214</b>		●	Vented	284	52.8	20	<b>18.4</b>	90	5
3000 GT	5/94 on	<b>DR216</b>	●		Vented	314	45.5	30	<b>28.4</b>	69	5
3000 GT	5/94 on	<b>DR217</b>		●	Vented	297	50.5	20	<b>18.4</b>	90	5

### Canter

FE437	88 on	<b>CDR1035</b>	●		Vented	288	56.1	24	<b>22</b>	110	5
-------	-------	----------------	---	--	--------	-----	------	----	-----------	-----	---

### Challenger


PA 3.0L V6 4 Door Wagon	12/97 - 05	<b>DR234</b>	●		Vented	276	45	24	<b>22.4</b>	87	6
PA 3.0L V6 4 Door Wagon	12/97 - 05	<b>DR233</b>		●	Solid	315	84	18	<b>16.4</b>	108	6

### Colt

RA - RE	80 - 6/90	<b>DR215</b>	●		Solid	229	39.4	13	<b>11.4</b>	86	4
RG	04 on	<b>DR12620</b>	●		Vented	256	45	20	<b>18.4</b>	64	4
RG Cabriolet Non-Turbo	04 on	<b>DR12669</b>	●		Vented	256	45.6	24	<b>21.5</b>	69	4
RG Ralliart 1.5L Turbo	5/06 on	<b>DR12736</b>	●		Vented	281	46.6	26	<b>23.5</b>	69	4
RG VR-X	5/06 on	<b>DR12776</b>	●		Vented	270	45.2	24	<b>22.4</b>	64	4
RG Ralliart 1.5L Turbo	5/06 on	<b>DR12756</b>		●	Solid	250	38.4	10	<b>8</b>	69	4

### Cordia

AA, AB Non Turbo	4/83 - 11/85	<b>DR227</b>	●		Solid	243	34.5	13	<b>11.4</b>	86	4
AA, AB Turbo	5/84 - 11/85	<b>DR219</b>	●		Vented	242	34.5	18	<b>16.4</b>	86	4
AC Turbo	12/85 - 7/89	<b>DR409</b>	●		Vented	266	34	24	<b>22.4</b>	86	4
AC Non Turbo	12/87 - 89	<b>DR219</b>	●		Vented	242	34.5	18	<b>16.4</b>	86	4



## MITSUBISHI

### Delica

4WD Van	95 on	<b>DR12452</b>	●		Vented	276	45.5	24	<b>22</b>	93	6
4WD Van	95 on	<b>DR233</b>		●	Solid	315	84	18	<b>16.4</b>	108	6

### Express

SJ 2.0 & 2.5L	12/94 on	<b>DR230</b>	●		Vented	258	33.5	22	<b>20.4</b>	84	5
SJ 2.4 Litre	12/94 on	<b>DR229</b>	●		Vented	277	45.5	22	<b>20.4</b>	87	6

### FTO

1.8L & 2.0L With 14" Wheels	9/94 - 9/97	<b>DR411B</b>	●		Vented	256	45	24	<b>22.4</b>	69	5
1.8L & 2.0L With 15" Wheels	9/94 - 9/97	<b>DR425</b>	●		Vented	276	45	24	<b>22.4</b>	69	5
1.8L & 2.0L With 14" Wheels	9/94 - 9/97	<b>DR547</b>		●	Solid	260	41	10	<b>8.4</b>	90	5
1.8L & 2.0L With 15" Wheels	9/94 - 9/97	<b>DR547</b>		●	Solid	260	41	10	<b>8.4</b>	90	5
1.8L & 2.0L With 14" Wheels	10/97 - 8/00	<b>DR421</b>	●		Vented	256	45.2	24	<b>22.4</b>	69	5
1.8L & 2.0L With 14" Wheels	10/97 - 8/00	<b>DR547</b>		●	Solid	260	41	10	<b>8.4</b>	90	5

### Galant

GA, GB	71 - 74	<b>DR209</b>	●		Solid	239	46	10	<b>8.4</b>	67	4
GC, GD	74 - 77	<b>DR210</b>	●		Solid	229	30	13	<b>11.4</b>	67	4
HG	5/89 - 8/90	<b>DR221</b>	●		Vented	266	45	24	<b>22.4</b>	69.3	4
HG, HH	5/89 - 93	<b>DR403</b>		●	Solid	265	49	10	<b>8.4</b>	90	4
HH Except VR4 Turbo	5/90 - 93	<b>DR411</b>	●		Vented	256	45.3	24	<b>22.4</b>	69.2	4
HH5 VR4 Turbo	5/90 - 93	<b>DR402</b>	●		Vented	276	45	24	<b>22.4</b>	69	4
HJ	94 on	<b>DR411</b>	●		Vented	256	45.3	24	<b>22.4</b>	69.2	4
HJ	94 on	<b>DR404</b>		●	Solid	262	60	10	<b>8.4</b>	90	4

### Grandis

BA	2004 on	<b>DR12649</b>	●		Vented	294	46	26	<b>24.4</b>	69	5
BA	2004 on	<b>DR12650</b>		●	Solid	302	58.7	10	<b>8.4</b>	69	5

### L200

MA, MB, MC, MD 2WD	81 - 86	<b>DR220</b>	●		Solid	255	34	20	<b>18.4</b>	84	6
MA, MC, MD 4WD	81 - 86	<b>DR228</b>	●		Vented	255	45	20	<b>18.4</b>	87	6


### L300

SA	80 - 82	<b>DR225</b>	●		Vented	232	29.5	20	<b>18.4</b>	84	5
SB, SC, SD, SE	82 - 9/86	<b>DR226</b>	●		Vented	255	34	20	<b>18.4</b>	84	5
SC, SD, SE 4WD	83 - 9/86	<b>DR228</b>	●		Vented	255	45	20	<b>18.4</b>	87	6
SF, SG, SH, SJ 2WD	10/86 on	<b>DR230</b>	●		Vented	258	33.5	22	<b>20.4</b>	84	5
SF, SG, SH, SJ 4WD	10/86 on	<b>DR229</b>	●		Vented	277	45.5	22	<b>20.4</b>	87	6
WA, LWB 2.4L	9/94 on	<b>DR208</b>	●		Vented	254	39	24	<b>22.4</b>	87	5

### Lancer

LA, LB, LC	74 - 81	<b>DR210</b>	●		Solid	229	30	13	<b>11.4</b>	67	4
CA	88 - 8/90	<b>DR219</b>	●		Vented	242	34.5	18	<b>16.4</b>	86	4
CB 1.5 & 1.6L GSR	90 - 10/92	<b>DR407</b>	●		Vented	256	34	24	<b>22.4</b>	86	4
CB1, 2, 3, 4 1.5L	9/90 - 93	<b>DR412</b>	●		Vented	236	34	18	<b>16.4</b>	86	4
CB 1.5 & 1.6L GSR	90 - 10/92	<b>DR403</b>		●	Solid	265	49	10	<b>8.4</b>	90	4

# Disc Rotors



## MITSUBISHI

### Lancer

CC 1.5L	10/92 - 02	<b>DR408</b>	●		Solid	235	45	13	<b>11.4</b>	64	4
CC 1.8L Coupe	10/92 - 02	<b>DR413</b>	●		Vented	235	45	18	<b>16.4</b>	64	4
CC GSR Turbo Sedan	10/92 on	<b>DR411</b>	●		Vented	256	45.3	24	<b>22.4</b>	69.2	4
CC Hatch 1.5L	10/92 on	<b>DR412</b>	●		Vented	236	34	18	<b>16.4</b>	86	4
CC Sedan & Wagon	10/92 - 02	<b>DR413</b>	●		Vented	235	45	18	<b>16.4</b>	64	4
CE 1.5 & 1.8L	10/92 - 02	<b>DR413</b>	●		Vented	235	45	18	<b>16.4</b>	64	4
CC GSR Turbo Sedan	10/92 on	<b>DR406</b>		●	Solid	260	41	10	<b>8.4</b>	90	4
Evolution V - VIII GSR & RS-2 17" Wheels	96 on	<b>DR418</b>	●		Vented	320	43.5	32	<b>29.8</b>	69	5
Evolution V - VIII GSR & RS-2 17" Wheels	96 on	<b>DR419</b>		●	Vented	300	58	22	<b>20</b>	90	5
CG, CH 14" Wheels	03 on	<b>DR414</b>	●		Vented	256	45	24	<b>22.4</b>	64	4
CG, CH VR-X 2.0L 15" Wheels	7/03 on	<b>DR2202</b>	●		Vented	276	45.5	26	<b>24.4</b>	69	5
CH Wagon ES	7/03 on	<b>DR12648</b>	●		Vented	276	45.5	26	<b>24.4</b>	69	4
Lancer EVO	03 on	<b>DR418</b>	●		Vented	320	43.5	32	<b>29.8</b>	69	5
CG, CH VR-X 2.0L 15" Wheels	7/03 on	<b>DR2203</b>		●	Solid	262	60	10	<b>8.4</b>	90	5
CH Wagon ES	7/03 on	<b>DR404</b>		●	Solid	262	60	10	<b>8.4</b>	90	4
CJ VR-X 2.0L & 2.4L	8/07 on	<b>DR12615</b>	●		Vented	294	45.6	26	<b>24.4</b>	69	5
CJ VR-X 2.0L & 2.4L	8/07 on	<b>DR12550</b>		●	Solid	302	60.1	10	<b>8.4</b>	80	5
CJ Ralliart	8/08 on	<b>DR12616</b>		●	Solid	302	58.6	10	<b>8.4</b>	80	5

### Legnum


2.5L V6 Twin Turbo	96 - 01	<b>DR417</b>	●		Vented	294	46	24	<b>22.4</b>	69	5
--------------------	---------	--------------	---	--	--------	-----	----	----	-------------	----	---

### Magna

TM, TN, TP	85 - 91	<b>DR221</b>	●		Vented	266	45	24	<b>22.4</b>	69.3	4
TM, TN, TP	85 - 91	<b>DR222</b>		●	Solid	251	49	10	<b>8.4</b>	Hub	4
TN, TP Wagon Only	7/87 - 92	<b>DR223</b>		●	Solid	276	84	10	<b>8.4</b>	Hub	4
TR, TS 4Cyl & TR Elite	4/91 on	<b>DR421</b>	●		Vented	256	45.2	24	<b>22.4</b>	69	5
TR, TS 4Cyl & V6 Non-ABS	4/91 on	<b>DR422</b>		●	Solid	258	66	10.4	<b>8.4</b>	90	5
TR V6 Non-ABS	93 on	<b>DR425</b>	●		Vented	276	45	24	<b>22.4</b>	69	5
TR, TS With ABS	93 on	<b>DR425</b>	●		Vented	276	45	24	<b>22.4</b>	69	5
TS V6 Sedan With ABS	3/94 on	<b>DR423</b>		●	Vented	266	65.5	18	<b>16.4</b>	90	5
TS V6 Wagon With ABS	3/94 on	<b>DR427</b>		●	Vented	284	65.5	20	<b>18.4</b>	90	5
TE 4Cyl & V6 Non-ABS & ABS	4/96 on	<b>DR425</b>	●		Vented	276	45	24	<b>22.4</b>	69	5
TE 4Cyl & V6 Non-ABS & ABS	4/96 on	<b>DR426</b>		●	Solid	258	56.5	10.5	<b>8.4</b>	90	5
TF - TJ VR-X Sports V6 2.4, 3.0, 3.5L	6/97 on	<b>DR425</b>	●		Vented	276	45	24	<b>22.4</b>	69	5
TF - TJ VR-X Sports V6 2.4, 3.0, 3.5L	6/97 on	<b>DR426</b>		●	Solid	258	56.5	10.5	<b>8.4</b>	90	5
TJ AWD V6	1/03 on	<b>DR417</b>	●		Vented	294	46	24	<b>22.4</b>	69	5
TL AWD V6	8/03 on	<b>DR417</b>	●		Vented	294	46	24	<b>22.4</b>	69	5
TJ AWD V6	1/03 on	<b>DR429</b>		●	Vented	284	60.2	20	<b>18.4</b>	90	5
TL AWD V6	8/03 on	<b>DR429</b>		●	Vented	284	60.2	20	<b>18.4</b>	90	5

### Mirage

CE 1.5L	7/96 on	<b>DR413</b>	●		Vented	235	45	18	<b>16.4</b>	64	4
---------	---------	--------------	---	--	--------	-----	----	----	-------------	----	---



## MITSUBISHI

### Nimbus

UA, UB, UC	84 - 91	<b>DR219</b>	●		Vented	242	34.5	18	<b>16.4</b>	86	4
UF 2.4 Litre	92 - 98	<b>DR411</b>	●		Vented	256	45.3	24	<b>22.4</b>	69.2	4
UG	7/98 - 01	<b>DR437</b>	●		Vented	276	45.5	24	<b>22.4</b>	69	5
UG	7/98 - 01	<b>DR429</b>		●	Vented	284	60.2	20	<b>18.4</b>	90	5

### Outlander


ZE, ZF 2.4L AWD	03 - 06	<b>DR2202</b>	●		Vented	276	45.5	26	<b>24.4</b>	69	5
ZE, ZF 2.4L AWD	03 - 06	<b>DR2203</b>		●	Solid	262	60	10	<b>8.4</b>	90	5
ZG 2.4L & 3.0L AWD	06 on	<b>DR12615</b>	●		Vented	294	45.6	26	<b>24.4</b>	69	5
ZG 2.4L AWD	06 on	<b>DR12550</b>		●	Solid	302	60.1	10	<b>8.4</b>	80	5
ZG 3.0L AWD	06 on	<b>DR12616</b>		●	Solid	302	58.6	10	<b>8.4</b>	80	5

### Pajero

NA, NB, NC, ND LWB	83 - 9/87	<b>DR224</b>	●		Vented	275	45	20	<b>18.4</b>	87	6
NA, NB, NC, ND SWB	83 - 9/87	<b>DR228</b>	●		Vented	255	45	20	<b>18.4</b>	87	6
NA, NB, NC, ND LWB	83 - 9/87	<b>DR233</b>		●	Solid	315	84	18	<b>16.4</b>	108	6
NA, NB, NC, ND SWB	83 - 9/87	<b>DR233</b>		●	Solid	315	84	18	<b>16.4</b>	108	6
NE, NF, NG, NH SWB & LWB	10/87 - 92	<b>DR232</b>	●		Vented	258	45	22	<b>20.4</b>	87	6
NE, NF, NG, NH SWB & LWB	10/87 - 92	<b>DR233</b>		●	Solid	315	84	18	<b>16.4</b>	108	6
NF, NG, NH V6 LWB	9/88 - 92	<b>DR229</b>	●		Vented	277	45.5	22	<b>20.4</b>	87	6
NF, NG, NH V6 LWB	9/88 - 92	<b>DR233</b>		●	Solid	315	84	18	<b>16.4</b>	108	6
NH, NJ 2.8L Diesel & 3.0L V6	92 on	<b>DR234</b>	●		Vented	276	45	24	<b>22.4</b>	87	6
NH, NJ 2.8L Diesel & 3.0L V6	92 on	<b>DR233</b>		●	Solid	315	84	18	<b>16.4</b>	108	6
NJ 3.5 L	12/93 on	<b>DR236</b>	●		Vented	276	45.3	27	<b>25.4</b>	87	6
NJ 3.5 L	12/93 on	<b>DR233</b>		●	Solid	315	84	18	<b>16.4</b>	108	6
NK 2.8 & 3.0 L 15" Wheels	96 - 9/97	<b>DR234</b>	●		Vented	276	45	24	<b>22.4</b>	87	6
NK 3.5 L	6/96 on	<b>DR236</b>	●		Vented	276	45.3	27	<b>25.4</b>	87	6
NL 2.8L 15" Wheels	6/96 on	<b>DR234</b>	●		Vented	276	45	24	<b>22.4</b>	87	6
NL GLX 16" & 18" Wheels	6/96 on	<b>DR237</b>	●		Vented	314	45.5	24	<b>22.4</b>	87	6
NL GLX 3.5L 15" Wheels	6/96 on	<b>DR236</b>	●		Vented	276	45.3	27	<b>25.4</b>	87	6
NK 2.8 & 3.0 L 15" Wheels	96 - 9/97	<b>DR233</b>		●	Solid	315	84	18	<b>16.4</b>	108	6
NK 3.5 L	6/96 on	<b>DR233</b>		●	Solid	315	84	18	<b>16.4</b>	108	6
NL 2.8L 15" Wheels	6/96 on	<b>DR233</b>		●	Solid	315	84	18	<b>16.4</b>	108	6
NL GLX 16" & 18" Wheels	6/96 on	<b>DR233</b>		●	Solid	315	84	18	<b>16.4</b>	108	6
NL GLX 3.5L 15" Wheels	6/96 on	<b>DR233</b>		●	Solid	315	84	18	<b>16.4</b>	108	6
NL Import only	96 on	<b>DR238</b>		●	Solid	323	76	10	<b>8</b>	93.5	6
IO Series	99 on	<b>DR239</b>	●		Vented	285	39	22	<b>20</b>	69	5
NM, NP 2.8L, 3.2 Diesel & 3.5L V6	5/00 - 06	<b>DR660</b>	●		Vented	290	46	26	<b>24.4</b>	94	6
NM, NP 2.8L, 3.2 Diesel & 3.5L V6	5/00 - 06	<b>DR661</b>		●	Vented	300	72	22	<b>20.4</b>	94	6
NS 3.2L Turbo Diesel	06 - 09	<b>DR12591</b>	●		Vented	332	56.4	28	<b>26</b>	94	6
NS 3.8L V6	06 - 09	<b>DR660</b>	●		Vented	290	46	26	<b>24.4</b>	94	6
NS All Models	06 - 09	<b>DR12592</b>		●	Vented	332	74.4	18	<b>16</b>	94	6
NT 3.2L Diesel & 3.8L Petrol	09 on	<b>DR12591</b>	●		Vented	332	56.4	28	<b>26</b>	94	6



# Disc Rotors



## MITSUBISHI

### Pajero

NT 3.2L Diesel & 3.8L Petrol	09 on	DR12592		●	Vented	332	74.4	18	16	94	6
------------------------------	-------	---------	--	---	--------	-----	------	----	----	----	---

### RVR

4 Cyl With 14" Wheels	94 - 97	DR411B	●		Vented	256	45	24	22.4	69	5
-----------------------	---------	--------	---	--	--------	-----	----	----	------	----	---

### Scorpion

GE - GL	78 - 84	DR211	●		Solid	255	28	12.5	11	80	4
GE - GL	78 - 84	DR212		●	Solid	247	48	10	8.4	90	4

### Sigma

GE 1.6, 2.0 & 2.6L	78 - 80	DR210	●		Solid	229	30	13	11.4	67	4
GH, GJ, GK, GN	80 - 87	DR205	●		Solid	256	32.5	13	11.5	80	4
GH, GJ, GK, GN	80 - 87	DR207		●	Solid	280	73	10.5	8.8	68	4

### Starion

JA, JB, JD	82 - 8/87	DR400	●		Vented	256	36	24	22.4	80	4
JA, JB, JD	82 - 8/87	DR401		●	Vented	247	47.5	18	16.4	90	4

### Starwagon


SF, SG, SH 2WD	10/86 - 94	DR230	●		Vented	258	33.5	22	20.4	84	5
SF, SG, SH 4WD	10/86 - 94	DR229	●		Vented	277	45.5	22	20.4	87	6
WA	9/94 on	DR208	●		Vented	254	39	24	22.4	87	5
SJ Satellite	9/95 on	DR230	●		Vented	258	33.5	22	20.4	84	5

### Triton

ME, MF, MG, MH, MJ 2WD	86 - 10/96	DR231	●		Vented	258	33.5	22	20.4	84	6
ME, MF, MG, MH, MJ 4WD	86 - 10/96	DR229	●		Vented	277	45.5	22	20.4	87	6
MK 4x2 & 4x4 15" 3.0L V6	10/96 on	DR663	●		Vented	276	45.3	24	22.4	87	6
MK 4X2 14" Except 3.0L V6	10/96 on	DR662	●		Vented	254	39	24	22.4	87	6
MK 4X4 16" GLS	6/01 on	DR237	●		Vented	314	45.5	24	22.4	87	6
ML, MN 4X2 & 4X4	07 on	DR12609	●		Vented	294.2	46.5	28	26.4	94	6

### Verada

KR, KS ABS & Non-ABS	8/91 on	DR425	●		Vented	276	45	24	22.4	69	5
KR, KS V6 Non-ABS	8/91 on	DR422		●	Solid	258	66	10.4	8.4	90	5
KR, KS Sedan V6 ABS	3/94 on	DR423		●	Vented	266	65.5	18	16.4	90	5
KS V6 Wagon With ABS	3/94 on	DR427		●	Vented	284	65.5	20	18.4	90	5
KE	96 - 6/97	DR425	●		Vented	276	45	24	22.4	69	5
KE	96 - 6/97	DR426		●	Solid	258	56.5	10.5	8.4	90	5
KF, KJ 2.4, 3.0 & 3.5L	6/97 on	DR425	●		Vented	276	45	24	22.4	69	5
KF, KJ 2.4, 3.0 & 3.5L	6/97 on	DR426		●	Solid	258	56.5	10.5	8.4	90	5
KJ AWD V6	1/03 on	DR417	●		Vented	294	46	24	22.4	69	5
KL AWD V6	8/03 on	DR417	●		Vented	294	46	24	22.4	69	5
KL V6	1/03 on	DR425	●		Vented	276	45	24	22.4	69	5
KJ AWD V6	1/03 on	DR429		●	Vented	284	60.2	20	18.4	90	5
KL AWD V6	8/03 on	DR429		●	Vented	284	60.2	20	18.4	90	5
KL V6	1/03 on	DR426		●	Solid	258	56.5	10.5	8.4	90	5



## MORRIS

### 1100

Mk 1 & 2	63 - 67	<b>DR082</b>	●		Solid	203	61	7.7	<b>7.3</b>	55	4
Mk 2 & 3	68 - 74	<b>DR083</b>	●		Solid	214	61.5	11	<b>10.1</b>	55	4

### 1300

A11	67 - 74	<b>DR083</b>	●		Solid	214	61.5	11	<b>10.1</b>	55	4
-----	---------	--------------	---	--	-------	-----	------	----	-------------	----	---

### Marina

1300, 1800	71 - 80	<b>DR084</b>	●		Solid	248	46	9.5	<b>8.6</b>	66	4
------------	---------	--------------	---	--	-------	-----	----	-----	------------	----	---

## NISSAN

### 120Y

B210	3/74 - 11/75	<b>DR314</b>	●		Solid	212	35.6	9.5	<b>8.4</b>	70	4
120Y	12/75 - 3/79	<b>DR310</b>	●		Solid	219	32.5	9.6	<b>8.6</b>	70	4

### 180B

510 1600 All Models	68 - 9/72	<b>DR306</b>	●		Solid	232	40	10	<b>8.4</b>	68	4
610 180B All Models	9/72 - 8/74	<b>DR306</b>	●		Solid	232	40	10	<b>8.4</b>	68	4
310 Sedan Rare Model	8/73 - 9/77	<b>DR308</b>	●		Solid	232	35	10	<b>8.5</b>	73	4
610 180B All Models	9/74 - 8/78	<b>DR307</b>	●		Solid	245	35.5	10	<b>8.4</b>	73	4

### 180SX

S13 1.8L Turbo	89 - 1/91	<b>DR918</b>	●		Vented	250	49	18	<b>16</b>	68	4
S13 1.8L Turbo	89 - 1/91	<b>DR904</b>		●	Solid	258	46.5	9	<b>8</b>	68	4
S13 2.0L	1/91 on	<b>DR903</b>	●		Vented	280	49.5	22	<b>20</b>	68.1	4
S13 2.0L	1/91 on	<b>DR904</b>		●	Solid	258	46.5	9	<b>8</b>	68	4

### 200B

810 Local	77 - 7/79	<b>DR315</b>	●		Solid	253	48	12.7	<b>10.5</b>	73	4
810 Local Girlock Brakes	8/79 - 4/81	<b>DR326</b>	●		Solid	244	43.6	12.7	<b>10.5</b>	73	4
810 Import	80 - 81	<b>DR315</b>	●		Solid	253	48	12.7	<b>10.5</b>	73	4

### 200SX

S13	88 - 93	<b>DR903</b>	●		Vented	280	49.5	22	<b>20</b>	68.1	4
S14	8/94 - 00	<b>DR909</b>	●		Vented	280	54	30	<b>28</b>	68	5
S14	8/94 - 00	<b>DR906</b>		●	Solid	258	47	9	<b>8</b>	68	5
S15	00 - 03	<b>DR909</b>	●		Vented	280	54	30	<b>28</b>	68	5
S15	00 - 03	<b>DR906</b>		●	Solid	258	47	9	<b>8</b>	68	5


### 240C

230 All Models	71 - 73	<b>DR320</b>	●		Solid	271	52	12.5	<b>10.5</b>	81	5
----------------	---------	--------------	---	--	-------	-----	----	------	-------------	----	---

### 240K

C110 4 Door	12/72 - 11/75	<b>DR306</b>	●		Solid	232	40	10	<b>8.4</b>	68	4
-------------	---------------	--------------	---	--	-------	-----	----	----	------------	----	---

# Disc Rotors



## NISSAN

### 240Z

S30	70 - 73	<b>DR324</b>	●		Solid	271	52	12.7	<b>10.5</b>	81	4
-----	---------	--------------	---	--	-------	-----	----	------	-------------	----	---

### 260C

230 All Models	2/73 - 10/75	<b>DR320</b>	●		Solid	271	52	12.5	<b>10.5</b>	81	5
330 All Models	11/75 - 80	<b>DR321</b>	●		Solid	271	43.5	12.5	<b>10.5</b>	81	5

### 260Z

S30	73 - 78	<b>DR325</b>	●		Solid	271	43.5	12.7	<b>10.5</b>	81	4
-----	---------	--------------	---	--	-------	-----	------	------	-------------	----	---

### 280C

330 & 430 All Models	78 - 9/80	<b>DR321</b>	●		Solid	271	43.5	12.5	<b>10.5</b>	81	5
430 All Models	10/80 - 84	<b>DR322</b>	●		Vented	250	29	20	<b>18</b>	81	5

### 280Z

S130	2/79 - 5/84	<b>DR323</b>	●		Vented	250	29	20	<b>18</b>	81	4
S130	2/79 - 8/81	<b>DR601</b>		●	Solid	269	69	10	<b>8.6</b>	68	4
S130	9/81 - 84	<b>DR600</b>		●	Solid	258	47	10	<b>9</b>	68	4

### 300C

Y30 All Models	10/83 - 85	<b>DR613</b>	●		Vented	250	53	22	<b>20</b>	Hub	5
Y30 All Models	10/83 - 85	<b>DR905</b>		●	Solid	266	69	10	<b>9</b>	73	5

### 300ZX

Z31	1/84 - 9/85	<b>DR608</b>	●		Vented	274	35.5	22	<b>20</b>	81	4
Z31	1/84 - 9/85	<b>DR605</b>		●	Solid	290	47	10	<b>9</b>	68	4
Z31	10/85 - 87	<b>DR604</b>	●		Vented	274	35.5	22	<b>20</b>	81	5
Z31	10/85 - 10/86	<b>DR607</b>		●	Solid	290	47	10	<b>9</b>	68	5
Z31	10/86 on	<b>DR927</b>		●	Vented	282	57.2	20	<b>18</b>	68	5
Z31	2/87 on	<b>DR907</b>	●		Vented	280	54	26	<b>24</b>	68	5
Z32	89 - 91	<b>DR907</b>	●		Vented	280	54	26	<b>24</b>	68	5
Z32	89 - 94	<b>DR908</b>		●	Vented	297	63	18	<b>16</b>	68	5
Z32	91 - 94	<b>DR909</b>	●		Vented	280	54	30	<b>28</b>	68	5

### 350Z


Z33 3.5L V6 Touring Model	03 on	<b>DR954</b>	●		Vented	295.6	49.3	24	<b>22</b>	68.1	5
Z33 3.5L V6 With Brembo Calipers	2/03 on	<b>DR12372</b>	●		Vented	324	49	30	<b>28.4</b>	68	5
Z33 3.5L V6 Touring Model	03 on	<b>DR574</b>		●	Vented	292	62	16	<b>14</b>	68	5
Z33 3.5L V6 With Brembo Calipers	2/03 on	<b>DR12373</b>		●	Vented	322	62.2	22	<b>20.2</b>	68	5

### 620

2WD	79 on	<b>DR327</b>	●		Solid	271	44	12.5	<b>10.5</b>	81	6
-----	-------	--------------	---	--	-------	-----	----	------	-------------	----	---

### 720

2WD	80 - 12/82	<b>DR327</b>	●		Solid	271	44	12.5	<b>10.5</b>	81	6
4WD + Kingcab	80 - 3/83	<b>DR328</b>	●		Solid	271	60.5	12.5	<b>10.5</b>	104	6
2WD	1/83 - 85	<b>DR311</b>	●		Vented	250	30	22	<b>20</b>	81	6
4WD	4/83 - 85	<b>DR621</b>	●		Vented	266.7	39.1	22	<b>20</b>	100.1	6



## NISSAN

### 1200

B110 Coupe	70 - 4/74	<b>DR314</b>	●		Solid	212	35.6	9.5	<b>8.4</b>	70	4
------------	-----------	--------------	---	--	-------	-----	------	-----	------------	----	---

### 1600

1600 All Models	68 - 9/72	<b>DR306</b>	●		Solid	232	40	10	<b>8.4</b>	68	4
610 All Models	9/72 - 8/74	<b>DR306</b>	●		Solid	232	40	10	<b>8.4</b>	68	4
310 Sedan Rare Model	8/73 - 9/77	<b>DR308</b>	●		Solid	232	35	10	<b>8.5</b>	73	4
610 All Models	9/74 - 8/78	<b>DR307</b>	●		Solid	245	35.5	10	<b>8.4</b>	73	4

### Bluebird

910 All Models	81 - 86	<b>DR609</b>	●		Solid	250	43	12	<b>10.5</b>	HUB	4
910 All Models	81 - 86	<b>DR611</b>		●	Solid	280	77	10.5	<b>9.5</b>	68	4
U13	7/93 - 3/97	<b>DR903</b>	●		Vented	280	49.5	22	<b>20</b>	68.1	4
U13	7/93 - 3/97	<b>DR614</b>		●	Solid	258	45	10	<b>9</b>	68	4

### Cabstar

PF22	82 - 10/87	<b>DR313</b>	●		Vented	260	29	20	<b>18</b>	81	6
AF22	11/88 - 9/92	<b>DR12102</b>	●		Vented	263.3	37	26	<b>24</b>	81	6

### Civilian

Bus	1/93 on	<b>DR12519</b>	●		Vented	286	91.7	35	<b>33</b>	114	5
-----	---------	----------------	---	--	--------	-----	------	----	-----------	-----	---

### Dualis

J10	07 on	<b>DR12634</b>	●		Vented	296	44	26	<b>24</b>	68	5
J10	07 on	<b>DR12722</b>		●	Solid	292	62	9	<b>8</b>	68	5

### Fairlady

311 & 2000 Sports	66 - 71	<b>DR610</b>	●		Solid	284	44.5	10.4	<b>9.4</b>	Hub	4
-------------------	---------	--------------	---	--	-------	-----	------	------	------------	-----	---

### Gazelle

S12 All Models	84 - 88	<b>DR612</b>	●		Vented	250	22	18	<b>16</b>	73	4
----------------	---------	--------------	---	--	--------	-----	----	----	-----------	----	---

### Infiniti

G50 Non-ABS	4/93 on	<b>DR922</b>	●		Vented	280	53.5	28	<b>26</b>	68	5
G50 Non-ABS	4/93 on	<b>DR923</b>		●	Solid	292	64	9	<b>8</b>	68	5


### Maxima

J30	90 - 11/94	<b>DR910</b>	●		Vented	280	50	22	<b>20</b>	68	5
J30	90 - 11/94	<b>DR925</b>		●	Solid	258	45	9	<b>8</b>	68	5
A32 Models	11/94 - 10/99	<b>DR914</b>	●		Vented	280	50	26	<b>24</b>	68	5
A32 Models	11/94 - 10/99	<b>DR915</b>		●	Solid	278	45	9	<b>8</b>	68	5
A33 3.0L 6Cyl	10/99 on	<b>DR914</b>	●		Vented	280	50	26	<b>24</b>	68	5
A33 3.0L 6Cyl	10/99 on	<b>DR915</b>		●	Solid	278	45	9	<b>8</b>	68	5
J31 3.5L	2/05 on	<b>DR954</b>	●		Vented	295.6	49.3	24	<b>22</b>	68.1	5
J31 3.5L	2/05 on	<b>DR12361</b>		●	Solid	292	62	9	<b>8</b>	68	5

### Micra

K11E All Models	5/95 - 04	<b>DR920</b>	●		Solid	234	45.5	12	<b>10</b>	59	4
K11E All Models	5/95 - 04	<b>DR921</b>		●	Solid	240	41	7	<b>6</b>	61	4
K12	04 - 10	<b>DR12759</b>	●		Vented	238	43.7	22	<b>20</b>	61	4

# Disc Rotors



## NISSAN

### Murano

3.5L V6	7/05 on	<b>DR12396</b>	●		Vented	320	49.2	28	<b>26</b>	68	5
3.5L V6	7/05 on	<b>DR12397</b>		●	Vented	308	62.1	16	<b>14</b>	68	5

### Navara 2WD

D21 4Cyl	9/85 - 1/97	<b>DR620</b>	●		Vented	250	37.5	22	<b>20</b>	81	6
D21 KA24E & V6	92 - 1/97	<b>DR618</b>	●		Vented	260	37.5	26	<b>24</b>	81	6
D22	2/97 - 10/01	<b>DR618</b>	●		Vented	260	37.5	26	<b>24</b>	81	6
D22 TD27	2/97 - 10/01	<b>DR620</b>	●		Vented	250	37.5	22	<b>20</b>	81	6
D22 V6	2/97 - 10/01	<b>DR618</b>	●		Vented	260	37.5	26	<b>24</b>	81	6
D40	4/05 on	<b>DR12479</b>	●		Vented	295.6	38	28	<b>26</b>	68	6
D40 With 17" Wheels	5/05 on	<b>DR12763</b>	●		Vented	319.5	37.9	28	<b>26</b>	68	6

### Navara 4WD

D21	9/85 - 1/97	<b>DR621</b>	●		Vented	266.7	39.1	22	<b>20</b>	100.1	6
D21 V6	92 - 1/97	<b>DR618</b>	●		Vented	260	37.5	26	<b>24</b>	81	6
D22 ALL	2/97 - 10/01	<b>DR624</b>	●		Vented	277	39	26	<b>24</b>	100	6
D22 3.0L V6	10/01 - 3/05	<b>DR629</b>	●		Vented	300	38	28	<b>26</b>	100	6
D21 3.3L SOHC	02 - 06	<b>DR629</b>	●		Vented	300	38	28	<b>26</b>	100	6
D40	4/05 on	<b>DR12479</b>	●		Vented	295.6	38	28	<b>26</b>	68	6
D40 With 17" Wheels	5/05 on	<b>DR12763</b>	●		Vented	319.5	37.9	28	<b>26</b>	68	6
D40 Kingcab - Made in Thailand	07 on	<b>DR12781</b>	●		Vented	296	53.1	28	<b>26</b>	68	6

### Nissan Ute

XFN DX, ST	89 - 91	<b>DR107</b>	●		Vented	287	75	24	<b>22.2</b>	HUB	5
------------	---------	--------------	---	--	--------	-----	----	----	-------------	-----	---

### Nomad

GC 22 Van	86 - 93	<b>DR627</b>	●		Vented	250	30	22	<b>20</b>	73	4
-----------	---------	--------------	---	--	--------	-----	----	----	-----------	----	---

### NX Coupe

B13 2.0L DOHC Check Dimensions	91 - 94	<b>DR901</b>	●		Vented	257	45	26	<b>24</b>	61	4
Pulsar NX Check Dimensions	91 - 95	<b>DR899</b>	●		Vented	247	45	18	<b>16</b>	61	4
B13 2.0L DOHC Check Dimensions	91 - 94	<b>DR902</b>		●	Solid	258	45	9	<b>8</b>	68	4
Pulsar NX Check Dimensions	91 - 95	<b>DR917</b>		●	Solid	234	40	7	<b>6</b>	68	4


### Pathfinder

WD21 4Cyl	86 - 7/92	<b>DR621</b>	●		Vented	266.7	39.1	22	<b>20</b>	100.1	6
WD21 V6	8/92 on	<b>DR624</b>	●		Vented	277	39	26	<b>24</b>	100	6
WD21 V6	8/92 on	<b>DR12181</b>		●	Vented	286	70	17.8	<b>16</b>	100	6
R50 All Models	95 - 11/98	<b>DR626</b>	●		Vented	283	38	28	<b>26</b>	100	6
R50 3.3L V6	11/98 - 03	<b>DR629</b>	●		Vented	300	38	28	<b>26</b>	100	6
R51	12/05 on	<b>DR12479</b>	●		Vented	295.6	38	28	<b>26</b>	68	6
R51	12/05 on	<b>DR12721</b>		●	Vented	307.7	62.8	18	<b>16</b>	68	6

### Patrol

MQ Series	1/81 - 12/87	<b>DR329</b>	●		Vented	295	29	20	<b>18</b>	104	6
GQ Series Not EFI	88 on	<b>DR329</b>	●		Vented	295	29	20	<b>18</b>	104	6
GQ Y60 All	88 on	<b>DR622</b>		●	Vented	316	80	18	<b>16</b>	111	6

# Disc Rotors



## NISSAN

### Patrol

GQ EFI	2/92 on	<b>DR623</b>	●		Vented	306	35.5	26	<b>24</b>	104	6
Y61 GU Series Except 4.8L	10/97 on	<b>DR625</b>	●		Vented	306	47	32	<b>30</b>	109	6
Y61 GU Series Except 4.8L	10/97 on	<b>DR622</b>		●	Vented	316	80	18	<b>16</b>	111	6
GU II Ti - Wagon	9/01 on	<b>DR698</b>	●		Vented	316	47	35	<b>32</b>	109	6
GU II Ti - Wagon	9/01 on	<b>DR699</b>		●	Vented	330	89	18	<b>16</b>	111	6
GU Cab Chassis 3.0L DDTi	07 on	<b>DR625</b>	●		Vented	306	47	32	<b>30</b>	109	6

### Pintara

R31	86 - 10/90	<b>DR615</b>	●		Vented	250	48	22	<b>20</b>	HUB	4
R31	86 - 10/90	<b>DR616</b>		●	Solid	260	60	10.4	<b>9.4</b>	68	4
U12 FWD	11/89 - 92	<b>DR617</b>	●		Vented	257	49	22	<b>20</b>	68	4
U12 FWD	11/89 - 92	<b>DR614</b>		●	Solid	258	45	10	<b>9</b>	68	4

### Prairie

M10 All Models	82 - 86	<b>DR319</b>	●		Vented	232	36.5	18.2	<b>16</b>	76	4
----------------	---------	--------------	---	--	--------	-----	------	------	-----------	----	---

### Pulsar


N10	80 - 81	<b>DR300</b>	●		Solid	218	40	10	<b>8.5</b>	64	4
N10 A14 - E15 PCD 96mm	80 - 11/82	<b>DR301</b>	●		Solid	239	40	9.5	<b>8.6</b>	64	4
N10 E13 PCD 90mm	81 - 10/82	<b>DR305</b>	●		Solid	239	40	9.5	<b>8.6</b>	64	4
N12 & EXA Import, Local & ET	82 - 5/87	<b>DR302</b>	●		Solid	240	35.5	12	<b>11</b>	76	4
VB11 Panel Van	6/83 - 84	<b>DR302</b>	●		Solid	240	35.5	12	<b>11</b>	76	4
N12 & EXA Local & ET	83 - 5/87	<b>DR304</b>		●	Solid	235	36.5	10	<b>9</b>	Hub	4
N12 EXA Turbo	9/84 - 5/87	<b>DR319</b>	●		Vented	232	36.5	18.2	<b>16</b>	76	4
KN13 EXA 1.6L	2/87 - 91	<b>DR603</b>	●		Vented	240	45.5	18	<b>16</b>	61	4
N13 1.6 & 1.8L	87 - 91	<b>DR603</b>	●		Vented	240	45.5	18	<b>16</b>	61	4
KN13 EXA All Rears	5/87 - 91	<b>DR606</b>		●	Solid	235	42	10	<b>9</b>	Hub	4
N13 1.6 & 1.8L	87 - 91	<b>DR606</b>		●	Solid	235	42	10	<b>9</b>	HUB	4
KN13 EXA 1.8L	88 - 91	<b>DR628</b>	●		Vented	250	45	18	<b>16</b>	61	4
N14 1.6L	91 - 8/95	<b>DR628</b>	●		Vented	250	45	18	<b>16</b>	61	4
N14 2.0L	10/91 - 8/95	<b>DR900</b>	●		Vented	252	45	20	<b>18</b>	61	4
N14 1.6L	91 - 8/95	<b>DR917</b>		●	Solid	234	40	7	<b>6</b>	68	4
N14 2.0L	10/91 - 8/95	<b>DR917</b>		●	Solid	234	40	7	<b>6</b>	68	4
N15 1.6L	8/95 on	<b>DR899</b>	●		Vented	247	45	18	<b>16</b>	61	4
N15 2.0L	8/95 on	<b>DR901</b>	●		Vented	257	45	26	<b>24</b>	61	4
N15 1.6L	8/95 on	<b>DR917</b>		●	Solid	234	40	7	<b>6</b>	68	4
N15 2.0L	8/95 on	<b>DR902</b>		●	Solid	258	45	9	<b>8</b>	68	4
N16 Sedan 1.8L	6/00 on	<b>DR617</b>	●		Vented	257	49	22	<b>20</b>	68	4
N16E 1.8L	4/01 on	<b>DR903</b>	●		Vented	280	49.5	22	<b>20</b>	68.1	4
N16E 1.8L	4/01 on	<b>DR614</b>		●	Solid	258	45	10	<b>9</b>	68	4

### Serena

C23 2.0L	9/92 on	<b>DR913</b>	●		Vented	257	52	26	<b>24</b>	68	4
----------	---------	--------------	---	--	--------	-----	----	----	-----------	----	---



# Disc Rotors



## NISSAN

### Silvia

S13 1.8L	5/88 on	<b>DR918</b>	●		Vented	250	49	18	<b>16</b>	68	4
S13 1.8L	5/88 on	<b>DR904</b>		●	Solid	258	46.5	9	<b>8</b>	68	4
2L Including turbo	91 on	<b>DR12350</b>	●		Vented	252	49.2	20	<b>18</b>	68	4
S13 2.0L 2 Wheel Steer	91 on	<b>DR903</b>	●		Vented	280	49.5	22	<b>20</b>	68.1	4
S13 2.0L 2 Wheel Steer	91 on	<b>DR904</b>		●	Solid	258	46.5	9	<b>8</b>	68	4
S13 2.0L 4 Wheel Steer	92 on	<b>DR904</b>		●	Solid	258	46.5	9	<b>8</b>	68	4
S15 2.0L	99 on	<b>DR909</b>	●		Vented	280	54	30	<b>28</b>	68	5
S15 2.0L	99 on	<b>DR906</b>		●	Solid	258	47	9	<b>8</b>	68	5

### Skyline


C210	78 - 80	<b>DR316</b>	●		Solid	270	48	12.5	<b>10.5</b>	73	4
C210	78 - 80	<b>DR601</b>		●	Solid	269	69	10	<b>8.6</b>	68	4
R30	82 - 85	<b>DR317</b>	●		Vented	250	43	18	<b>16</b>	Hub	4
R30 GTS FJ20DET	82 - 85	<b>DR608</b>	●		Vented	274	35.5	22	<b>20</b>	81	4
R30 GTS FJ20DET	82 - 85	<b>DR600</b>		●	Solid	258	47	10	<b>9</b>	68	4
R31 Except GTS	86 - 90	<b>DR615</b>	●		Vented	250	48	22	<b>20</b>	HUB	4
R31 GTS Import & Local	86 - 90	<b>DR924</b>	●		Vented	274	47	22	<b>20</b>	68	4
R31 GTS Import & Local	86 - 90	<b>DR616</b>		●	Solid	260	60	10.4	<b>9.4</b>	68	4
R32 GT-R 2.6L Twin Turbo	6/89 - 8/93	<b>DR926</b>	●		Vented	296	54	32	<b>30</b>	68	5
R32 GTS Single Turbo 2.0L	89 - 7/93	<b>DR909</b>	●		Vented	280	54	30	<b>28</b>	68	5
R32T & R33 GTS-4 4WD (Four Stud)	89 - 93	<b>DR953</b>	●		Vented	280	49	26	<b>24</b>	68	4
R32 GT-R Twin Turbo	89 - 8/93	<b>DR908</b>		●	Vented	297	63	18	<b>16</b>	68	5
R32 GTS Single Turbo 2.0L	89 - 7/93	<b>DR908</b>		●	Vented	297	63	18	<b>16</b>	68	5
R32T & R33 GTS-4 4WD (Four Stud)	89 - 93	<b>DR12731</b>		●	Solid	266	64.2	9	<b>8</b>	68	4
R32 GT-R 2.6L Twin Turbo	8/93 on	<b>DR928</b>	●		Vented	324	53.7	30	<b>28</b>	68	5
R33 GTS Single Turbo	8/93 on	<b>DR12739</b>	●		Vented	296	53.7	30	<b>28</b>	68	5
R32 GT-R	8/93 - 12/94	<b>DR929</b>		●	Vented	300	63	22	<b>20</b>	68	5
R33 GTS Single Turbo	93 - 7/98	<b>DR908</b>		●	Vented	297	63	18	<b>16</b>	68	5
R33 GT-R 2.6L Twin Turbo	1/95 on	<b>DR928</b>	●		Vented	324	53.7	30	<b>28</b>	68	5
R34 GT-R 2.6L Twin Turbo	1/95 on	<b>DR928</b>	●		Vented	324	53.7	30	<b>28</b>	68	5
R33 & R34 GT-R	1/95 on	<b>DR929</b>		●	Vented	300	63	22	<b>20</b>	68	5
R34 GTS Single Turbo	8/98 on	<b>DR908</b>		●	Vented	297	63	18	<b>16</b>	68	5

### Stanza

A10 Import	78 - 6/79	<b>DR307</b>	●		Solid	245	35.5	10	<b>8.4</b>	73	4
A10 Local	To 6/79	<b>DR315</b>	●		Solid	253	48	12.7	<b>10.5</b>	73	4
A10 SSS Import *RARE*	5/78 - 6/79	<b>DR308</b>	●		Solid	232	35	10	<b>8.5</b>	73	4
A10 Local - Girlock Brakes	7/79 - 83	<b>DR326</b>	●		Solid	244	43.6	12.7	<b>10.5</b>	73	4

### Sunny

A12	79 - 81	<b>DR310</b>	●		Solid	219	32.5	9.6	<b>8.6</b>	70	4
A14, A15	79 - 81	<b>DR307</b>	●		Solid	245	35.5	10	<b>8.4</b>	73	4
2.0L GTi	10/90 - 94	<b>DR901</b>	●		Vented	257	45	26	<b>24</b>	61	4
2.0L GTi	10/90 - 94	<b>DR898</b>		●	Solid	258	33	9	<b>8</b>	68	4



## NISSAN

### Terrano

WD21 4Cyl	86 - 7/92	<b>DR621</b>	●		Vented	266.7	39.1	22	<b>20</b>	100.1	6
WD21 V6	8/92 on	<b>DR624</b>	●		Vented	277	39	26	<b>24</b>	100	6
WD21 4Cyl & V6	8/92 on	<b>DR12181</b>		●	Vented	286	70	17.8	<b>16</b>	100	6
R50 All Models	95 - 11/98	<b>DR626</b>	●		Vented	283	38	28	<b>26</b>	100	6
R50 3.3L V6	11/98 - 03	<b>DR629</b>	●		Vented	300	38	28	<b>26</b>	100	6

### Tiida

C11 1.8L	06 on	<b>DR12478</b>	●		Vented	260	43	22	<b>20</b>	68	4
----------	-------	----------------	---	--	--------	-----	----	----	-----------	----	---

### Urvan

E23 Petrol/Diesel	11/80 - 86	<b>DR318</b>	●		Vented	252	27.5	20	<b>18</b>	81	6
E24	3/87 - 93	<b>DR618</b>	●		Vented	260	37.5	26	<b>24</b>	81	6

### Vanette

C20	80 - 5/81	<b>DR307</b>	●		Solid	245	35.5	10	<b>8.4</b>	73	4
C20, C120	81 - 11/86	<b>DR619</b>	●		Vented	232	22	18	<b>16</b>	73	4
C120, C22	83 - 92	<b>DR627</b>	●		Vented	250	30	22	<b>20</b>	73	4

### X-Trail

T30 2.5L	10/01 - 5/07	<b>DR573</b>	●		Vented	280	49	28	<b>26</b>	68	5
T30 2.5L	10/01 - 5/07	<b>DR574</b>		●	Vented	292	62	16	<b>14</b>	68	5
T31 2.0L & 2.5L	6/07 on	<b>DR12634</b>	●		Vented	296	44	26	<b>24</b>	68	5
T31 2.0L & 2.5L	6/07 on	<b>DR574</b>		●	Vented	292	62	16	<b>14</b>	68	5

## OKA

### 4x4

Off-Road	93 - 98	<b>DR12113</b>	●		Vented	327	79	39	<b>37.2</b>	127	8
----------	---------	----------------	---	--	--------	-----	----	----	-------------	-----	---

## PEUGEOT


### 205

1.4i, 1.6i, Diesel1.8, 1.9	83 - 96	<b>DR12059</b>	●		Solid	247	34	10	<b>8</b>	66	4
1.3i Rally E,1.6 GTi	84 - 93	<b>DR12060</b>	●		Vented	247	44.3	20.5	<b>18.5</b>	66	4
1.9 GTi,1.8 Turbo Diesel	86 - 94	<b>DR273</b>	●		Vented	247	34.3	20.5	<b>18.5</b>	66	4
All Models	87 - 94	<b>DR12061</b>		●	Solid	247	20.3	8	<b>7</b>	71	4

### 206

1.4i 8V	9/98 on	<b>DR273</b>	●		Vented	247	34.3	20.5	<b>18.5</b>	66	4
1.4i 8V	9/98 on	<b>DR276</b>		●	Solid	247	25.3	8	<b>6</b>	71	4
1.6L 8V	10/99 - 9/04	<b>DR273</b>	●		Vented	247	34.3	20.5	<b>18.5</b>	66	4

# Disc Rotors



## PEUGEOT

### 206

2.0L 16V	10/00 - 12/07	<b>DR12332</b>	●		Vented	266	34.2	22	<b>20</b>	66	4
2.0L 16V	4/99 - 9/00	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4
1.6L 8V	10/99 - 9/04	<b>DR276</b>		●	Solid	247	25.3	8	<b>6</b>	71	4
2.0L 16V	4/99 - 12/07	<b>DR276</b>		●	Solid	247	25.3	8	<b>6</b>	71	4
1.6L 16V	2/01 - 9/01	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4
1.6L 16V	10/01 - 12/07	<b>DR12332</b>	●		Vented	266	34.2	22	<b>20</b>	66	4
1.6L 16V	2/01 - 12/07	<b>DR276</b>		●	Solid	247	25.3	8	<b>6</b>	71	4
1.4L 16V	10/03 on	<b>DR12332</b>	●		Vented	266	34.2	22	<b>20</b>	66	4
1.4L 16V	10/03 on	<b>DR276</b>		●	Solid	247	25.3	8	<b>6</b>	71	4

### 207

1.6L	06 on	<b>DR12312</b>	●		Vented	283	34.2	26	<b>24</b>	66	4
(Takes 59.9 OD Bearing)	8/00 on	<b>DR12543</b>		●	Solid	249	67.2	9	<b>8</b>	Hub	4
Without bearing & ABS ring	06 on	<b>DR12556</b>		●	Solid	249	69.2	9	<b>7</b>	Hub	4

### 305

GT 1.6L & GTX 1.9L	10/85 - 89	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4
--------------------	------------	--------------	---	--	--------	-----	------	------	-------------	----	---

### 306


1.4L ABS With Bosch/Lucas Brakes	6/94 - 5/01	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4
1.4L ABS With Teves Brakes	6/94 - 5/01	<b>DR273</b>	●		Vented	247	34.3	20.5	<b>18.5</b>	66	4
1.4L Non-ABS With Bosch Brakes	6/94 - 5/01	<b>DR12059</b>	●		Solid	247	34	10	<b>8</b>	66	4
1.6L ABS With Bosch/Lucas Brakes	6/94-10/00	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4
1.6L ABS With Teves Brakes	6/94-10/00	<b>DR273</b>	●		Vented	247	34.3	20.5	<b>18.5</b>	66	4
1.6L Non-ABS With Bosch Brakes	6/94 - 10/00	<b>DR12059</b>	●		Solid	247	34	10	<b>8</b>	66	4
1.8L	6/94 - 5/01	<b>DR273</b>	●		Vented	247	34.3	20.5	<b>18.5</b>	66	4
1.9L Diesel With Bosch/Lucas Brakes	6/94 - 5/01	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4
1.9L Diesel With Teves Brakes	6/94 - 5/01	<b>DR273</b>	●		Vented	247	34.3	20.5	<b>18.5</b>	66	4
2.0L Petrol	6/94 - 5/01	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4
1.8L	6/94 - 5/01	<b>DR276</b>		●	Solid	247	25.3	8	<b>6</b>	71	4
2.0L Petrol	6/94 - 5/01	<b>DR276</b>		●	Solid	247	25.3	8	<b>6</b>	71	4
2.0L Check OD	97 - 5/01	<b>DR275</b>	●		Vented	283	27.2	22	<b>20</b>	66	4
2.0L Check OD	97 - 5/01	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4
2.0L Diesel	6/99 - 5/01	<b>DR276</b>		●	Solid	247	25.3	8	<b>6</b>	71	4

### 307

With ESP	8/00 on	<b>DR12312</b>	●		Vented	283	34.2	26	<b>24</b>	66	4
Without ESP	8/00 on	<b>DR12332</b>	●		Vented	266	34.2	22	<b>20</b>	66	4
From Chass 9898 (Takes 59.9 OD Bearing)	8/00 on	<b>DR12543</b>		●	Solid	249	67.2	9	<b>8</b>	Hub	4
To Chass 9897	8/00 on	<b>DR12387</b>		●	Solid	246.5	35	9	<b>8</b>	71	4
2.0L Hdi & 2.0L 16V	6/05 on	<b>DR12728</b>	●		Vented	302	34	26	<b>24</b>	66	4
Without brg & ABS ring (Takes 62mm Brg)	06 on	<b>DR12556</b>		●	Solid	249	69.2	9	<b>7</b>	Hub	4

### 308

1.4 & 1.6L	9/07 on	<b>DR12312</b>	●		Vented	283	34.2	26	<b>24</b>	66	4
------------	---------	----------------	---	--	--------	-----	------	----	-----------	----	---



## PEUGEOT

### 405

1.9L Petrol	10/88 - 8/92	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4
1.9L Petrol	10/88 - 8/92	<b>DR12056</b>		●	Solid	247	34	10	<b>8</b>	71	4
1.9L Diesel With Bendix Brakes	8/92 - 10/95	<b>DR12055</b>	●		Solid	266	27	10	<b>8</b>	66	4
1.9L Diesel With Lucas Brakes	8/92 - 10/95	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4
2.0L Petrol	8/92 - 10/95	<b>DR274</b>	●		Vented	266	27.5	20.4	<b>18.5</b>	66	4
1.9L Diesel	8/92 - 10/95	<b>DR12056</b>		●	Solid	247	34	10	<b>8</b>	71	4
2.0L Petrol	8/92 - 10/95	<b>DR12056</b>		●	Solid	247	34	10	<b>8</b>	71	4

### 406

1.8L 16V	11/95 - 10/00	<b>DR12052</b>	●		Vented	260	28.2	24	<b>22</b>	66	4
1.8L 16V	11/95 - 10/00	<b>DR278</b>		●	Solid	290	60	10	<b>8</b>	71	4
2.0L Petrol & Diesel Turbo	4/96 - 5/04	<b>DR277</b>	●		Vented	283	28.2	26	<b>24.2</b>	66	4
2.0L Petrol & Diesel Turbo	4/96 - 5/04	<b>DR278</b>		●	Solid	290	60	10	<b>8</b>	71	4
2.1L 12V Diesel Turbo	1/97 - 8/99	<b>DR12052</b>	●		Vented	260	28.2	24	<b>22</b>	66	4
3.0L 24V Petrol	10/97 - 7/03	<b>DR277</b>	●		Vented	283	28.2	26	<b>24.2</b>	66	4
3.0L V6 Coupe With Front Brembo Caliper	10/97 - 12/04	<b>DR12182</b>	●		Vented	305	28	28	<b>26</b>	66	4
2.1L 12V Diesel Turbo	1/97 - 8/99	<b>DR278</b>		●	Solid	290	60	10	<b>8</b>	71	4
3.0L 24V Petrol	10/97 - 7/03	<b>DR278</b>		●	Solid	290	60	10	<b>8</b>	71	4

### 407

2.0L Petrol & Diesel	04 on	<b>DR12633</b>	●		Vented	283	48	26	<b>24</b>	71.1	5
2.2i 16V, 3.0i V6 24V & 2.7 Hdi	04 on	<b>DR12359</b>	●		Vented	330	48	30	<b>28</b>	71	5
All Models	04 on	<b>DR12360</b>		●	Solid	290	35	12	<b>10</b>	71	5

### 504

1.8L, 2.0L & 2.3L	70 - 82	<b>DR270</b>	●		Solid	273	43	12.5	<b>10.7</b>	76	4
1.8L, 2.0L & 2.3L	70 - 82	<b>DR272</b>	●		Vented	273	43	20	<b>18.5</b>	76	4
1.8L, 2.0L & 2.3L	70 - 82	<b>DR271</b>		●	Solid	273	24.5	12	<b>10.8</b>	79	4

### 505

2.0L, 2.2L, 2.3L & 2.5L	80 - 88	<b>DR270</b>	●		Solid	273	43	12.5	<b>10.7</b>	76	4
2.0L, 2.2L, 2.3L & 2.5L	80 - 88	<b>DR272</b>	●		Vented	273	43	20	<b>18.5</b>	76	4
2.0L, 2.2L, 2.3L & 2.5L	80 - 88	<b>DR271</b>		●	Solid	273	24.5	12	<b>10.8</b>	79	4

### 604

2.7L	78 - 82	<b>DR272</b>	●		Vented	273	43	20	<b>18.5</b>	76	4
2.7L	78 - 82	<b>DR271</b>		●	Solid	273	24.5	12	<b>10.8</b>	79	4


### 605

3.0L Petrol & Diesel	3/91 on	<b>DR12049</b>	●		Vented	283	48	26	<b>24</b>	71	5
3.0L Petrol & Diesel	3/91 on	<b>DR12050</b>		●	Solid	290	40	10	<b>8</b>	71	5

### 607

3.0L Petrol	00 on	<b>DR12293</b>	●		Vented	309	43	32	<b>30</b>	71	5
3.0L Petrol	00 on	<b>DR12294</b>		●	Solid	290	51	10	<b>8</b>	71	5

# Disc Rotors



## PEUGEOT

### Expert

2.0L SWB & LWB	1/07 on	<b>DR12566</b>	●		Vented	304	48.5	28	<b>26</b>	71	5
2.0L SWB & LWB	1/07 on	<b>DR12567</b>		●	Solid	290	49.2	14	<b>13</b>	71	5

### Partner

1.6L 55 & 66kw	4/08 on	<b>DR12312</b>	●		Vented	283	34.2	26	<b>24</b>	66	4
----------------	---------	----------------	---	--	--------	-----	------	----	-----------	----	---

## PONTIAC

### Firebird

All Models	70 - 78	<b>DR12256</b>	●		Vented	279.6	118.1	26.3	<b>24.5</b>	Hub	5
Firebird	82 - 92	<b>DR12230</b>	●		Vented	266.7	109.3	26.3	<b>24.5</b>	Hub	5
Firebird	88 - 92	<b>DR12282</b>	●		Vented	301	118.1	26.3	<b>24.5</b>	Hub	5

### Trans am

All Models	70 - 78	<b>DR12256</b>	●		Vented	279.6	118.1	26.3	<b>24.5</b>	Hub	5
Trans am	82 - 92	<b>DR12230</b>	●		Vented	266.7	109.3	26.3	<b>24.5</b>	Hub	5
Trans am	88 - 92	<b>DR12282</b>	●		Vented	301	118.1	26.3	<b>24.5</b>	Hub	5


## PORSCHE

### 911

911	65 - 69	<b>DR396</b>	●		Solid	282	35	12.5	<b>11</b>	107	5
Carrera 2.2, 2.4, 2.7L	69 - 83	<b>DR394</b>	●		Vented	282	35	20	<b>19.1</b>	107	5
E,T,S,SC Sportsmatic	69 - 83	<b>DR394</b>	●		Vented	282	35	20	<b>19.1</b>	107	5
Turbo	69 - 83	<b>DR394</b>	●		Vented	282	35	20	<b>19.1</b>	107	5
Carrera 2.2, 2.4, 2.7, 3.0L	69 - 83	<b>DR395</b>		●	Vented	289	84	20	<b>18.7</b>	90	5
E,T,S,SC Sportsmatic	69 - 83	<b>DR395</b>		●	Vented	289	84	20	<b>18.7</b>	90	5
3.3L Turbo	9/77 - 11/90	<b>DR593</b>	●		Vented	282	35	24	<b>22.6</b>	107	5
3.2L	83 - 89	<b>DR593</b>	●		Vented	282	35	24	<b>22.6</b>	107	5
Carrera 3.6L	10/89 on	<b>DR590</b>	●		Vented	298	80	28	<b>26</b>	103	5
Carrera 3.6L	10/89 on	<b>DR591</b>		●	Vented	299	100	24	<b>22</b>	103	5
3.6L Carrera L/H	6/95 - 9/97	<b>DR12324</b>	●		Vented	304	72.1	32	<b>31.8</b>	103	5
3.6L Carrera R/H	6/95 - 9/97	<b>DR12325</b>	●		Vented	304	72.1	32	<b>31.8</b>	103	5
Carrera 3.6 & 3.8L L/H	7/04 on	<b>DR12745X</b>	●		Vented	318	67	28	<b>26</b>	98	5
Carrera 3.6 & 3.8L R/H	7/04 on	<b>DR12746X</b>	●		Vented	318	67	28	<b>26</b>	98	5
Carrera 3.6 & 3.8L	7/04 on	<b>DR12747X</b>		●	Vented	299	67	24	<b>22</b>	98	5

### 912

1.6L	65 - 69	<b>DR396</b>	●		Solid	282	35	12.5	<b>11</b>	107	5
------	---------	--------------	---	--	-------	-----	----	------	-----------	-----	---



## PORSCHE

### 924

2.0L	80 - 82	<b>DR397</b>	●		Solid	257	42	13	<b>11.5</b>	Hub	4
2.0L Turbo	80 - 82	<b>DR394</b>	●		Vented	282	35	20	<b>19.1</b>	107	5
2.0L Turbo	80 - 82	<b>DR399</b>		●	Vented	289	71	20	<b>18.6</b>	103	5

### 928

4.5L	9/77 - 8/82	<b>DR398</b>	●		Vented	282	60	20	<b>18</b>	90	5
4.5L	9/77 - 8/82	<b>DR399</b>		●	Vented	289	71	20	<b>18.6</b>	103	5
4.7L L/H	1/80 - 8/86	<b>DR597B</b>	●		Vented	282	60	32	<b>30.6</b>	90	5
4.7L R/H	1/80 - 8/86	<b>DR597A</b>	●		Vented	282	60	32	<b>30.6</b>	90	5
4.7L	84 - 9/87	<b>DR399</b>		●	Vented	289	71	20	<b>18.6</b>	103	5
5.0L Vane Patten Direction L/H	9/86 - 9/91	<b>DR392B</b>	●		Vented	304	77	32	<b>30</b>	103	5
5.0L Vane Patten Direction R/H	9/86 - 9/91	<b>DR392A</b>	●		Vented	304	77	32	<b>30</b>	103	5
5.4L	8/91 - 11/95	<b>DR393</b>		●	Vented	299	71.3	24	<b>22</b>	103	5

### 930

3.3L Turbo Front L/H	11/81 - 85	<b>DR592B</b>	●		Vented	304	57	32	<b>30</b>	107	5
3.3L Turbo Front R/H	11/81 - 85	<b>DR592A</b>	●		Vented	304	57	32	<b>30</b>	107	5
3.3L Turbo Rear L/H	11/81 - 88	<b>DR598B</b>		●	Vented	309	82	28	<b>26</b>	103	5
3.3L Turbo Rear R/H	11/81 - 88	<b>DR598A</b>		●	Vented	309	82	28	<b>26</b>	103	5

### 944

2.5L SOHC	4/82 - 89	<b>DR394</b>	●		Vented	282	35	20	<b>19.1</b>	107	5
2.5L SOHC	4/82 - 89	<b>DR399</b>		●	Vented	289	71	20	<b>18.6</b>	103	5
2.5L Turbo	85 - 86	<b>DR595</b>	●		Vented	298	45	28	<b>26</b>	103	5
2.5L Turbo	85 - 86	<b>DR393</b>		●	Vented	299	71.3	24	<b>22</b>	103	5
2.7L SOHC	11/88 - 8/89	<b>DR12062</b>	●		Vented	282	74.1	20.4	<b>19.1</b>	103	5
3.0L S2	12/88 - 8/89	<b>DR949</b>	●		Vented	298	74	28	<b>26</b>	103	5
3.0L S2 L/H	9/89 - 7/91	<b>DR392B</b>	●		Vented	304	77	32	<b>30</b>	103	5
3.0L S2 R/H	9/89 - 7/91	<b>DR392A</b>	●		Vented	304	77	32	<b>30</b>	103	5
3.0L S2	12/88 - 7/91	<b>DR591</b>		●	Vented	299	100	24	<b>22</b>	103	5

### Boxster


986	97 - 02	<b>DR12274</b>	●		Vented	298	67.2	23.9	<b>22</b>	98	5
986	97 - 02	<b>DR12275</b>		●	Vented	291	67.2	19.9	<b>18</b>	98	5
986 2.7L	9/02 on	<b>DR12274</b>	●		Vented	298	67.2	23.9	<b>22</b>	98	5
986 2.7L	9/02 on	<b>DR12275</b>		●	Vented	291	67.2	19.9	<b>18</b>	98	5

### Cayenne

4WD Left Hand	03 on	<b>DR12318</b>	●		Vented	350	69	34	<b>32</b>	85	5
4WD Right Hand	03 on	<b>DR12319</b>	●		Vented	350	69	34	<b>32</b>	85	5
With 17" Wheels L/H	04 on	<b>DR12354</b>	●		Vented	330	69	32	<b>30</b>	85	5
With 17" Wheels R/H	04 on	<b>DR12355</b>	●		Vented	330	69	32	<b>30</b>	85	5
With 17" Wheels	04 on	<b>DR12356</b>		●	Vented	330	74.8	28	<b>26</b>	85	5



# Disc Rotors



## PROTON

### Gen.2

CM 1.6L	10/04 on	DR2140	●		Vented	266	44	22	20.4	69	4
CM 1.6L	10/04 on	DR2141		●	Solid	280	41	12	10.4	90	4

### Jumbuck

1.5L Ute	5/02 on	DR414	●		Vented	256	45	24	22.4	64	4
----------	---------	-------	---	--	--------	-----	----	----	------	----	---

### M21

1.8L	10/97 on	DR414	●		Vented	256	45	24	22.4	64	4
1.8L	10/97 on	DR410		●	Solid	260	41	10	8.4	64	4

### Persona

Compact 1.3L	11/95 - 6/00	DR408	●		Solid	235	45	13	11.4	64	4
1.5L	11/96 on	DR413	●		Vented	235	45	18	16.4	64	4
1.6L	11/96 on	DR414	●		Vented	256	45	24	22.4	64	4
1.6L	11/96 on	DR410		●	Solid	260	41	10	8.4	64	4

### Satria

1.5L	11/96 on	DR413	●		Vented	235	45	18	16.4	64	4
1.3L C90	99 - 02	DR408	●		Solid	235	45	13	11.4	64	4
1.8L	99 - 04	DR414	●		Vented	256	45	24	22.4	64	4
1.8L	99 - 04	DR410		●	Solid	260	41	10	8.4	64	4

### Satria Neo

1.6L	07 on	DR12758	●		Vented	270	37.3	22	20.4	69	4
1.6L	07 on	DR2141		●	Solid	280	41	12	10.4	90	4

### Savvy

BT 1.1L	10/05 on	DR12767	●		Vented	236	47	20	18.4	64	4
---------	----------	---------	---	--	--------	-----	----	----	------	----	---

### Waja

1.6L Sedan	01 on	DR415	●		Vented	256	45	24	22.4	69	4
1.6L Sedan	01 on	DR887		●	Solid	260	41	10	8.4	90	4

### Wira

1.5L	5/95 on	DR413	●		Vented	235	45	18	16.4	64	4
1.6L	5/95 on	DR414	●		Vented	256	45	24	22.4	64	4
1.5 & 1.6L	5/95 on	DR410		●	Solid	260	41	10	8.4	64	4


## RAMBLER

### Ambassador

5.6L	65 - 70	DR065	●		Solid	280	53.5	12.5	11.5	79	5
------	---------	-------	---	--	-------	-----	------	------	------	----	---

### American

3.2L	65 - 70	DR065	●		Solid	280	53.5	12.5	11.5	79	5
------	---------	-------	---	--	-------	-----	------	------	------	----	---



## RAMBLER

### AMX

AMX	68 - 70	<b>DR065</b>	●		Solid	280	53.5	12.5	<b>11.5</b>	79	5
-----	---------	--------------	---	--	-------	-----	------	------	-------------	----	---

### Classic

4.7L V8	65 - 66	<b>DR065</b>	●		Solid	280	53.5	12.5	<b>11.5</b>	79	5
---------	---------	--------------	---	--	-------	-----	------	------	-------------	----	---

### Hornet

3.8L & 4.2L	1970	<b>DR065</b>	●		Solid	280	53.5	12.5	<b>11.5</b>	79	5
-------------	------	--------------	---	--	-------	-----	------	------	-------------	----	---

### Javelin

5.6L & 6.4L	68 - 70	<b>DR065</b>	●		Solid	280	53.5	12.5	<b>11.5</b>	79	5
-------------	---------	--------------	---	--	-------	-----	------	------	-------------	----	---

### Rebel

4.8L & 5.6L	68 - 70	<b>DR065</b>	●		Solid	280	53.5	12.5	<b>11.5</b>	79	5
-------------	---------	--------------	---	--	-------	-----	------	------	-------------	----	---

## RENAULT

### 12

1.3L & 1.4L	71 - 76	<b>DR345</b>	●		Solid	227.5	38.5	10	<b>9</b>	83	6
1.3L & 1.4L	71 - 76	<b>DR345</b>		●	Solid	227.5	38.5	10	<b>9</b>	83	6

### 15

1.6L	9/72 - 12/78	<b>DR345</b>	●		Solid	227.5	38.5	10	<b>9</b>	83	6
1.6L	9/72 - 12/78	<b>DR345</b>		●	Solid	227.5	38.5	10	<b>9</b>	83	6

### 16

R16 R1150	65 - 68	<b>DR347</b>	●		Solid	250	45	9	<b>8</b>	84	3
R16	68 - 77	<b>DR344</b>	●		Solid	254	40	12	<b>11</b>	84	3

### 17

R17 TL, TS Gordini	73 - 76	<b>DR343</b>	●		Vented	228	45.5	20	<b>19</b>	83	6
R17 TL, TS Gordini	73 - 76	<b>DR345</b>		●	Solid	227.5	38.5	10	<b>9</b>	83	6


### 18

R18 GTS (R1340,R1341)	80 - 82	<b>DR345</b>	●		Solid	227.5	38.5	10	<b>9</b>	83	6
R18 GTS (R1342,R1343)	80 - 83	<b>DR346A</b>	●		Vented	238.5	46.5	20	<b>17.7</b>	60	4
R18 GTS (R1352,R1353)	80 - 83	<b>DR346A</b>	●		Vented	238.5	46.5	20	<b>17.7</b>	60	4
R18 GTS (R1340,R1341)	80 - 82	<b>DR345</b>		●	Solid	227.5	38.5	10	<b>9</b>	83	6
R18 GTS (R1342,R1343)	80 - 83	<b>DR345</b>		●	Solid	227.5	38.5	10	<b>9</b>	83	6
R18 GTS (R1352,R1353)	80 - 83	<b>DR345</b>		●	Solid	227.5	38.5	10	<b>9</b>	83	6
R18 GTS (R1341,R1351)	82 - 83	<b>DR643</b>	●		Solid	238.5	45.5	12	<b>10.5</b>	60	4
R18 GTS( R1350,R1351)	82 - 83	<b>DR345</b>	●		Solid	227.5	38.5	10	<b>9</b>	83	6
R18 GTS (R1341,R1351)	82 - 83	<b>DR345</b>		●	Solid	227.5	38.5	10	<b>9</b>	83	6
R18 GTS( R1350,R1351)	82 - 83	<b>DR345</b>		●	Solid	227.5	38.5	10	<b>9</b>	83	6

### 19

GTX, TXE 1.7 & 1.8L	88 on	<b>DR351</b>	●		Vented	238	41	20.1	<b>17.7</b>	61	4
---------------------	-------	--------------	---	--	--------	-----	----	------	-------------	----	---

# Disc Rotors



## RENAULT

### 19

GTX, TXE 1.7 & 1.8L	88 on	<b>DR12068</b>		●	Solid	238	74.6	8	<b>7</b>	Hub	4
Without ABS	91 on	<b>DR12190</b>	●		Vented	258.6	41	20.7	<b>17.7</b>	61	4
Without ABS	91 on	<b>DR12191</b>		●	Solid	238	74.6	8	<b>7</b>	Hub	4

### 21

2.0i, 2.2i GTX/RX/TXE	86 - 93	<b>DR12066</b>	●		Vented	265	31.6	20.5	<b>17.7</b>	61	4
2.0i, 2.2i GTX/RX/TXE	86 - 93	<b>DR12067</b>		●	Solid	255	30.6	10.5	<b>9.5</b>	66	4

### 25

2.2L	84 - 92	<b>DR12065</b>	●		Vented	259	46.3	20.3	<b>17.7</b>	61	4
2.2L	84 - 92	<b>DR12095</b>		●	Solid	254	54.3	12	<b>10.5</b>	66	4
2.9L V6	85 - 92	<b>DR12192</b>	●		Vented	280	58.2	22	<b>20</b>	61	5
2.9L V6	85 - 92	<b>DR12193</b>		●	Solid	254	54.3	12	<b>10.5</b>	66	5

### Caravelle

Caravelle	62 - 68	<b>DR350</b>	●		Solid	260	40	7	<b>6</b>	60	3
-----------	---------	--------------	---	--	-------	-----	----	---	----------	----	---

### Clio

1.4 & 1.6L, 2.0L	12/01 on	<b>DR12190</b>	●		Vented	258.6	41	20.7	<b>17.7</b>	61	4
Clio III	4/03 on	<b>DR12485</b>		●	Solid	240	80.6	8	<b>7</b>	Hub	4

### Clio Sport

2.0L 16V	01 on	<b>DR12295</b>	●		Vented	280	44	24	<b>21.8</b>	61	4
----------	-------	----------------	---	--	--------	-----	----	----	-------------	----	---

### Dauphine

Dauphine	62 - 68	<b>DR350</b>	●		Solid	260	40	7	<b>6</b>	60	3
----------	---------	--------------	---	--	-------	-----	----	---	----------	----	---

### Floride

Floride	62 - 68	<b>DR350</b>	●		Solid	260	40	7	<b>6</b>	60	3
---------	---------	--------------	---	--	-------	-----	----	---	----------	----	---

### Fuego


GTX (R1362, R1363)	82 - 87	<b>DR346A</b>	●		Vented	238.5	46.5	20	<b>17.7</b>	60	4
TX, GTX (R1362, R1363)	82 - 87	<b>DR346B</b>	●		Vented	238.5	46.5	20	<b>17.7</b>	61	4
Fuego	82 on	<b>DR348</b>		●	Solid	238	48	11	<b>10</b>	60	4

### Kangoo

1.5L Diesel, 1.6L Petrol	9/99 on	<b>DR12190</b>	●		Vented	258.6	41	20.7	<b>17.7</b>	61	4
--------------------------	---------	----------------	---	--	--------	-------	----	------	-------------	----	---

### Laguna

2.0i (B56C/H)	94 on	<b>DR12126</b>	●		Vented	262	44	22	<b>19.8</b>	61	4
2.0i 16V, 3.0 V6	94 on	<b>DR12297</b>	●		Vented	280	44	24	<b>21.8</b>	61	5
2.0i (B56C/H)	94 on	<b>DR12096</b>		●	Solid	265	44.4	10.5	<b>9.5</b>	66	4
2.0i 16V, 3.0 V6	94 on	<b>DR12064</b>		●	Solid	265	44.4	10.5	<b>9.5</b>	66	5
EA II Cabrolet	99 on	<b>DR12295</b>	●		Vented	280	44	24	<b>21.8</b>	61	4
EA II Cabrolet	99 on	<b>DR12296</b>		●	Solid	238	74.6	8	<b>7</b>	52.3	4
Laguna II 1.6, 1.8, 1.9, 2.0 & 2.2L	01 on	<b>DR12417</b>	●		Vented	300	47	26	<b>23.8</b>	61	5
Laguna II 3.0L V6 24v	3/01 on	<b>DR12453</b>	●		Vented	308	47	28	<b>25.4</b>	61	5
Laguna II	01 on	<b>DR12418</b>		●	Solid	274	82.2	10.9	<b>9.5</b>	Hub	5



## RENAULT

### Master

2.5L	10/03 on	<b>DR12546</b>	●		Vented	305	78	28	<b>26</b>	90	5
2.5L	10/03 on	<b>DR12547</b>		●	Solid	305	67	12	<b>10.5</b>	90	5

### Megane

1.6L	10/96 - 3/99	<b>DR351</b>	●		Vented	238	41	20.1	<b>17.7</b>	61	4
1.6, 2.0L 16V, 1.9L	3/99 on	<b>DR12295</b>	●		Vented	280	44	24	<b>21.8</b>	61	4
Megane II	11/02 on	<b>DR12485</b>		●	Solid	240	80.6	8	<b>7</b>	Hub	4
Sport 2.0L Turbo	04 - 06	<b>DR12757</b>	●		Vented	312	63	28	<b>26</b>	61	5

### Scenic

1.6L & 2.0L	00 - 8/03	<b>DR12675</b>		●	Solid	274	82	11	<b>9.5</b>	Hub	4
2WD JA 1.6 & 2.0L	01 - 03	<b>DR12295</b>	●		Vented	280	44	24	<b>21.8</b>	61	4
4WD JA13 RX4	01 on	<b>DR12297</b>	●		Vented	280	44	24	<b>21.8</b>	61	5
1.9, 2.0L RX4	01 - 8/03	<b>DR12542</b>		●	Solid	265	44.3	10.5	<b>9.5</b>	61	5
Scenic II 1.9L & 2.0L	6/03 on	<b>DR12593</b>	●		Vented	300	43.7	24	<b>21.8</b>	61	4
Scenic II 1.9L & 2.0L (Takes 55mm OD Bea	6/03 on	<b>DR12594</b>		●	Solid	270	80.7	10	<b>9</b>	Hub	4

### Trafic

Trafic II 1.9, 2.0 & 2.5L	3/01 on	<b>DR12558</b>	●		Vented	305	49.8	28	<b>24</b>	72	5
---------------------------	---------	----------------	---	--	--------	-----	------	----	-----------	----	---

### Virage

1.4	76 - 80	<b>DR345</b>	●		Solid	227.5	38.5	10	<b>9</b>	83	6
-----	---------	--------------	---	--	-------	-------	------	----	----------	----	---

## ROVER

### 75

2.0 & 2.5 V6 24v	99 on	<b>DR12321</b>	●		Vented	284	38.2	22	<b>19</b>	64.2	5
2.0 & 2.5 V6 24v	99 on	<b>DR12329</b>		●	Solid	280	61.8	10	<b>8</b>	64.2	5

### 416

BA1	5/86 - 90	<b>DR187</b>	●		Vented	242	44.5	19	<b>17</b>	61	4
-----	-----------	--------------	---	--	--------	-----	------	----	-----------	----	---

### 825

2.5, 2.7L V6	86 on	<b>DR12093</b>	●		Vented	285	51	21	<b>19</b>	64	4
2.5, 2.7L V6	86 - 91	<b>DR12094</b>		●	Solid	260	43	10	<b>8.5</b>	64	4

### 827

2.5, 2.7L V6	86 on	<b>DR12093</b>	●		Vented	285	51	21	<b>19</b>	64	4
2.5, 2.7L V6	88 - 99	<b>DR12094</b>		●	Solid	260	43	10	<b>8.5</b>	64	4


### 3500

SDI, SE & Vanden Plas	79 - 87	<b>DR089</b>	●		Solid	257	75	14.5	<b>13</b>	75.5	5
-----------------------	---------	--------------	---	--	-------	-----	----	------	-----------	------	---

### Quintet

SU 12.5mm Dia.Holes	83 - 86	<b>DR190</b>	●		Solid	231	50	12	<b>10</b>	61	4
---------------------	---------	--------------	---	--	-------	-----	----	----	-----------	----	---

# Disc Rotors



## SAAB

### 9-3

2.0L, 2.3L	2/98 - 8/03	<b>DR825</b>	●		Vented	287.8	42.3	25	<b>22</b>	70	5
2.0L, 2.3L	2/98 - 8/03	<b>DR826</b>		●	Solid	286	69	10	<b>8</b>	65.5	5
1.9L Diesel Turbo	9/02 on	<b>DR12428</b>	●		Vented	285	42	25	<b>22</b>	70	5
1.9L Diesel Turbo	9/02 on	<b>DR12386</b>	●		Vented	314	45.1	28	<b>25</b>	70	5
2.0L Turbo	9/02 on	<b>DR12386</b>	●		Vented	314	45.1	28	<b>25</b>	70	5
2.0L Turbo With 15" Wheels	9/02 - 6/03	<b>DR12428</b>	●		Vented	285	42	25	<b>22</b>	70	5
2.0L Turbo With 16" Wheels	9/02 - 6/03	<b>DR12401</b>	●		Vented	302	45	28	<b>25</b>	70	5
1.9L Diesel Turbo	9/02 on	<b>DR12395</b>		●	Solid	278	41.5	12	<b>10</b>	65	5
2.0L Turbo With 15" Wheels	9/02 on	<b>DR12395</b>		●	Solid	278	41.5	12	<b>10</b>	65	5
2.0L Turbo With 16" Wheels	9/02 on	<b>DR12430</b>		●	Vented	292	41.5	20	<b>18</b>	65.5	5
2.8L V6 Turbo	3/05 on	<b>DR12386</b>	●		Vented	314	45.1	28	<b>25</b>	70	5
2.8L V6 Turbo	3/05 on	<b>DR12430</b>		●	Vented	292	41.5	20	<b>18</b>	65.5	5

### 9-5


2.0L	9/97 on	<b>DR825</b>	●		Vented	287.8	42.3	25	<b>22</b>	70	5
2.3L Turbo	9/97 - 9/99	<b>DR825</b>	●		Vented	287.8	42.3	25	<b>22</b>	70	5
2.0L	9/97 - 6/99	<b>DR826</b>		●	Solid	286	69	10	<b>8</b>	65.5	5
2.0L	7/99 on	<b>DR12420</b>		●	Solid	286	69.2	10	<b>8</b>	65.5	5
2.3L Turbo	10/99 on	<b>DR12443</b>	●		Vented	308	42	25	<b>22</b>	70	5
2.3L Turbo	9/97 on	<b>DR12420</b>		●	Solid	286	69.2	10	<b>8</b>	65.5	5
1.9L Diesel Turbo	1/06 on	<b>DR825</b>	●		Vented	287.8	42.3	25	<b>22</b>	70	5
1.9L Diesel Turbo	1/06 on	<b>DR826</b>		●	Solid	286	69	10	<b>8</b>	65.5	5

### 95 / 96 / 99

95 V4 Station Wagon	9/66 - 70	<b>DR386</b>	●		Solid	267	51	9.7	<b>8</b>	87.5	5
V4 Sports	9/66 - 70	<b>DR386</b>	●		Solid	267	51	9.7	<b>8</b>	87.5	5
95 V4 Station Wagon	9/66 - 70	<b>DR386</b>		●	Solid	267	51	9.7	<b>8</b>	87.5	5
V4 Sports	9/66 - 70	<b>DR386</b>		●	Solid	267	51	9.7	<b>8</b>	87.5	5
Sonnet V4 Coupe	67 - 70	<b>DR386</b>	●		Solid	267	51	9.7	<b>8</b>	87.5	5
Sonnet V4 Coupe	67 - 70	<b>DR386</b>		●	Solid	267	51	9.7	<b>8</b>	87.5	5
99E, EMS, Coupe	68 - 74	<b>DR387</b>	●		Solid	269	66.2	10.5	<b>9.5</b>	86	4
99E, EMS, Coupe	68 - 74	<b>DR387</b>		●	Solid	269	66.2	10.5	<b>9.5</b>	86	4
Sonnet 97 111	70 - 71	<b>DR386</b>	●		Solid	267	51	9.7	<b>8</b>	87.5	5
Sonnet 97 111	70 - 71	<b>DR386</b>		●	Solid	267	51	9.7	<b>8</b>	87.5	5
99L, EMS, Coupe	75 - 79	<b>DR385</b>	●		Solid	280	47.5	12.7	<b>11.7</b>	86	4
99L, EMS, Coupe	75 - 79	<b>DR387</b>		●	Solid	269	66.2	10.5	<b>9.5</b>	86	4

### 900

2.0L	9/85 - 7/87	<b>DR388</b>	●		Solid	280	65.6	12.8	<b>11.7</b>	86	4
2.0L	9/85 - 7/87	<b>DR387</b>		●	Solid	269	66.2	10.5	<b>9.5</b>	86	4
Turbo 16	86 - 88	<b>DR389</b>	●		Vented	280	70	20	<b>18.9</b>	86	4
2.0L & 2.0L Turbo, 2.1L	8/87 - 12/93	<b>DR430</b>	●		Vented	280	43	23.5	<b>21.5</b>	68	4
2.0L & 2.0L Turbo, 2.1L	8/87 - 12/93	<b>DR432</b>		●	Solid	258	43	9	<b>7.5</b>	68	4
2.0L, 2.3L & 2.5L	11/93 - 7/96	<b>DR433</b>	●		Vented	284	41	23.9	<b>21</b>	70	5



## SAAB

### 900

2.0L, 2.3L & 2.5L	11/93 - 7/96	<b>DR434</b>		●	Solid	260	69.2	10	<b>8</b>	65.5	5
2.0L, 2.3L & 2.5L	8/96 - 2/98	<b>DR825</b>	●		Vented	287.8	42.3	25	<b>22</b>	70	5
2.0L, 2.3L & 2.5L	8/96 - 2/98	<b>DR826</b>		●	Solid	286	69	10	<b>8</b>	65.5	5

### 9000

2.0L	1/89 - 1/93	<b>DR431</b>	●		Vented	280	44.5	25	<b>23</b>	68	4
2.0L	1/89 - 12/89	<b>DR430</b>	●		Vented	280	43	23.5	<b>21.5</b>	68	4
2.3L	8/89 - 12/89	<b>DR430</b>	●		Vented	280	43	23.5	<b>21.5</b>	68	4
2.3L	7/89 - 12/98	<b>DR431</b>	●		Vented	280	44.5	25	<b>23</b>	68	4
2.0L	1/89 - 1/93	<b>DR432</b>		●	Solid	258	43	9	<b>7.5</b>	68	4
2.3L	7/89 - 12/98	<b>DR432</b>		●	Solid	258	43	9	<b>7.5</b>	68	4
3.0L	7/94 - 12/98	<b>DR431</b>	●		Vented	280	44.5	25	<b>23</b>	68	4
3.0L	7/94 - 12/98	<b>DR432</b>		●	Solid	258	43	9	<b>7.5</b>	68	4

## SEAT

### Cordoba

1.6, 1.8L	94 on	<b>DR240</b>	●		Solid	239	35	11.9	<b>10</b>	65	4
2.0L	94 on	<b>DR446</b>	●		Vented	256	38.8	20	<b>18</b>	65	4
2.0L	94 on	<b>DR832</b>		●	Solid	226	71.2	10	<b>8</b>	Hub	4

### Ibiza

1.4L From Chas: 6K-W-241400	1/95 - 1/97	<b>DR444</b>	●		Vented	239	38.5	20	<b>18</b>	65	4
1.4L to Chas: 6K-W-241400	1/95 - 1/97	<b>DR242</b>	●		Solid	239	39	10	<b>8</b>	65	4
1.4L With ABS	1/95 - 1/97	<b>DR240</b>	●		Solid	239	35	11.9	<b>10</b>	65	4
2.0L	1/95 - 1/97	<b>DR446</b>	●		Vented	256	38.8	20	<b>18</b>	65	4
2.0L	1/95 - 1/97	<b>DR832</b>		●	Solid	226	71.2	10	<b>8</b>	Hub	4

### Toledo

2.0L 8V	6/91 - 3/99	<b>DR446</b>	●		Vented	256	38.8	20	<b>18</b>	65	4
2.0L 8V	6/91 - 3/99	<b>DR832</b>		●	Solid	226	71.2	10	<b>8</b>	Hub	4
2.0L 16v	1/95 - 1/97	<b>DR835</b>	●		Vented	280	28.2	22	<b>20</b>	65	5
2.0L 16v	1/95 - 1/97	<b>DR834</b>		●	Solid	226	49	10	<b>8</b>	Hub	5


## SKODA

### Octavia

With PR No. 1ZE	2/04 on	<b>DR12498</b>	●		Vented	288	49.6	25	<b>22</b>	65	5
With PR No. 1ZF, 1ZM	2/04 on	<b>DR12382</b>	●		Vented	280	49.5	22	<b>19</b>	65	5
With PR No. 1KD	2/04 on	<b>DR12399</b>		●	Solid	255	51.3	10	<b>8</b>	65	5



# Disc Rotors



## SKODA

### Octavia

With PR No. 1KF	2/04 on	<b>DR12499</b>		●	Solid	260	48.3	12	<b>10</b>	65	5
-----------------	---------	----------------	--	---	-------	-----	------	----	-----------	----	---

### Roomster

1.6L, 1.9L With PR No. 1LN	9/06 on	<b>DR802</b>	●		Vented	288	34.2	25	<b>23</b>	65	5
1.6L, 1.9L With PR No. 1LQ, 1LR	9/06 on	<b>DR800</b>	●		Vented	255.8	36.7	22	<b>19</b>	65	5
1.6L, 1.9L	9/06 on	<b>DR803</b>		●	Solid	231.7	39.5	9	<b>7</b>	65	5

### Superb

2.5 & 2.8 V6	02 on	<b>DR12331</b>	●		Vented	312	46.2	25	<b>23</b>	68	10
--------------	-------	----------------	---	--	--------	-----	------	----	-----------	----	----

## SMART

### City Coupe

.7L Turbo	1/03 - 1/04	<b>DR12441</b>	●		Solid	280	38	9	<b>8</b>	58	3
-----------	-------------	----------------	---	--	-------	-----	----	---	----------	----	---

### Fortwo

.7L Turbo	1/04 on	<b>DR12441</b>	●		Solid	280	38	9	<b>8</b>	58	3
-----------	---------	----------------	---	--	-------	-----	----	---	----------	----	---

### Forfour

1.1, 1.3 & 15L	1/04 on	<b>DR12669</b>	●		Vented	256	45.6	24	<b>21.5</b>	69	4
1.1, 1.3 & 15L	1/04 on	<b>DR12756</b>		●	Solid	250	38.4	10	<b>8</b>	69	4

### Roadster

.7L Turbo	4/03 on	<b>DR12441</b>	●		Solid	280	38	9	<b>8</b>	58	3
-----------	---------	----------------	---	--	-------	-----	----	---	----------	----	---

## SSANGYONG

### Actyon

2.0L & 2.2L	10/06 on	<b>DR12586</b>	●		Vented	294	56.7	28	<b>26</b>	85	5
-------------	----------	----------------	---	--	--------	-----	------	----	-----------	----	---

### Korando

2.3L, 2.9L, 3.2L	97 on	<b>DR554</b>	●		Vented	278	40	24	<b>22</b>	88	6
2.3L, 2.9L, 3.2L	97 on	<b>DR555</b>		●	Solid	300	67	10.5	<b>8.5</b>	105	6

### Kryton


2.0L	5/05 on	<b>DR12586</b>	●		Vented	294	56.7	28	<b>26</b>	85	5
------	---------	----------------	---	--	--------	-----	------	----	-----------	----	---

### Musso

Musso	96 on	<b>DR554</b>	●		Vented	278	40	24	<b>22</b>	88	6
Musso	96 on	<b>DR555</b>		●	Solid	300	67	10.5	<b>8.5</b>	105	6

### Rexton

RX270	04 on	<b>DR12586</b>	●		Vented	294	56.7	28	<b>26</b>	85	5
RX290	03 - 04	<b>DR12487</b>	●		Vented	294	33	26	<b>24</b>	88	6



## SSANGYONG

### Rexton

RX270	04 on	<b>DR12782</b>	●		Vented	294	55.4	26	<b>24</b>	96	6
-------	-------	----------------	---	--	--------	-----	------	----	-----------	----	---

### Stavic

2.7 & 3.2L	05 on	<b>DR12515</b>	●		Vented	300	68	28	<b>26</b>	85	5
2.7 & 3.2L	05 on	<b>DR12516</b>		●	Vented	307	71	20	<b>18.4</b>	85	5

## SUBARU

### Brumby

A 69	78 - 89	<b>DR342</b>	●		Solid	229	46	10	<b>8.5</b>	70	4
AU	85 - 93	<b>DR640</b>	●		Vented	230	52	18	<b>15.5</b>	70	4

### Forester

Wagon ABS & Non-ABS	8/97 - 02	<b>DR648</b>	●		Vented	277	57	24	<b>22</b>	58	5
Wagon ABS & Non-ABS	8/97 on	<b>DR644</b>		●	Solid	266	66.8	10	<b>8.5</b>	58	5
X, XS 2.5L 112kW	02 - 08	<b>DR650</b>	●		Vented	294	57	24	<b>22</b>	58	5
2.5L & Turbo	08 on	<b>DR12640</b>	●		Vented	292	56.7	24	<b>22</b>	58	5


### Impreza

With 13" wheels	93 - 96	<b>DR645</b>	●		Vented	242	53	18	<b>16</b>	58	5
With 14" wheels, L, LS & LX	93 - 96	<b>DR642</b>	●		Vented	260	57	24	<b>22</b>	58	5
LS, LX	93 - 96	<b>DR644</b>		●	Solid	266	66.8	10	<b>8.5</b>	58	5
All models	97 - 98	<b>DR642</b>	●		Vented	260	57	24	<b>22</b>	58	5
Excl. RS	98 - 02	<b>DR642</b>	●		Vented	260	57	24	<b>22</b>	58	5
RS	98 - 09	<b>DR648</b>	●		Vented	277	57	24	<b>22</b>	58	5
RS	98 - 08	<b>DR644</b>		●	Solid	266	66.8	10	<b>8.5</b>	58	5
2.5i	09 on	<b>DR648</b>	●		Vented	277	57	24	<b>22</b>	58	5
2.5L GT	09 on	<b>DR12640</b>	●		Vented	292	56.7	24	<b>22</b>	58	5

### Legacy

BD5/BG5	9/93 - 12/98	<b>DR648</b>	●		Vented	277	57	24	<b>22</b>	58	5
BD5/BG5	9/93 - 12/98	<b>DR649</b>		●	Vented	266	67.5	18	<b>16</b>	58	5
Heritage 4WD	11/96 on	<b>DR648</b>	●		Vented	277	57	24	<b>22</b>	58	5
RX AWD LE & Sport	11/96 on	<b>DR648</b>	●		Vented	277	57	24	<b>22</b>	58	5
Heritage 4WD	11/96 on	<b>DR649</b>		●	Vented	266	67.5	18	<b>16</b>	58	5
RX AWD LE & Sport	11/96 on	<b>DR649</b>		●	Vented	266	67.5	18	<b>16</b>	58	5
All Sedans & Wagons	10/98 - 02	<b>DR657</b>		●	Solid	290	67.5	10	<b>8.5</b>	58	5
BE5/BH5	02 - 03	<b>DR650</b>	●		Vented	294	57	24	<b>22</b>	58	5
BE5/BH5	02 - 03	<b>DR653</b>		●	Vented	290	67.5	18	<b>16</b>	58	5
Touring Wagon	6/03 on	<b>DR12565</b>	●		Vented	316	56.7	30	<b>28</b>	58	5
Touring Wagon	6/03 on	<b>DR653</b>		●	Vented	290	67.5	18	<b>16</b>	58	5

# Disc Rotors



## SUBARU

### Leone

1400 A22,A32 All	74 - 79	DR342	●		Solid	229	46	10	8.5	70	4
1600 A26,A27,A67 All	74 - 79	DR342	●		Solid	229	46	10	8.5	70	4
1600 & 1800 4WD	80 - 84	DR340	●		Solid	229	52	12.5	10	70	4
1600, 1800	84 - 85	DR640	●		Vented	230	52	18	15.5	70	4
DL,GL All Models	85 - 94	DR641	●		Vented	242	44	18	16	70	4
DL,GL All Models	85 - 94	DR341		●	Solid	226	42.5	10	8.5	80	4

### Liberty


4WD Non-Turbo	1990 - 1994	DR642	●		Vented	260	57	24	22	58	5
4WD Turbo	1990 - 1994	DR648	●		Vented	277	57	24	22	58	5
4WD Non-Turbo	1990 - 1994	DR644		●	Solid	266	66.8	10	8.5	58	5
4WD Turbo	1990 - 1994	DR649		●	Vented	266	67.5	18	16	58	5
L	1995 - 01	DR642	●		Vented	260	57	24	22	58	5
L	1995 - 01	DR644		●	Solid	266	66.8	10	8.5	58	5
GT, Lsi, LTD	1996 - 99	DR648	●		Vented	277	57	24	22	58	5
LS	1996	DR642	●		Vented	260	57	24	22	58	5
GT, Lsi, LTD	1996 - 99	DR644		●	Solid	266	66.8	10	8.5	58	5
LS	1996	DR644		●	Solid	266	66.8	10	8.5	58	5
LS	1997	DR648	●		Vented	277	57	24	22	58	5
LS	1997	DR644		●	Solid	266	66.8	10	8.5	58	5
L, GT	2000 - 01	DR648	●		Vented	277	57	24	22	58	5
L, GT	2000 - 01	DR657		●	Solid	290	67.5	10	8.5	58	5
GT, LTD	2001 - 04	DR650	●		Vented	294	57	24	22	58	5
GT, LTD	2001 - 04	DR657		●	Solid	290	67.5	10	8.5	58	5
L, L-S	2002 - 04	DR648	●		Vented	277	57	24	22	58	5
L, L-S	2002 - 04	DR657		●	Solid	290	67.5	10	8.5	58	5
2.0L & 2.5i, 3.0L	2005	DR648	●		Vented	277	57	24	22	58	5
2.5L GT Turbo	2005 on	DR12565	●		Vented	316	56.7	30	28	58	5
2.0L & 2.5i, 3.0L	2005 on	DR12641		●	Solid	274	67.6	10	8.5	58	5
2.5L GT Turbo	2005 on	DR653		●	Vented	290	67.5	18	16	58	5
2.0L & 2.5i, 3.0L	2006 on	DR12640	●		Vented	292	56.7	24	22	58	5

### Outback

Le Wagon	9/96 - 6/98	DR644		●	Solid	266	66.8	10	8.5	58	5
Le Wagon	98 - 01	DR648	●		Vented	277	57	24	22	58	5
All Models	10/98 - 01	DR657		●	Solid	290	67.5	10	8.5	58	5
2.5L & 3.0L H6	01 - 06	DR650	●		Vented	294	57	24	22	58	5
2.5L & 3.0L H6	01 - 06	DR653		●	Vented	290	67.5	18	16	58	5
2.5L Turbo	06 on	DR12640	●		Vented	292	56.7	24	22	58	5
2.5L Turbo	06 on	DR12641		●	Solid	274	67.6	10	8.5	58	5

### Sherpa

KM3 2 Cyl	10/82 - 1/98	DR646	●		Solid	212	28	10	8.5	65	4
KN3 4 Cyl	2/88 - 12/89	DR647	●		Solid	212	18	9	7.5	65	4



## SUBARU

### Sherpa

KN4 Fiori	12/89 - 10/92	<b>DR647</b>	●		Solid	212	18	9	<b>7.5</b>	65	4
-----------	---------------	--------------	---	--	-------	-----	----	---	------------	----	---

### SVX

SVX	3/92 - 8/97	<b>DR652</b>	●		Vented	301.1	57	28	<b>26</b>	58	5
SVX	3/92 - 8/97	<b>DR651</b>		●	Solid	290	67.5	10	<b>8.5</b>	58	5

### Tribeca

2.0L & 3.6L Wagon	1/05 on	<b>DR12718</b>	●		Vented	315.5	56.6	30	<b>28</b>	58	5
2.0L & 3.6L Wagon	1/05 on	<b>DR12719</b>		●	Vented	319.6	65.8	18	<b>16</b>	58	5

### Vortex

AX4	85 - 94	<b>DR641</b>	●		Vented	242	44	18	<b>16</b>	70	4
AX4	85 - 94	<b>DR341</b>		●	Solid	226	42.5	10	<b>8.5</b>	80	4

### WRX

Turbo	94 - 98	<b>DR648</b>	●		Vented	277	57	24	<b>22</b>	58	5
Turbo	94 - 98	<b>DR644</b>		●	Solid	266	66.8	10	<b>8.5</b>	58	5
Turbo & Non-Turbo	99 - 03	<b>DR650</b>	●		Vented	294	57	24	<b>22</b>	58	5
Suits 4 Spot Caliper	99 - 00	<b>DR649</b>		●	Vented	266	67.5	18	<b>16</b>	58	5
R180 With 190mm Handbrake	01 - 04	<b>DR656</b>		●	Vented	290	67.5	18	<b>16</b>	58	5
Exc. Sti	03 - 08	<b>DR650</b>	●		Vented	294	57	24	<b>22</b>	58	5
Sti	03 - 10/04	<b>DR654</b>	●		Vented	326	53	30	<b>28</b>	58	5
Exc. Sti	03 - 05	<b>DR644</b>		●	Solid	266	66.8	10	<b>8.5</b>	58	5
Exc. Sti	06 - 08	<b>DR653</b>		●	Vented	290	67.5	18	<b>16</b>	58	5
Sti	03 - 10/04	<b>DR655</b>		●	Vented	316	67.5	20	<b>18</b>	58	5
Sti With 114.3 PCD	11/04 on	<b>DR12525</b>	●		Vented	326	53.1	30	<b>28</b>	58	5
Sti With 114.3 PCD	11/04 - 09	<b>DR12526</b>		●	Vented	316	67.5	20	<b>18</b>	58	5
Exc. Sti	09 on	<b>DR12640</b>	●		Vented	292	56.7	24	<b>22</b>	58	5

## SUZUKI

### Alto

Hatch SS80	81 - 89	<b>DR511</b>	●		Solid	213	33.5	11	<b>10</b>	86	4
1.0L	93 - 99	<b>DR022</b>	●		Vented	231	50	17	<b>15</b>	64	4
GF 1.0L	09 on	<b>DR12766</b>	●		Vented	231	51.4	20	<b>18</b>	60	4


### APV

1.6L	05 - 07	<b>DR12628</b>	●		Vented	249	44.1	18	<b>16</b>	64	5
------	---------	----------------	---	--	--------	-----	------	----	-----------	----	---

### Baleno

1.3i, 1.6i 16V	4/95 on	<b>DR519</b>	●		Vented	235	49.5	20	<b>18</b>	60	4
1.8 GTX	3/96 on	<b>DR520</b>	●		Vented	246	50	20	<b>18</b>	60	4
1.8 GTX	3/96 on	<b>DR521</b>		●	Solid	240	33	10	<b>8</b>	58	4

# Disc Rotors



## SUZUKI

### Carry

Van & Ute 1.3L GA413	99 on	<b>DR522</b>	●		Vented	231	44	17	<b>15</b>	60	4
----------------------	-------	--------------	---	--	--------	-----	----	----	-----------	----	---

### Grand Vitara

2.0L LWB, 2.5L & XL-7	4/98 on	<b>DR579</b>	●		Vented	310	29	22	<b>20</b>	108	5
SQ416 Soft-top & SQ420 Hard Top	10/98 on	<b>DR524</b>	●		Vented	287	29	17	<b>15</b>	108	5
JA627 2.7L V6 XL-7	01 - 05	<b>DR579</b>	●		Vented	310	29	22	<b>20</b>	108	5
4 Cyl & V6	06 on	<b>DR12531</b>	●		Vented	295	49.2	25	<b>23</b>	61.8	5

### Hatch

SS80V	81 - 85	<b>DR511</b>	●		Solid	213	33.5	11	<b>10</b>	86	4
-------	---------	--------------	---	--	-------	-----	------	----	-----------	----	---

### Ignis

SF413 1.3L 3/5 Door	94 on	<b>DR022</b>	●		Vented	231	50	17	<b>15</b>	64	4
Ignis 1.3L 3/5Door & Hatch	10/00 on	<b>DR523</b>	●		Vented	257	49	17	<b>15</b>	60	4

### Jimny

SN413 1.3L	98 on	<b>DR513</b>	●		Solid	290	46.5	10	<b>8</b>	107	5
------------	-------	--------------	---	--	-------	-----	------	----	----------	-----	---

### Liana

LH416, LH418	02 on	<b>DR520</b>	●		Vented	246	50	20	<b>18</b>	60	4
--------------	-------	--------------	---	--	--------	-----	----	----	-----------	----	---

### Mighty Boy

SS40T	84 - 88	<b>DR511</b>	●		Solid	213	33.5	11	<b>10</b>	86	4
-------	---------	--------------	---	--	-------	-----	------	----	-----------	----	---

### Sierra

1.0L 4WD SJ40,410,413	83 - 86	<b>DR510</b>	●		Solid	290	45.9	10	<b>9</b>	107	5
1.3L 4WD SJ50, 70, 80	10/84 - 1/96	<b>DR510</b>	●		Solid	290	45.9	10	<b>9</b>	107	5
Stockman MG410 Ute	90 - 99	<b>DR510</b>	●		Solid	290	45.9	10	<b>9</b>	107	5
SJ413, SJ80	96 - 10/98	<b>DR513</b>	●		Solid	290	46.5	10	<b>8</b>	107	5

### Super Carry

SK410 1.0L	85 - 88	<b>DR012</b>	●		Solid	215	33.5	10	<b>8</b>	86	4
------------	---------	--------------	---	--	-------	-----	------	----	----------	----	---

### Swift


SA310, SA413	2/85 - 88	<b>DR012</b>	●		Solid	215	33.5	10	<b>8</b>	86	4
GTi SA413, AA33S	10/86 - 88	<b>DR512</b>	●		Vented	231	52	17	<b>15</b>	64	4
SF310, 413, 416 SOHC	89 - 94	<b>DR022</b>	●		Vented	231	50	17	<b>15</b>	64	4
SF416, 413, Gti DOHC	89 - 98	<b>DR516</b>	●		Vented	250	47	18.5	<b>16.5</b>	64	4
GTi SF413	89 - 98	<b>DR517</b>		●	Solid	240	35	10	<b>8</b>	64	4
RS415 Sport	05 on	<b>DR12533</b>	●		Vented	276	40	20	<b>18</b>	62	5
SG 1.3L & 1.5L	5/05 on	<b>DR12611</b>	●		Vented	252	40	20	<b>18</b>	60	4
RS415 Sport	05 on	<b>DR12631</b>		●	Solid	278	43.5	9	<b>8</b>	62	5

### SX4

GYA 2.0L	06 on	<b>DR12727</b>	●		Vented	278	47	22	<b>20</b>	62	5
GYA 2.0L	06 on	<b>DR12631</b>		●	Solid	278	43.5	9	<b>8</b>	62	5

### Vitara

JX, JLX SE416 2 Door Hard Top	88 - 98	<b>DR513</b>	●		Solid	290	46.5	10	<b>8</b>	107	5
SE416 4 Door Wagon	91 - 98	<b>DR514</b>	●		Vented	287	46	17	<b>15</b>	107	5



## SUZUKI

### Vitara

SV420, SV620 2.0L 4 Door Wagon	96 - 4/98	<b>DR518</b>	●		Vented	310	46	22	<b>20</b>	107	5
--------------------------------	-----------	--------------	---	--	--------	-----	----	----	-----------	-----	---

### Wagon R+

1.0L 4Cyl	97 on	<b>DR515</b>	●		Vented	231	49	17	<b>15</b>	60	4
-----------	-------	--------------	---	--	--------	-----	----	----	-----------	----	---

### X-90

1.6L	95 - 98	<b>DR513</b>	●		Solid	290	46.5	10	<b>8</b>	107	5
------	---------	--------------	---	--	-------	-----	------	----	----------	-----	---

### XL-7

V6 4WD	01 - 04	<b>DR12349</b>	●		Vented	310	29.1	22	<b>20</b>	108.4	5
--------	---------	----------------	---	--	--------	-----	------	----	-----------	-------	---

## TOYOTA

### 4 Runner

LN60, YN60	8/83 - 7/98	<b>DR154</b>	●		Solid	302	49	12.7	<b>11.5</b>	100	6
LN61	8/85 - 8/88	<b>DR780</b>	●		Vented	289	64.5	20	<b>18</b>	100	6
YN63	8/85 - 3/89	<b>DR780</b>	●		Vented	289	64.5	20	<b>18</b>	100	6
LN130, RN130, VZN130, YN130	8/88 - 8/91	<b>DR780</b>	●		Vented	289	64.5	20	<b>18</b>	100	6
LN130, RN130, VZN130	8/91 - 11/95	<b>DR775</b>	●		Vented	291	66	25	<b>23</b>	100	6

### Aurion

GSV40R	6/06 on	<b>DR12440</b>	●		Vented	295	49	28	<b>26.4</b>	62	5
GSV40R	6/06 on	<b>DR12435</b>		●	Solid	286	66	10	<b>8.5</b>	62	5

### Avalon

MCX10	4/00 - 9/03	<b>DR735</b>	●		Vented	275	49.5	28	<b>26</b>	62	5
MCX10	4/00 - 9/03	<b>DR757</b>		●	Solid	291	64.7	9	<b>8</b>	62	5
MCX10	9/03 - 6/05	<b>DR12434</b>	●		Vented	275	50	28	<b>26</b>	62	5
MCX10	9/03 - 6/05	<b>DR12435</b>		●	Solid	286	66	10	<b>8.5</b>	62	5

### Avensis Verso

ACM20, ACM21	5/01 on	<b>DR735</b>	●		Vented	275	49.5	28	<b>26</b>	62	5
ACM20, ACM21	5/01 on	<b>DR697</b>		●	Solid	291	68.5	12	<b>10.5</b>	62	5

### Blizzard


LD10 4WD	82 - 4/84	<b>DR292</b>	●		Solid	277	30	12.5	<b>11.5</b>	96	5
----------	-----------	--------------	---	--	-------	-----	----	------	-------------	----	---

### Camry

SV11	3/83 - 10/86	<b>DR149</b>	●		Vented	243	45	22	<b>21</b>	54	5
SV20 Series I & II	11/86 - 4/89	<b>DR730</b>	●		Vented	255	47.5	22	<b>21</b>	54	5
SV20 Series I & II	11/86 - 4/89	<b>DR741</b>		●	Solid	269	65	10	<b>9</b>	54	5
SV21, SV22	87 - 10/92	<b>DR730</b>	●		Vented	255	47.5	22	<b>21</b>	54	5
SV21, SV22	87 - 10/92	<b>DR741</b>		●	Solid	269	65	10	<b>9</b>	54	5
VZV20 Series I & II	2/88 - 10/92	<b>DR732</b>	●		Vented	255	48	25	<b>24</b>	54	5
VZV21, VZV22	2/88 - 10/92	<b>DR732</b>	●		Vented	255	48	25	<b>24</b>	54	5



# Disc Rotors



## TOYOTA

### Camry


VZV20 Series I & II	2/88 - 10/92	<b>DR741</b>		●	Solid	269	65	10	<b>9</b>	54	5
VZV21, VZV22	2/88 - 10/92	<b>DR741</b>		●	Solid	269	65	10	<b>9</b>	54	5
SDV10, SVX10 4Cyl	11/92 - 7/97	<b>DR733</b>	●		Vented	255	49	28	<b>26</b>	62	5
VCV10,VDV10 Vienta V6	8/92 - 8/97	<b>DR735</b>	●		Vented	275	49.5	28	<b>26</b>	62	5
VCV10, VDV10 All Sedans	8/92 - 8/97	<b>DR736</b>		●	Solid	269	65	10	<b>9</b>	62	5
VDV10 V6 All Wagons	11/92 - 7/97	<b>DR734</b>		●	Solid	288	65	10	<b>9</b>	62	5
MCV20	7/97 - 02	<b>DR735</b>	●		Vented	275	49.5	28	<b>26</b>	62	5
SVX20	7/97 - 02	<b>DR733</b>	●		Vented	255	49	28	<b>26</b>	62	5
MCV20	7/97 - 02	<b>DR736</b>		●	Solid	269	65	10	<b>9</b>	62	5
SVX20	7/97 - 02	<b>DR736</b>		●	Solid	269	65	10	<b>9</b>	62	5
ACV & MCV36	8/02 - 6/06	<b>DR12434</b>	●		Vented	275	50	28	<b>26</b>	62	5
ACV & MCV36	8/02 - 6/06	<b>DR12435</b>		●	Solid	286	66	10	<b>8.5</b>	62	5
ACV40R	6/06 on	<b>DR12440</b>	●		Vented	295	49	28	<b>26.4</b>	62	5
ACV40R	6/06 on	<b>DR12435</b>		●	Solid	286	66	10	<b>8.5</b>	62	5

### Celica

TA22, TA23	71 - 7/77	<b>DR139</b>	●		Solid	228	17.9	10	<b>9</b>	64	4
RA23, RA28 Lift back	76 - 7/77	<b>DR140</b>	●		Solid	254	16	12.7	<b>11.5</b>	73	4
RA40, RA40B	8/77 - 7/81	<b>DR140</b>	●		Solid	254	16	12.7	<b>11.5</b>	73	4
MA61, RA65 2.4L	8/81 - 12/85	<b>DR146</b>	●		Vented	258	26	20	<b>19</b>	76	4
RA60 Coupe Lift Back	8/81 - 9/83	<b>DR146</b>	●		Vented	258	26	20	<b>19</b>	76	4
SA63	8/81 - 12/85	<b>DR146</b>	●		Vented	258	26	20	<b>19</b>	76	4
ST162 ST	8/86 - 8/87	<b>DR740</b>	●		Vented	243	48	22	<b>21</b>	54	4
ST162 SX	8/86 - 8/89	<b>DR739</b>	●		Vented	258	47.5	22	<b>21</b>	54	5
ST162 SX	8/86 - 8/89	<b>DR741</b>		●	Solid	269	65	10	<b>9</b>	54	5
ST183	9/89 - 8/91	<b>DR742</b>	●		Vented	255	46	22	<b>20</b>	54	5
ST184 2WD	10/89 - 8/91	<b>DR742</b>	●		Vented	255	46	22	<b>20</b>	54	5
ST184 2WD	8/91 - 11/93	<b>DR743</b>	●		Vented	278	46	25	<b>23</b>	54	5
ST185 4WD	10/89 - 11/93	<b>DR743</b>	●		Vented	278	46	25	<b>23</b>	54	5
ST184 2WD	10/89 - 11/93	<b>DR741</b>		●	Solid	269	65	10	<b>9</b>	54	5
ST185 4WD	10/89 - 11/93	<b>DR744</b>		●	Solid	288	60	10	<b>9</b>	54	5
ST204 2WD & GT	11/93 - 8/99	<b>DR747</b>	●		Vented	275	49	28	<b>26</b>	55	5
ST204 2WD & GT	11/93 - 8/95	<b>DR741</b>		●	Solid	269	65	10	<b>9</b>	54	5
ST205 4WD	2/94 on	<b>DR560</b>	●		Vented	315	59	32	<b>30</b>	55	5
ST205 4WD	2/94 on	<b>DR561</b>		●	Vented	315	59	16	<b>15</b>	55	5
ST202	8/95 - 8/99	<b>DR747</b>	●		Vented	275	49	28	<b>26</b>	55	5
ST202	8/95 - 8/99	<b>DR764</b>		●	Solid	269	65	9	<b>8</b>	55	5
ST204 2WD & GT	8/95 - 8/99	<b>DR764</b>		●	Solid	269	65	9	<b>8</b>	55	5
ZZT231 1.8L DOHC	8/99 - 9/05	<b>DR562</b>	●		Vented	275	49.5	25	<b>23</b>	55	5
ZZT231 1.8L DOHC	8/99 - 9/05	<b>DR563</b>		●	Solid	269	55.6	9	<b>7.5</b>	55.1	5

### Coaster

BB20, BB21	5/82 - 1/93	<b>DR770</b>	●		Vented	300	49	30	<b>29</b>	106.5	5
------------	-------------	--------------	---	--	--------	-----	----	----	-----------	-------	---



## TOYOTA

### Coaster

HB30, HZB30	5/82 - 1/93	<b>DR770</b>	●		Vented	300	49	30	<b>29</b>	106.5	5
BB40, HZB50	1/93 on	<b>DR771</b>	●		Vented	296	101	35	<b>32</b>	126	5
BB50	7/99 - 8/06	<b>DR771</b>	●		Vented	296	101	35	<b>32</b>	126	5
XZB50	8/04 on	<b>DR771</b>	●		Vented	296	101	35	<b>32</b>	126	5


### Corolla

KE10, KE20 Series	3/68 - 7/74	<b>DR141</b>	●		Solid	200	36	10	<b>9</b>	64	4
KE30, KE50 - Imported Brakes	8/74 - 9/81	<b>DR142</b>	●		Solid	218	30	10	<b>9</b>	64	4
KE & AE Series - Local Brakes	10/81 - 12/84	<b>DR144</b>	●		Solid	218	30	12.7	<b>11.5</b>	64	4
KE70 Panel Van	10/81 - 9/83	<b>DR145</b>	●		Solid	228	32	12.7	<b>11.5</b>	64	4
AE71 Panel Van	9/83 - 12/84	<b>DR700</b>	●		Solid	234	38	12.5	<b>11.5</b>	64	4
AE86 Sprinter	5/83 - 12/85	<b>DR12069</b>	●		Vented	234	38	18	<b>17</b>	64	4
AE86 Sprinter	5/83 - 11/84	<b>DR700</b>	●		Solid	234	38	12.5	<b>11.5</b>	64	4
AE80, 82 SOHC	85 - 12/88	<b>DR701</b>	●		Solid	243	48	13.5	<b>12.5</b>	54	4
AE82 DOHC	86 - 12/88	<b>DR702</b>	●		Vented	243	48	18	<b>17</b>	54	4
AE82 DOHC	86 - 12/88	<b>DR703</b>		●	Solid	242	37	9	<b>8</b>	54	4
AE95 4WD	2/88 - 94	<b>DR704</b>	●		Vented	238	48	18	<b>17</b>	54	4
AE90, 92, 93, 94 DOHC	8/89 - 6/91	<b>DR704</b>	●		Vented	238	48	18	<b>17</b>	54	4
AE90, 92, 94 SOHC	1/89 - 10/94	<b>DR701</b>	●		Solid	243	48	13.5	<b>12.5</b>	54	4
AE92 SX 4AGE	8/89 - 6/91	<b>DR703</b>		●	Solid	242	37	9	<b>8</b>	54	4
AE93 DOHC	6/91 - 10/94	<b>DR708</b>	●		Vented	258	48	22	<b>20</b>	54	4
AE92 GT,GS Ultima 4AGE	6/91 - 10/92	<b>DR703</b>		●	Solid	242	37	9	<b>8</b>	54	4
AE93 4AGE	10/92 - 94	<b>DR703</b>		●	Solid	242	37	9	<b>8</b>	54	4
AE101	2/94 - 7/99	<b>DR711</b>	●		Vented	238	48	22	<b>20</b>	55	4
AE102	7/94 - 7/99	<b>DR709</b>	●		Vented	255	48	22	<b>20</b>	55	4
AE102 Sprinter	2/94 - 5/96	<b>DR709</b>	●		Vented	255	48	22	<b>20</b>	55	4
AE102	7/94 - 7/99	<b>DR710</b>		●	Solid	266	37	9	<b>8</b>	55	4
AE102 Sprinter	2/94 - 5/96	<b>DR710</b>		●	Solid	266	37	9	<b>8</b>	55	4
AE112 Import & Turbo	5/97 - 01	<b>DR709</b>	●		Vented	255	48	22	<b>20</b>	55	4
AE112 Import & Turbo	2/97 - 01	<b>DR710</b>		●	Solid	266	37	9	<b>8</b>	55	4
ZZE122	12/01 on	<b>DR712</b>	●		Vented	255	49.5	25	<b>23</b>	55	4
ZZE122	12/01 on	<b>DR713</b>		●	Solid	269	56	9	<b>8</b>	55	4
ZZE122 Sth African Built	12/01 on	<b>DR12398</b>		●	Solid	257	55.8	9	<b>8</b>	55	4
ZZE123 1.8L Sportivo	5/03 on	<b>DR12389</b>	●		Vented	275	49.1	25	<b>23</b>	55	4
ZZE123 1.8L Sportivo	5/03 on	<b>DR12390</b>		●	Solid	279	55.8	9	<b>8</b>	55	4
ZRE152	3/07 on	<b>DR12493</b>	●		Vented	275	46	21	<b>19</b>	62	5
ZRE152	3/07 on	<b>DR12619</b>		●	Solid	259	30.4	9	<b>7.5</b>	62	5

### Corona

RT40, RT40L	67 - 1/70	<b>DR137</b>	●		Solid	241	56	10	<b>9</b>	74	4
RT80, RT81	2/70 - 9/73	<b>DR139</b>	●		Solid	228	17.9	10	<b>9</b>	64	4
RT104, RT118	8/73 - 9/79	<b>DR138</b>	●		Solid	266	42	12.7	<b>11.5</b>	76	4
XT130, XT131	10/79 - 5/83	<b>DR138</b>	●		Solid	266	42	12.7	<b>11.5</b>	76	4

# Disc Rotors



## TOYOTA

### Corona

RT132, RT133	2/82 - 5/83	<b>DR138</b>	●		Solid	266	42	12.7	<b>11.5</b>	76	4
RT142 2.4L	6/83 - 4/87	<b>DR705</b>	●		Solid	250	25	12.7	<b>11.5</b>	76	4
ST141 2.0L	6/83 - 4/87	<b>DR705</b>	●		Solid	250	25	12.7	<b>11.5</b>	76	4
ST141 2.0L	6/83 - 4/87	<b>DR706</b>		●	Solid	280	79	10.5	<b>9.4</b>	60	4
RT142 With IRS	10/85 - 12/86	<b>DR707</b>		●	Solid	269	60.5	10	<b>9</b>	60	4

### Corona MKII

RT72	1/68 - 12/71	<b>DR143</b>	●		Solid	243	53.5	10	<b>9</b>	74	4
MX 10, 13, 22, 23	1/72 - 11/76	<b>DR138</b>	●		Solid	266	42	12.7	<b>11.5</b>	76	4

### Cressida

MX32, MX36	12/76 - 8/80	<b>DR138</b>	●		Solid	266	42	12.7	<b>11.5</b>	76	4
MX62	9/80 - 7/84	<b>DR720</b>	●		Vented	248	28.5	18	<b>17</b>	76	4
MX73	8/84 - 8/88	<b>DR721</b>	●		Vented	248	40	22	<b>21</b>	76	4
MX73	8/84 - 8/88	<b>DR722</b>		●	Vented	269	61	18	<b>17</b>	60	4
MX83	9/88 - 8/90	<b>DR570</b>	●		Vented	256	68	20	<b>19</b>	60	5
MX83 Imported	8/88 - 92	<b>DR12201</b>	●		Vented	279	68	22	<b>21</b>	60	5
MX83	8/88 - 2/93	<b>DR571</b>		●	Solid	272	66	10	<b>9</b>	60	5
MX83 Imported	8/88 - 92	<b>DR12202</b>		●	Vented	272	70	18	<b>17</b>	70	5
MX83	8/90 - 2/93	<b>DR572</b>	●		Vented	256	68	22	<b>21</b>	60	5

### Crown


MS65 Sedan	2/71 - 9/74	<b>DR724</b>	●		Solid	266	42	12.7	<b>11.3</b>	76	5
MS85	10/74 - 7/78	<b>DR724</b>	●		Solid	266	42	12.7	<b>11.3</b>	76	5
MS83 Wagon	75 - 77	<b>DR724</b>	●		Solid	266	42	12.7	<b>11.3</b>	76	5
MS85, MS112	11/75 - 9/83	<b>DR725</b>	●		Solid	261	60	12.5	<b>11.5</b>	67	5
MS85 Sedan All except Royal	2/78 - 8/79	<b>DR727</b>	●		Vented	252	26	20	<b>19</b>	76	5
MS112 Royal	4/79 - 9/83	<b>DR727</b>	●		Vented	252	26	20	<b>19</b>	76	5
MS123 - Internal Drum 167mm	8/83 - 6/86	<b>DR728</b>	●		Vented	252	40	20	<b>19</b>	76	5
MS123 - Internal Drum 167mm	8/83 - 6/86	<b>DR729</b>		●	Vented	268	64	18	<b>17</b>	67	5
MS123 Royal	8/83 - 6/86	<b>DR731</b>		●	Solid	269	65	12	<b>11</b>	67	5

### Dyna

BU, YU, BU100 Except WU90	9/84 on	<b>DR770</b>	●		Vented	300	49	30	<b>29</b>	106.5	5
LH80R, YH81 - 100	8/85 - 3/88	<b>DR156</b>	●		Vented	257	47	25	<b>24</b>	84	5
YY5#, 6#, LY6# - 150	8/85 - 94	<b>DR772</b>	●		Vented	258	52	25	<b>24</b>	91	6
LY211	5/95 - 10/01	<b>DR772</b>	●		Vented	258	52	25	<b>24</b>	91	6
YY100R	5/95 - 8/01	<b>DR156</b>	●		Vented	257	47	25	<b>24</b>	84	5
XZU302, 307, 342	10/00 - 12/02	<b>CDR1037</b>	●		Vented	296	90	35	<b>33</b>	126	5
XZU305 With 15" Wheels	03 - 04	<b>DR12760</b>	●		Vented	280	90	35	<b>33</b>	126	5

### Echo

NCP10, NCP12	3/99 - 8/05	<b>DR723</b>	●		Vented	235	43	18	<b>16</b>	55	4
NCP13	01 - 03	<b>DR753</b>	●		Vented	255.1	43.1	20	<b>18</b>	55	4



## TOYOTA

### FJ Cruiser

All models	06 on	<b>DR12530</b>	●		Vented	318.7	67.4	28	<b>26</b>	108	6
------------	-------	----------------	---	--	--------	-------	------	----	-----------	-----	---

### Hiace

LH11, 20, 30	12/81 - 7/85	<b>DR155</b>	●		Vented	252	26.5	20	<b>19</b>	79	5
RH11, 20, 22, 32, 42	12/81 - 11/82	<b>DR155</b>	●		Vented	252	26.5	20	<b>19</b>	79	5
YH5, 6, 7 LH5, 6, 7	12/82 - 7/89	<b>DR156</b>	●		Vented	257	47	25	<b>24</b>	84	5
YH56, 66, LH56, 66	8/86 - 8/87	<b>DR12357</b>	●		Vented	287	51	22	<b>21</b>	100	6
LH, RZH103, 113, 125	8/89 - 11/94	<b>DR766</b>	●		Vented	255	47	25	<b>23</b>	84	5
LH184	11/94 on	<b>DR767</b>	●		Vented	285	46	28	<b>26</b>	84	5
LH172 With 15" Wheels	8/95 - 1/05	<b>DR767</b>	●		Vented	285	46	28	<b>26</b>	84	5
RCH12 SBV 6 Stud Holes	8/95 - 10/99	<b>DR768</b>	●		Vented	285	46	28	<b>26</b>	84	6
LH162	7/99 - 8/04	<b>DR766</b>	●		Vented	255	47	25	<b>23</b>	84	5
LH162 With 15" Wheels	7/99 - 8/04	<b>DR767</b>	●		Vented	285	46	28	<b>26</b>	84	5
LH172	7/99 - 1/05	<b>DR766</b>	●		Vented	255	47	25	<b>23</b>	84	5
RCH22 SBV 6 Stud Holes	7/99 - 11/03	<b>DR768</b>	●		Vented	285	46	28	<b>26</b>	84	6
LH175 15" Wheels	8/00 on	<b>DR767</b>	●		Vented	285	46	28	<b>26</b>	84	5
KDH200, KDH223, TRH201, TRH221, TRH2	1/05 on	<b>DR12488</b>	●		Vented	285	48.6	28	<b>26</b>	105	6


### Hilux 2WD

LN30, 40	8/78 - 9/83	<b>DR155</b>	●		Vented	252	26.5	20	<b>19</b>	79	5
RN30, 31, 40 ,41	8/78 - 9/83	<b>DR155</b>	●		Vented	252	26.5	20	<b>19</b>	79	5
RN41 RMSQ SR5	8/78 - 7/83	<b>DR152</b>	●		Solid	266	43	12.7	<b>11.5</b>	79	5
RN50, YN50 Series	8/78 - 3/89	<b>DR156</b>	●		Vented	257	47	25	<b>24</b>	84	5
RN90 Rare Model	8/78 - 7/97	<b>DR783</b>	●		Vented	254	46	22	<b>20</b>	84	5
LN50/51/55/56 2.2 & 2.4L	8/83 - 88	<b>DR156</b>	●		Vented	257	47	25	<b>24</b>	84	5
YN56 1.8L	8/83 - 88	<b>DR156</b>	●		Vented	257	47	25	<b>24</b>	84	5
YN57 SR5	8/85 - 3/87	<b>DR781</b>	●		Vented	248	46	22	<b>21</b>	84	5
RN85	8/88 - 8/97	<b>DR156</b>	●		Vented	257	47	25	<b>24</b>	84	5
YN85/90 1.8L	89 - 97	<b>DR156</b>	●		Vented	257	47	25	<b>24</b>	84	5
LN147/152	8/97 on	<b>DR156</b>	●		Vented	257	47	25	<b>24</b>	84	5
LN85 2.4L Diesel	8/97 on	<b>DR156</b>	●		Vented	257	47	25	<b>24</b>	84	5
RZN147/149/154	8/97 - 2/05	<b>DR156</b>	●		Vented	257	47	25	<b>24</b>	84	5
GGN, KUN & TGN Series	8/04 - 8/10	<b>DR12454</b>	●		Vented	255	58.6	28	<b>26</b>	62	5
GGN, KUN & TGN Series	8/08 on	<b>DR12775</b>	●		Vented	275	58.6	28	<b>26</b>	62	5

### Hilux 4WD

RN36, 46 10.5mm Stud Holes	1/79 - 8/80	<b>DR153</b>	●		Solid	302	49	12.7	<b>11.5</b>	100	6
RN36, RN46, LN36, RN46	8/80 - 9/83	<b>DR154</b>	●		Solid	302	49	12.7	<b>11.5</b>	100	6
LN60/65	8/83 - 3/89	<b>DR154</b>	●		Solid	302	49	12.7	<b>11.5</b>	100	6
YN60/65/67 15mm Stud Holes	8/83 - 3/89	<b>DR154</b>	●		Solid	302	49	12.7	<b>11.5</b>	100	6
LN, YN61	8/85 - 3/89	<b>DR780</b>	●		Vented	289	64.5	20	<b>18</b>	100	6
LN107/111/172	8/88 on	<b>DR780</b>	●		Vented	289	64.5	20	<b>18</b>	100	6
RN105, LN106, YN106	8/88 - 7/97	<b>DR151</b>	●		Vented	302	49	20	<b>19</b>	100	6
RN106, RN110	8/88 on	<b>DR780</b>	●		Vented	289	64.5	20	<b>18</b>	100	6

# Disc Rotors



## TOYOTA

### Hilux 4WD

RN61	88 - 91	<b>DR780</b>	●		Vented	289	64.5	20	<b>18</b>	100	6
LN, RN, YN, VZN130	8/89 - 8/91	<b>DR780</b>	●		Vented	289	64.5	20	<b>18</b>	100	6
LN, RN, VZN, KZN130	8/91 - 11/95	<b>DR775</b>	●		Vented	291	66	25	<b>23</b>	100	6
KZN165	8/97 on	<b>DR780</b>	●		Vented	289	64.5	20	<b>18</b>	100	6
LN167, LN172	8/97 on	<b>DR780</b>	●		Vented	289	64.5	20	<b>18</b>	100	6
RZN169, RZN174	8/97 on	<b>DR780</b>	●		Vented	289	64.5	20	<b>18</b>	100	6
VZN167, 172	8/02 - 2/05	<b>DR780</b>	●		Vented	289	64.5	20	<b>18</b>	100	6
GGN & KUN Series	04 on	<b>DR12425</b>	●		Vented	297	67.4	25	<b>23</b>	108	6


### Kluger

MCU28	8/03 - 07	<b>DR12322</b>	●		Vented	296	49.2	28	<b>26</b>	62	5
MCU28	8/03 - 07	<b>DR12384</b>		●	Solid	288	69.4	10	<b>8.5</b>	62	5
GSU4#	5/07 on	<b>DR12621</b>	●		Vented	328	49	28	<b>25</b>	62	5
GSU4#	5/07 on	<b>DR12622</b>		●	Solid	309	69.5	10	<b>8.5</b>	62	5

### Landcruiser

BJ40, HJ45, FJ40/55 10.5mm Stud Holes	9/79 - 7/80	<b>DR150</b>	●		Vented	302	49	20	<b>19</b>	100	6
BJ42	8/80 - 10/84	<b>DR151</b>	●		Vented	302	49	20	<b>19</b>	100	6
FJ40, FJ60 & FJ70 Series	80 - 5/93	<b>DR151</b>	●		Vented	302	49	20	<b>19</b>	100	6
HJ47, 60, 61, 75	80 - 92	<b>DR151</b>	●		Vented	302	49	20	<b>19</b>	100	6
HZJ70, 73, 75	80 - 99	<b>DR151</b>	●		Vented	302	49	20	<b>19</b>	100	6
PZJ70, 73	80 - 92	<b>DR151</b>	●		Vented	302	49	20	<b>19</b>	100	6
BJ60, 70, 73, 74	11/84 - 1/90	<b>DR151</b>	●		Vented	302	49	20	<b>19</b>	100	6
RJ70, LJ70	11/84 - 8/92	<b>DR154</b>	●		Solid	302	49	12.7	<b>11.5</b>	100	6
FJ80, FZJ80, HDJ80, HZJ80	1/90 - 8/92	<b>DR782</b>	●		Vented	286	58	25	<b>23</b>	106	6
FJ80, HDJ80, HZJ80	90 - 8/92	<b>DR785</b>		●	Vented	312	103	18	<b>16</b>	106	6
HZJ70, 73, 75, FZJ75	90 on	<b>DR787</b>		●	Vented	312	68	18	<b>16</b>	106	6
FZJ75	8/92 on	<b>DR151</b>	●		Vented	302	49	20	<b>19</b>	100	6
FZJ80, HDJ80, HZJ80	8/92 - 1/98	<b>DR784</b>	●		Vented	311	58	32	<b>30</b>	105	6
FZJ80, HDJ80, HZJ80	8/92 - 1/98	<b>DR786</b>		●	Vented	336	103	18	<b>16</b>	106	6
VZJ/KZJ90, LJ/RZJ90	7/96 on	<b>DR792</b>	●		Vented	319	70	22	<b>20</b>	108	6
VZJ/KZJ90, LJ/RZJ90	7/96 on	<b>DR793</b>		●	Vented	312	68	18	<b>16</b>	106	6
FZJ105R, HZJ105R 6Cyl	98 on	<b>DR790</b>	●		Vented	322	65	32	<b>30</b>	115	5
UZJ100R, HDJ100R	98 on	<b>DR788</b>	●		Vented	312	71	32	<b>30</b>	115	5
FZJ105R, HZJ105R 6Cyl	98 on	<b>DR791</b>		●	Vented	335	103	18	<b>16</b>	110	5
UZJ100R, HDJ100R	98 on	<b>DR789</b>		●	Vented	330	103	18	<b>16</b>	110	5
78 & 79 Series	8/99 on	<b>DR790</b>	●		Vented	322	65	32	<b>30</b>	115	5
HZJ78, HDJ78	8/99 on	<b>DR790</b>	●		Vented	322	65	32	<b>30</b>	115	5
78 & 79 Series	8/99 on	<b>DR794</b>		●	Vented	312	102.5	18	<b>16</b>	110	5
HZJ78, HDJ78	8/99 on	<b>DR794</b>		●	Vented	312	102.5	18	<b>16</b>	110	5
90 Series	9/02 on	<b>DR2700</b>	●		Vented	338	68	28	<b>26</b>	108	6
90 Series	9/02 on	<b>DR793</b>		●	Vented	312	68	18	<b>16</b>	106	6
GRJ12#, KDJ120, KZJ120, TRJ12#	6/05 on	<b>DR2700</b>	●		Vented	338	68	28	<b>26</b>	108	6





## TOYOTA

### Landcruiser

GRJ12#, KDJ120, KZJ120, TRJ12#	6/05 on	<b>DR793</b>		●	Vented	312	68	18	<b>16</b>	106	6
UZJ200, VDJ200	8/07 on	<b>DR12561</b>	●		Vented	340	83.2	32	<b>29</b>	112	5
VDJ70 Series	1/07 on	<b>DR790</b>	●		Vented	322	65	32	<b>30</b>	115	5
UZJ200, VDJ200	8/07 on	<b>DR12562</b>		●	Vented	345	76.2	18	<b>16</b>	112	5
VDJ70 Series	1/07 on	<b>DR794</b>		●	Vented	312	102.5	18	<b>16</b>	110	5

### Lexcen

VN - VP I, II, III 3 Non-ABS	6/89 - 5/92	<b>DR015</b>	●		Vented	270	82	22	<b>20</b>	HUB	5
VN I, III, VP I, III Non-IRS	6/89 - 5/93	<b>DR016</b>		●	Solid	279	83	10.5	<b>8.5</b>	70	5
VP With IRS	9/91 - 5/93	<b>DR026</b>		●	Solid	279	67	10.5	<b>8.5</b>	70	5
VP I & III Suitable for ABS - No sensor	7/92 - 5/93	<b>DR027</b>	●		Vented	290	82	23	<b>20</b>	HUB	5
VP I, VP III	5/92 - 7/92	<b>DR025</b>	●		Vented	270	82	23	<b>20</b>	HUB	5
VR, VS	6/93 on	<b>DR035</b>	●		Vented	289	83	23	<b>20</b>	70	5
VR, VS Non-IRS	6/93 on	<b>DR016</b>		●	Solid	279	83	10.5	<b>8.5</b>	70	5
VR, VS with IRS	6/93 on	<b>DR036</b>		●	Solid	279	86	10.7	<b>8.5</b>	70	5

### Liteace

KM20 RV 4 Door Van	10/79 - 10/82	<b>DR755</b>	●		Vented	230	37	18	<b>17</b>	74	4
CM20, KM20, YM21	10/82 - 8/85	<b>DR756</b>	●		Vented	230	44	20	<b>19</b>	74	4
CM30, 35, KM36, YM30, 35	9/85 - 8/88	<b>DR158</b>	●		Vented	255	42	20	<b>19</b>	74	4
YM40	86 - 8/88	<b>DR758</b>	●		Vented	260	45	20	<b>19</b>	95	5

### MR2

AW11	11/87 - 89	<b>DR750</b>	●		Vented	258	47	22	<b>21</b>	54	4
AW11	11/87 - 89	<b>DR751</b>		●	Solid	258	40.5	10	<b>9</b>	54	4
SW20	12/89 - 12/91	<b>DR580</b>	●		Vented	258	47.5	25	<b>24</b>	62	5
SW20	12/89 - 12/91	<b>DR581</b>		●	Vented	263	45	16	<b>15</b>	62	10
SW20	12/91 on	<b>DR582</b>	●		Vented	275	47	30	<b>28</b>	62	5
SW20	12/91 on	<b>DR583</b>		●	Vented	281	46.5	22	<b>21</b>	62	10
Spyder Turbo & Non-Turbo	12/99 on	<b>DR753</b>	●		Vented	255.1	43.1	20	<b>18</b>	55	4
ZZW30R	12/99 - 9/05	<b>DR753</b>	●		Vented	255.1	43.1	20	<b>18</b>	55	4
Spyder Turbo & Non-Turbo	12/99 on	<b>DR754</b>		●	Vented	263	41.5	16	<b>15</b>	55	4
ZZW30R	12/99 - 9/05	<b>DR754</b>		●	Vented	263	41.5	16	<b>15</b>	55	4

### Paseo


EL44 1.5L Coupe	4/91 - 94	<b>DR695</b>	●		Vented	254	43	18	<b>17</b>	55	4
EL44 1.5L Coupe	8/92 - 94	<b>DR696</b>		●	Solid	240	80	9	<b>8</b>	Hub	4
EL54	8/95 on	<b>DR695</b>	●		Vented	254	43	18	<b>17</b>	55	4

### Prado

VZJ/KZJ95, LJ/RZJ95	7/96 on	<b>DR792</b>	●		Vented	319	70	22	<b>20</b>	108	6
VZJ/KZJ95, LJ/RZJ95	7/96 on	<b>DR793</b>		●	Vented	312	68	18	<b>16</b>	106	6
GRJ, KDJ, KZJ, LJ, RZJ, TRJ12# Series	9/02 on	<b>DR2700</b>	●		Vented	338	68	28	<b>26</b>	108	6
GRJ, KDJ, KZJ, LJ, RZJ, TRJ12# Series	9/02 on	<b>DR793</b>		●	Vented	312	68	18	<b>16</b>	106	6
GRJ, KDJ150 Series	8/09 on	<b>DR12740</b>	●		Vented	338	68.4	31.8	<b>29</b>	108	6



# Disc Rotors



## TOYOTA

### Prado

GRJ, KDJ150 Series	8/09 on	<b>DR12741</b>		●	Vented	312.1	68.1	18	<b>16</b>	108	6
--------------------	---------	----------------	--	---	--------	-------	------	----	-----------	-----	---

### Prius

NHW11R 4D Sedan 1.5L	2/01 on	<b>DR712</b>	●		Vented	255	49.5	25	<b>23</b>	55	4
NHW11R 4D Sedan 1.5L	2/01 on	<b>DR713</b>		●	Solid	269	56	9	<b>8</b>	55	4
NHW20	8/03 - 3/09	<b>DR12413</b>	●		Vented	255	49.3	21.9	<b>20</b>	55.1	5
NHW20	8/03 - 3/09	<b>DR563</b>		●	Solid	269	55.6	9	<b>7.5</b>	55.1	5
ZVW30	4/09 on	<b>DR12723</b>	●		Vented	255	49.4	25	<b>22</b>	55	5
ZVW30	4/09 on	<b>DR12724</b>		●	Solid	259	30.3	9	<b>7.5</b>	55	5

### Rav 4

SXA10	4/94 - 5/00	<b>DR690</b>	●		Vented	302	46	18	<b>16</b>	62	5
SXA10	4/94 - 5/00	<b>DR691</b>		●	Solid	303	58	9	<b>8</b>	62	5
ACA20 Cruiser, Edge	5/00 - 05	<b>DR692</b>	●		Vented	275	49	25	<b>23</b>	62	5
ACA20 Cruiser, Edge	5/00 - 05	<b>DR693</b>		●	Solid	303	62	9	<b>8</b>	62	5
ACA33	11/05 on	<b>DR12540</b>	●		Vented	296	49.3	28	<b>25</b>	62	5
GSA33 3.5L	11/05 on	<b>DR12540</b>	●		Vented	296	49.3	28	<b>25</b>	62	5
ACA33	11/05 on	<b>DR12541</b>		●	Solid	281	55	12	<b>10.5</b>	62	5
GSA33 3.5L	11/05 on	<b>DR12541</b>		●	Solid	281	55	12	<b>10.5</b>	62	5

### Seca

AE 82 SOHC	9/85 - 12/88	<b>DR701</b>	●		Solid	243	48	13.5	<b>12.5</b>	54	4
AE 82 DOHC	1/86 - 12/88	<b>DR702</b>	●		Vented	243	48	18	<b>17</b>	54	4
AE 82 DOHC	1/86 - 12/88	<b>DR703</b>		●	Solid	242	37	9	<b>8</b>	54	4
AE 93 SX DOHC	8/89 - 6/91	<b>DR704</b>	●		Vented	238	48	18	<b>17</b>	54	4
AE 93 SX DOHC	8/89 - 10/94	<b>DR703</b>		●	Solid	242	37	9	<b>8</b>	54	4
AE 93 SX DOHC	6/91 - 10/94	<b>DR708</b>	●		Vented	258	48	22	<b>20</b>	54	4
AE 101	2/94 - 7/99	<b>DR711</b>	●		Vented	238	48	22	<b>20</b>	55	4
AE 102	7/94 - 7/99	<b>DR709</b>	●		Vented	255	48	22	<b>20</b>	55	4
AE 102	7/94 - 7/99	<b>DR710</b>		●	Solid	266	37	9	<b>8</b>	55	4

### Soarer


JZA70 3.0L Turbo Non-ABS - Imported	86 - 93	<b>DR12432</b>	●		Vented	302	52.5	22	<b>21</b>	60	5
JZZ30, UZZ32	91 on	<b>DR748</b>	●		Vented	296	51	32	<b>30</b>	62	5
JZZ31, UZZ30, UZZ31	5/91 on	<b>DR568</b>	●		Vented	275	49.5	28	<b>26</b>	62	5
JZZ30, UZZ32	91 on	<b>DR746</b>		●	Vented	307	67	16	<b>15</b>	62	5
UZZ30, UZZ31	5/91 on	<b>DR586</b>		●	Vented	291	67.5	16	<b>15</b>	62	5

### Spacia

YR2#, 39	92 - 7/00	<b>DR778</b>	●		Vented	255	42	25	<b>23</b>	74	4
----------	-----------	--------------	---	--	--------	-----	----	----	-----------	----	---

### Starlet

EP71	84 - 99	<b>DR12300</b>	●		Vented	226	41.6	16	<b>15</b>	54	4
EP82 With ABS	1/92 - 1/96	<b>DR714</b>	●		Vented	238	43	18	<b>17</b>	55	4
EP91	1/96 on	<b>DR714</b>	●		Vented	238	43	18	<b>17</b>	55	4



## TOYOTA

### Supra

MA61	8/81 - 12/85	<b>DR146</b>	●		Vented	258	26	20	<b>19</b>	76	4
MA61	8/81 - 12/85	<b>DR717</b>		●	Vented	266	60.5	18	<b>17</b>	60	4
MA70 3.0L Turbo Non-ABS - Imported	86 - 93	<b>DR12432</b>	●		Vented	302	52.5	22	<b>21</b>	60	5
MA70, 71	86 - 5/93	<b>DR715</b>	●		Vented	300	53.5	22	<b>21</b>	60	5
MA70, 71	86 - 5/93	<b>DR716</b>		●	Vented	291	68.5	18	<b>17</b>	60	5
JZA70	8/90 - 5/93	<b>DR12432</b>	●		Vented	302	52.5	22	<b>21</b>	60	5
JZA70	8/90 - 5/93	<b>DR716</b>		●	Vented	291	68.5	18	<b>17</b>	60	5
JZA80 Single Piston	5/93 on	<b>DR748</b>	●		Vented	296	51	32	<b>30</b>	62	5
JZA80 Twin Turbo L/H	93 - 98	<b>DR12276</b>	●		Vented	323	49	30	<b>28</b>	62.1	5
JZA80 Twin Turbo R/H	93 - 98	<b>DR12277</b>	●		Vented	323	49	30	<b>28</b>	62.1	5
JZA80 Single Piston	5/93 on	<b>DR746</b>		●	Vented	307	67	16	<b>15</b>	62	5
JZA80 Double Piston	95 on	<b>DR719</b>		●	Vented	324	67.5	16	<b>15</b>	62	5

### T18

TE72 SE	8/79 - 5/83	<b>DR148</b>	●		Solid	230	24	12.7	<b>11.5</b>	64	4
---------	-------------	--------------	---	--	-------	-----	----	------	-------------	----	---

### Tarago

CR21 DLX	11/82 - 8/85	<b>DR157</b>	●		Vented	255	44.5	20	<b>19</b>	74	4
YR20, 21, GL, DLX	11/82 - 8/85	<b>DR157</b>	●		Vented	255	44.5	20	<b>19</b>	74	4
YR21, 22	8/85 - 1/90	<b>DR158</b>	●		Vented	255	42	20	<b>19</b>	74	4
YR31 4WD	86 - 1/90	<b>DR159</b>	●		Vented	260	45	25	<b>24</b>	95	5
TCR1 & 2 Non-ABS Rear Discs	5/90 - 2/00	<b>DR761</b>	●		Vented	279	53	22	<b>20</b>	62	5
TCR1 & 2 With ABS	5/90 - 2/00	<b>DR762</b>	●		Vented	271	53	25	<b>23</b>	62	5
TCR1 & 2 With Rear Drums	5/90 - 2/00	<b>DR760</b>	●		Vented	255	53	25	<b>23</b>	62	5
TCR1 & 2 Non-ABS Rear Discs	5/90 - 2/00	<b>DR716</b>		●	Vented	291	68.5	18	<b>17</b>	60	5
ACR30 GLi, GLX Ultima	2/00 - 4/03	<b>DR735</b>	●		Vented	275	49.5	28	<b>26</b>	62	5
ACR30	2/00 - 1/06	<b>DR697</b>		●	Solid	291	68.5	12	<b>10.5</b>	62	5
ACR30	4/03 - 1/06	<b>DR12322</b>	●		Vented	296	49.2	28	<b>26</b>	62	5
ACR50, GSR50	1/06 on	<b>DR12607</b>	●		Vented	296	49.3	28	<b>25</b>	62	5
ACR50, GSR50	1/06 on	<b>DR12608</b>		●	Solid	298	63.2	10	<b>8.5</b>	62	5

### Tercel

AL25 4WD	10/82 - 4/88	<b>DR147</b>	●		Solid	243	40	11.1	<b>10</b>	54	4
----------	--------------	--------------	---	--	-------	-----	----	------	-----------	----	---


### Townace

YR2#, 39	92 - 7/00	<b>DR778</b>	●		Vented	255	42	25	<b>23</b>	74	4
KR42	12/98 - 10/03	<b>DR778</b>	●		Vented	255	42	25	<b>23</b>	74	4

### Yaris

NCP90 & 91	8/05 on	<b>DR12494</b>	●		Vented	255	46.3	22	<b>19</b>	55	4
NCP93	1/06 on	<b>DR12494</b>	●		Vented	255	46.3	22	<b>19</b>	55	4

# Disc Rotors



## TRIUMPH

### 2.5 Pi

2.5 Pi	70 - 75	<b>DR171</b>	●		Solid	247.6	32	12.7	<b>11.5</b>	67	4
--------	---------	--------------	---	--	-------	-------	----	------	-------------	----	---

### 1500TC

1500TC	73 - 76	<b>DR173</b>	●		Solid	221	37.5	9.5	<b>9</b>	67	4
--------	---------	--------------	---	--	-------	-----	------	-----	----------	----	---

### 2000

Mk I	64 - 70	<b>DR170</b>	●		Solid	247.6	32	8.7	<b>7.75</b>	67	4
------	---------	--------------	---	--	-------	-------	----	-----	-------------	----	---

Mk II	69 - 75	<b>DR171</b>	●		Solid	247.6	32	12.7	<b>11.5</b>	67	4
-------	---------	--------------	---	--	-------	-------	----	------	-------------	----	---

### 2500

Mk II	69 - 75	<b>DR171</b>	●		Solid	247.6	32	12.7	<b>11.5</b>	67	4
-------	---------	--------------	---	--	-------	-------	----	------	-------------	----	---

2500TC	73 - 78	<b>DR171</b>	●		Solid	247.6	32	12.7	<b>11.5</b>	67	4
--------	---------	--------------	---	--	-------	-------	----	------	-------------	----	---

### Dolomite

Dolomite	75 - 78	<b>DR173</b>	●		Solid	221	37.5	9.5	<b>9</b>	67	4
----------	---------	--------------	---	--	-------	-----	------	-----	----------	----	---

### Herald

Herald	62 - 80	<b>DR12097</b>	●		Solid	232	26.2	9.6	<b>8.3</b>	66.7	4
--------	---------	----------------	---	--	-------	-----	------	-----	------------	------	---

### Spitfire

Spitfire	62 - 80	<b>DR12097</b>	●		Solid	232	26.2	9.6	<b>8.3</b>	66.7	4
----------	---------	----------------	---	--	-------	-----	------	-----	------------	------	---

### Sprint

Sprint	75 - 78	<b>DR173</b>	●		Solid	221	37.5	9.5	<b>9</b>	67	4
--------	---------	--------------	---	--	-------	-----	------	-----	----------	----	---

### TR3A

TR3A	63 - 64	<b>DR174</b>	●		Solid	275.4	38	12.7	<b>11.4</b>	79	4
------	---------	--------------	---	--	-------	-------	----	------	-------------	----	---

### TR4

TR4	62 - 67	<b>DR174</b>	●		Solid	275.4	38	12.7	<b>11.4</b>	79	4
-----	---------	--------------	---	--	-------	-------	----	------	-------------	----	---

### TR4A

TR4A	62 - 67	<b>DR174</b>	●		Solid	275.4	38	12.7	<b>11.4</b>	79	4
------	---------	--------------	---	--	-------	-------	----	------	-------------	----	---

### TR5

TR5	10/67 - 69	<b>DR174</b>	●		Solid	275.4	38	12.7	<b>11.4</b>	79	4
-----	------------	--------------	---	--	-------	-------	----	------	-------------	----	---

### TR6

TR6	69 - 75	<b>DR174</b>	●		Solid	275.4	38	12.7	<b>11.4</b>	79	4
-----	---------	--------------	---	--	-------	-------	----	------	-------------	----	---

### TR7

TR7	78 - 82	<b>DR172</b>	●		Solid	240	57	10	<b>9</b>	67	4
-----	---------	--------------	---	--	-------	-----	----	----	----------	----	---


## VOLKSWAGEN

### 1300

1300	65 - 75	<b>DR243</b>	●		Solid	278	63	9.5	<b>8</b>	Hub	4
------	---------	--------------	---	--	-------	-----	----	-----	----------	-----	---

### 1500

1500	65 - 75	<b>DR243</b>	●		Solid	278	63	9.5	<b>8</b>	Hub	4
------	---------	--------------	---	--	-------	-----	----	-----	----------	-----	---



## VOLKSWAGEN

### 1600

1600	65 - 75	<b>DR243</b>	●		Solid	278	63	9.5	<b>8</b>	Hub	4
------	---------	--------------	---	--	-------	-----	----	-----	----------	-----	---

### 1600L

1600L	70 - 77	<b>DR243</b>	●		Solid	278	63	9.5	<b>8</b>	Hub	4
-------	---------	--------------	---	--	-------	-----	----	-----	----------	-----	---

### Beetle

1300, 1500, 1600	67 - 75	<b>DR243</b>	●		Solid	278	63	9.5	<b>8</b>	Hub	4
1600L, 1600S, 1600LS	70 - 73	<b>DR243</b>	●		Solid	278	63	9.5	<b>8</b>	Hub	4
1LJ & RSI	00 on	<b>DR838</b>	●		Vented	312	34.2	25	<b>23</b>	65	5
1LR, 1ZM to 1C-W-999 000	00 on	<b>DR801</b>	●		Vented	280	36.7	22	<b>19</b>	65	5
1ZH, 1ZE, 1ZD	00 on	<b>DR802</b>	●		Vented	288	34.2	25	<b>23</b>	65	5
1ZM, 1ZP	00 on	<b>DR802</b>	●		Vented	288	34.2	25	<b>23</b>	65	5
1ZM, 1ZP From 1C-X-400 001	00 on	<b>DR801</b>	●		Vented	280	36.7	22	<b>19</b>	65	5
1LJ & RSI	00 on	<b>DR800</b>		●	Vented	255.8	36.7	22	<b>19</b>	65	5
1ZH, 1ZE, 1ZD	00 on	<b>DR803</b>		●	Solid	231.7	39.5	9	<b>7</b>	65	5
1ZM, 1ZP	00 on	<b>DR803</b>		●	Solid	231.7	39.5	9	<b>7</b>	65	5

### Bora

1KT up to 1J-YP061677	98 on	<b>DR806</b>	●		Vented	280	46.2	22	<b>20</b>	68	5
1LN, 1LE, 1ZH, 1ZE, 1ZD 4WD	98 on	<b>DR833</b>	●		Vented	288	28	25	<b>23</b>	65	5
2.3i V5	98 on	<b>DR802</b>	●		Vented	288	34.2	25	<b>23</b>	65	5
FR. Wheel DR. 14" Rims 1LQ	98 on	<b>DR800</b>	●		Vented	255.8	36.7	22	<b>19</b>	65	5
FR. Wheel DR. 15" Rims 1LS, 1ZM	98 on	<b>DR806</b>	●		Vented	280	46.2	22	<b>20</b>	68	5
1KT Up to 1J-YW236680	98 on	<b>DR803</b>		●	Solid	231.7	39.5	9	<b>7</b>	65	5
1KU, 2EE 4WD 16" Rims	99 on	<b>DR838</b>	●		Vented	312	34.2	25	<b>23</b>	65	5
1ZQ, 1LJ V6 4Motion	99 on	<b>DR838</b>	●		Vented	312	34.2	25	<b>23</b>	65	5
V6 4WD	99 on	<b>DR838</b>	●		Vented	312	34.2	25	<b>23</b>	65	5
1KU, 2EE 4WD 16" Rims	99 on	<b>DR800</b>		●	Vented	255.8	36.7	22	<b>19</b>	65	5
1ZQ, 1LJ V6 4Motion	99 on	<b>DR800</b>		●	Vented	255.8	36.7	22	<b>19</b>	65	5
V6 4WD	99 on	<b>DR800</b>		●	Vented	255.8	36.7	22	<b>19</b>	65	5
1J 2.0L	00 on	<b>DR801</b>	●		Vented	280	36.7	22	<b>19</b>	65	5


### Caddy

1.6L & 1.9L PR 1LJ	04 on	<b>DR12481</b>	●		Vented	312	49.5	25	<b>22</b>	65	5
1.6L & 1.9L PR 1ZE	04 on	<b>DR12498</b>	●		Vented	288	49.6	25	<b>22</b>	65	5
1.6L & 1.9L PR 1ZF	04 on	<b>DR12382</b>	●		Vented	280	49.5	22	<b>19</b>	65	5
1.6L & 1.9L	04 on	<b>DR12499</b>		●	Solid	260	48.3	12	<b>10</b>	65	5

### Caravelle

T2, USA Vanagon 2WD	8/85 - 92	<b>DR443</b>	●		Solid	258	54	16	<b>13</b>	Hub	5
1LA 14"Rims To 70-T-99 999	9/90 - 96	<b>DR447</b>	●		Solid	260	64.2	16	<b>13</b>	68.1	5
T4 1.8L, T4 2.0L/ Diesel 1.9	9/90 - 96	<b>DR447</b>	●		Solid	260	64.2	16	<b>13</b>	68.1	5
T4 2.0L / 1.9L Diesel	9/90 - 6/96	<b>DR449</b>	●		Vented	280	64.5	24	<b>20</b>	68	5
15" Rims To 70-T-199 999	92 - 96	<b>DR449</b>	●		Vented	280	64.5	24	<b>20</b>	68	5
15" Rims To 70-T-199 999	92 - 96	<b>DR448</b>	●		Solid	282	64.7	18	<b>15</b>	68.2	5

# Disc Rotors



## VOLKSWAGEN

### Caravelle

Syncro 4WD, Euro Van 2.4L	11/92 - 6/96	<b>DR449</b>	●		Vented	280	64.5	24	<b>20</b>	68	5
Syncro 4WD, Euro Van 2.4L	9/92 - 96	<b>DR448</b>	●		Solid	282	64.7	18	<b>15</b>	68.2	5
T4 2.0L / 1.9L Diesel	9/92 - 96	<b>DR448</b>	●		Solid	282	64.7	18	<b>15</b>	68.2	5
15" Rims From 70-t-200001	96 - 03	<b>DR830</b>	●		Solid	282	55	18	<b>15</b>	68	5
T4 2.5L TDi 15" Rims	6/96 on	<b>DR12077</b>	●		Vented	280	55.2	24	<b>20</b>	68.2	5
T4 Caravelle/Multivan	6/96 on	<b>DR830</b>	●		Solid	282	55	18	<b>15</b>	68	5
T4 2.5L TDi 15" Rims	6/96 on	<b>DR831</b>		●	Solid	280	40	12	<b>10</b>	68	5
T4 Caravelle/Multivan	6/96 on	<b>DR831</b>		●	Solid	280	40	12	<b>10</b>	68	5

### Crafter


30-35 Van & Cab Chassis	4/06 on	<b>DR12523</b>	●		Vented	300	69	28	<b>25</b>	85	6
30-35 Van & Cab Chassis	4/06 on	<b>DR12524</b>		●	Solid	298	71	16	<b>14</b>	85	6
30-35 Van & Cab Chassis	4/06 on	<b>DR12651</b>		●	Vented	303	93	28	<b>25</b>	120	6

### Eos

2.0L TFSI With PR 1LJ, 1ZD	3/06 on	<b>DR12481</b>	●		Vented	312	49.5	25	<b>22</b>	65	5
2.0L TFSI With PR 1LK	3/06 on	<b>DR12678</b>	●		Vented	345	49.7	30	<b>27</b>	65	5
2.0L TFSI With PR 1ZE	3/06 on	<b>DR12498</b>	●		Vented	288	49.6	25	<b>22</b>	65	5
2.0L TFSI With PR 1KD	3/06 on	<b>DR12399</b>		●	Solid	255	51.3	10	<b>8</b>	65	5
2.0L TFSI With PR 1KZ, 1KJ	3/06 on	<b>DR12564</b>		●	Solid	286	48.2	12	<b>10</b>	65	5
2.0L TFSI With PR 2EA	3/06 on	<b>DR12679</b>		●	Vented	310	48.5	22	<b>20</b>	65	5

### Golf

1.5, 1.6L Petrol Mk1	75 - 82	<b>DR240</b>	●		Solid	239	35	11.9	<b>10</b>	65	4
Diesel	75 - 82	<b>DR242</b>	●		Solid	239	39	10	<b>8</b>	65	4
Cabriolet & Gti Mk2	90 - 94	<b>DR444</b>	●		Vented	239	38.5	20	<b>18</b>	65	4
All models Rear	91 - 97	<b>DR832</b>		●	Solid	226	71.2	10	<b>8</b>	Hub	4
VR6 Mk3	91 - 97	<b>DR834</b>		●	Solid	226	49	10	<b>8</b>	Hub	5
GL	94 on	<b>DR446</b>	●		Vented	256	38.8	20	<b>18</b>	65	4
VR6 Mk3	94 - 97	<b>DR835</b>	●		Vented	280	28.2	22	<b>20</b>	65	5
VR6 Mk3	94 - 97	<b>DR833</b>	●		Vented	288	28	25	<b>23</b>	65	5
Golf III 1.6, 1.8, 1.9L	95 on	<b>DR12306</b>	●		Solid	256	39.2	13	<b>11</b>	65	4
1LN, 1LE, 1ZH, 1ZE, 1ZD, 1ZQ, 1LJ, 1LQ, 1	98 on	<b>DR838</b>	●		Vented	312	34.2	25	<b>23</b>	65	5
1LN, 1LE, 1ZH, 1ZE, 1ZD, 1ZQ, 1LJ, 1LQ, 1	98 on	<b>DR833</b>	●		Vented	288	28	25	<b>23</b>	65	5
1LN, 1LE, 1ZH, 1ZE, 1ZD, 1ZQ, 1LJ, 1LQ, 1	98 on	<b>DR806</b>	●		Vented	280	46.2	22	<b>20</b>	68	5
1LN, 1LE, 1ZH, 1ZE, 1ZD, 1ZQ, 1LJ, 1LQ, 1	98 on	<b>DR800</b>	●		Vented	255.8	36.7	22	<b>19</b>	65	5
1LS, 1ZM Mk4 15" Rims	98 on	<b>DR833</b>	●		Vented	288	28	25	<b>23</b>	65	5
1LS, 1ZM Mk4 15" Rims	98 on	<b>DR838</b>	●		Vented	312	34.2	25	<b>23</b>	65	5
1LS, 1ZM Mk4 15" Rims	98 on	<b>DR800</b>	●		Vented	255.8	36.7	22	<b>19</b>	65	5
1LN, 1LE, 1ZH, 1ZE, 1ZD, 1ZQ, 1LJ, 1LQ, 1	98 on	<b>DR803</b>		●	Solid	231.7	39.5	9	<b>7</b>	65	5
1LS, 1ZM Mk4 15" Rims	98 on	<b>DR803</b>		●	Solid	231.7	39.5	9	<b>7</b>	65	5
IV 1.4i, 1.6i, 2.0i & 1.9 Diesel	99 on	<b>DR801</b>	●		Vented	280	36.7	22	<b>19</b>	65	5
1K1 1.6, 1.9L	10/03 - 5/05	<b>DR12382</b>	●		Vented	280	49.5	22	<b>19</b>	65	5
Golf V With PR 1KJ, 1KZ, 1KV	5/03 on	<b>DR12564</b>		●	Solid	286	48.2	12	<b>10</b>	65	5



## VOLKSWAGEN

### Golf

Golf V 1.4 & 2.0L 16V	04 on	<b>DR12481</b>	●		Vented	312	49.5	25	<b>22</b>	65	5
Golf V 1.4, 1.6, 1.9 & 2.0L	04 on	<b>DR12498</b>	●		Vented	288	49.6	25	<b>22</b>	65	5
R32	04 on	<b>DR12678</b>	●		Vented	345	49.7	30	<b>27</b>	65	5
Golf V 1.6, 1.9, 2.0, 3.2L	04 on	<b>DR12399</b>		●	Solid	255	51.3	10	<b>8</b>	65	5
R32	04 on	<b>DR12679</b>		●	Vented	310	48.5	22	<b>20</b>	65	5

### Jetta

1.9 & 2.0L Diesel	10/05 on	<b>DR12498</b>	●		Vented	288	49.6	25	<b>22</b>	65	5
Jetta III 2.0L 16V	05 on	<b>DR12481</b>	●		Vented	312	49.5	25	<b>22</b>	65	5
Jetta III With PR 1KE, 1KF	05 on	<b>DR12499</b>		●	Solid	260	48.3	12	<b>10</b>	65	5
Jetta III With PR 1KJ	05 on	<b>DR12564</b>		●	Solid	286	48.2	12	<b>10</b>	65	5

### Kombi

Kombi	70 - 7/72	<b>DR245</b>	●		Solid	278	82.5	13	<b>11.5</b>	66	5
Kombi	8/72 - 7/79	<b>DR246</b>	●		Solid	278	86	13	<b>11.5</b>	66	5
Kombi	8/79 - 9/85	<b>DR442</b>	●		Solid	278	82.5	13	<b>11.5</b>	Hub	5

### LT Series


LT46	96 on	<b>DR12305</b>	●		Vented	276	77	22	<b>19</b>	85	5
LT46	96 on	<b>DR12326</b>		●	Vented	285	93	22	<b>19</b>	120	6
LT35 2.5L TD	97 - 06	<b>DR566</b>	●		Vented	276	77	22	<b>19.5</b>	85	5
LT35 2.5L TD	97 - 06	<b>DR567</b>		●	Solid	272	96.5	16	<b>14</b>	85	5

### Passat

1.3L Coupe	73 - 75	<b>DR242</b>	●		Solid	239	39	10	<b>8</b>	65	4
1.5, 1.5L Diesel	73 - 82	<b>DR240</b>	●		Solid	239	35	11.9	<b>10</b>	65	4
1.5L Diesel GLD	79 - 82	<b>DR242</b>	●		Solid	239	39	10	<b>8</b>	65	4
4WD 4Cyl Only	94 - 97	<b>DR446</b>	●		Vented	256	38.8	20	<b>18</b>	65	4
VR6 AAA Engine 2WD	94 - 97	<b>DR833</b>	●		Vented	288	28	25	<b>23</b>	65	5
4WD 4Cyl Only	94 - 97	<b>DR832</b>		●	Solid	226	71.2	10	<b>8</b>	Hub	4
VR6 AAA Engine 2WD	94 - 97	<b>DR834</b>		●	Solid	226	49	10	<b>8</b>	Hub	5
1LB , 1ZC	96 - 01	<b>DR836</b>	●		Vented	282	46	25	<b>23</b>	68	5
1LB , 1ZC	96 - 01	<b>DR833</b>	●		Vented	288	28	25	<b>23</b>	65	5
ADR 1.8L 4WD Prod. Codes 1LZ, 1ZJ	96 - 01	<b>DR806</b>	●		Vented	280	46.2	22	<b>20</b>	68	5
1LB, 1ZC, 1LZ, 1ZJ,	96 - 01	<b>DR810</b>		●	Solid	245	63.9	10	<b>8</b>	68	5
4Motion 1ZC, 1LE 16" Wheels	00 on	<b>DR12331</b>	●		Vented	312	46.2	25	<b>23</b>	68	10
IV 1.6, 1.8 Turbo, 2.0, 2.3 & 1.9 Diesel	00 on	<b>DR807</b>	●		Vented	288	46.2	25	<b>23</b>	68	5
4Motion 1ZC, 1LE 16" Wheels	00 on	<b>DR12336</b>		●	Solid	255	39.8	11.9	<b>10</b>	68	5
1LT 16" Rims	01 on	<b>DR838</b>	●		Vented	312	34.2	25	<b>23</b>	65	5
1ZC, 1LE, 1ZC 15" Wheels	01 on	<b>DR833</b>	●		Vented	288	28	25	<b>23</b>	65	5
4Motion 1LC 17" Rims	01 on	<b>DR800</b>		●	Vented	255.8	36.7	22	<b>19</b>	65	5
All GP ATE Models Rear	01 on	<b>DR810</b>		●	Solid	245	63.9	10	<b>8</b>	68	5
V 1LH, 1ZM, 1ZG	4/05 on	<b>DR12481</b>	●		Vented	312	49.5	25	<b>22</b>	65	5
V 1LK, 1LM	11/05 on	<b>DR12678</b>	●		Vented	345	49.7	30	<b>27</b>	65	5
V 1KU	4/05 on	<b>DR12564</b>		●	Solid	286	48.2	12	<b>10</b>	65	5



# Disc Rotors



## VOLKSWAGEN

### Passat

V 2EA, 2EL	11/05 on	<b>DR12679</b>		●	Vented	310	48.5	22	<b>20</b>	65	5
------------	----------	----------------	--	---	--------	-----	------	----	-----------	----	---

### Polo

Polo	95 on	<b>DR837</b>	●		Vented	239	34	18	<b>16</b>	65	4
Polo III 1.4, 1.6L	00 on	<b>DR837</b>	●		Vented	239	34	18	<b>16</b>	65	4
Polo III All Models	00 on	<b>DR12363</b>		●	Solid	232	39.5	9	<b>7</b>	65	4
1.4 & 1.9L	10/01 - 6/05	<b>DR800</b>	●		Vented	255.8	36.7	22	<b>19</b>	65	5

### Synchro

4WD 15" Wheels	85 - 92	<b>DR12078</b>	●		Solid	258	57.5	16	<b>13</b>	67	5
4WD 16" Wheels	85 - 92	<b>DR12079</b>	●		Solid	277	57.5	16	<b>13</b>	67	5
4WD	11/92 - 6/96	<b>DR449</b>	●		Vented	280	64.5	24	<b>20</b>	68	5
4WD 15" Wheels	11/92 - 6/96	<b>DR448</b>	●		Solid	282	64.7	18	<b>15</b>	68.2	5

### Tiguan


2.0L PR 1LJ, 1ZD	9/07 on	<b>DR12481</b>	●		Vented	312	49.5	25	<b>22</b>	65	5
2.0L PR 1KU	9/07 on	<b>DR12564</b>		●	Solid	286	48.2	12	<b>10</b>	65	5

### Touareg

4WD L/H With 17" Wheels	10/02 on	<b>DR12354</b>	●		Vented	330	69	32	<b>30</b>	85	5
4WD R/H With 17" Wheels	10/02 on	<b>DR12355</b>	●		Vented	330	69	32	<b>30</b>	85	5
V10 4WD L/H With 18" Wheels	10/02 on	<b>DR12318</b>	●		Vented	350	69	34	<b>32</b>	85	5
V10 4WD R/H With 18" Wheels	10/02 on	<b>DR12319</b>	●		Vented	350	69	34	<b>32</b>	85	5
With 16" Wheels	10/02 on	<b>DR12388</b>	●		Vented	307.5	55.5	29.5	<b>25.5</b>	76	5
4WD All	10/02 on	<b>DR12356</b>		●	Vented	330	74.8	28	<b>26</b>	85	5
With 16" Wheels	10/02 on	<b>DR12744</b>		●	Vented	314	75.5	22	<b>20</b>	76	5
2.5L Tdi R5 With 16" Wheels	9/03 on	<b>DR12388</b>	●		Vented	307.5	55.5	29.5	<b>25.5</b>	76	5
5.0L Tdi V10 - Check size - Two Rotors	05 on	<b>DR12604</b>		●	Vented	358	73.5	28	<b>26</b>	85	5

### Transporter

T2, USA Vanagon 2WD	8/85 - 92	<b>DR443</b>	●		Solid	258	54	16	<b>13</b>	Hub	5
T4 With 14" Rims To 70-T-99 999	9/90 - 5/96	<b>DR447</b>	●		Solid	260	64.2	16	<b>13</b>	68.1	5
T4 With 15" Rims - Solid Front Disc	9/90 - 5/96	<b>DR448</b>	●		Solid	282	64.7	18	<b>15</b>	68.2	5
T4 With 15" Rims - Vented Front Disc	9/90 - 5/96	<b>DR449</b>	●		Vented	280	64.5	24	<b>20</b>	68	5
T4 With 15" Wheels - Solid Front Disc	5/96 - 4/03	<b>DR830</b>	●		Solid	282	55	18	<b>15</b>	68	5
T4 With 15" Wheels - Vented Front Disc	5/96 - 4/03	<b>DR12077</b>	●		Vented	280	55.2	24	<b>20</b>	68.2	5
T4 With 15" Wheels	5/96 - 4/03	<b>DR831</b>		●	Solid	280	40	12	<b>10</b>	68	5
T5 With 16" Rims	5/03 on	<b>DR12388</b>	●		Vented	307.5	55.5	29.5	<b>25.5</b>	76	5
T5 With 16" Rims	5/03 on	<b>DR12402</b>		●	Vented	294	44.5	22	<b>19.5</b>	76.2	5



## VOLVO

### 142

With ATE Brakes	68 - 75	<b>DR384</b>	●		Solid	272	69	12.7	<b>11.4</b>	68	5
With ATE Brakes	68 - 75	<b>DR680</b>		●	Solid	295	88.3	9.6	<b>8.6</b>	68	5

### 144

With ATE Brakes	68 - 75	<b>DR384</b>	●		Solid	272	69	12.7	<b>11.4</b>	68	5
With ATE Brakes	68 - 75	<b>DR680</b>		●	Solid	295	88.3	9.6	<b>8.6</b>	68	5

### 145

With ATE Brakes	68 - 75	<b>DR384</b>	●		Solid	272	69	12.7	<b>11.4</b>	68	5
With ATE Brakes	68 - 75	<b>DR680</b>		●	Solid	295	88.3	9.6	<b>8.6</b>	68	5

### 164

With ATE Brakes	68 - 75	<b>DR384</b>	●		Solid	272	69	12.7	<b>11.4</b>	68	5
With Girling Brakes	68 - 75	<b>DR681</b>	●		Solid	272	70.5	14.3	<b>13.1</b>	68	5
With ATE Brakes	68 - 75	<b>DR680</b>		●	Solid	295	88.3	9.6	<b>8.6</b>	68	5
With Girling Brakes	68 - 75	<b>DR680</b>		●	Solid	295	88.3	9.6	<b>8.6</b>	68	5

### 164E

164E	72 - 75	<b>DR12210</b>	●		Vented	272	74	24	<b>22.8</b>	68	5
------	---------	----------------	---	--	--------	-----	----	----	-------------	----	---

### 240 Series

240 Series	74 - 93	<b>DR380</b>	●		Solid	263	65	14.5	<b>13.1</b>	68	5
With Girling Calipers	74 - 93	<b>DR381</b>		●	Solid	281	73.5	9.6	<b>8.4</b>	68	5
With ATE Calipers	75 - 93	<b>DR382</b>	●		Vented	263	64.3	24	<b>22.8</b>	68	5
With Girling Calipers	76 - 93	<b>DR383</b>	●		Vented	263	67.5	22	<b>20.4</b>	68	5

### 260 Series

260 Series	74 - 93	<b>DR380</b>	●		Solid	263	65	14.5	<b>13.1</b>	68	5
With Girling Calipers	74 - 93	<b>DR381</b>		●	Solid	281	73.5	9.6	<b>8.4</b>	68	5
With ATE Calipers	75 - 93	<b>DR382</b>	●		Vented	263	64.3	24	<b>22.8</b>	68	5
With Girling Calipers	76 - 93	<b>DR383</b>	●		Vented	263	67.5	22	<b>20.4</b>	68	5

### 360 Series

GLE, GLT Hatch	84 - 91	<b>DR687</b>	●		Solid	239	29	12.7	<b>11.4</b>	68	4
----------------	---------	--------------	---	--	-------	-----	----	------	-------------	----	---

### 440 Series

440 Series	11/88 - 96	<b>DR12081</b>	●		Vented	256	40	22	<b>20</b>	61	6
440 Series	11/88 - 96	<b>DR12080</b>	●		Solid	260	40	12	<b>10.8</b>	61	6
440 Series	11/88 - 96	<b>DR12082</b>		●	Solid	228	39.2	9	<b>8</b>	60	4


### 480 Series

480 Series	11/88 - 96	<b>DR12080</b>	●		Solid	260	40	12	<b>10.8</b>	61	6
480 Series	11/88 - 96	<b>DR12081</b>	●		Vented	256	40	22	<b>20</b>	61	6
480 Series	11/88 - 96	<b>DR12082</b>		●	Solid	228	39.2	9	<b>8</b>	60	4

### 740 Series

GLE 15" Wheels Turbo	80 - 1/92	<b>DR686</b>	●		Vented	287	56	22	<b>20</b>	68	5
GLE Non-ABS	84 - 88	<b>DR684</b>	●		Vented	262.5	56	22	<b>20</b>	Hub	5
GLE Non-ABS	84 - 88	<b>DR683</b>	●		Vented	286.7	72	22	<b>20</b>	Hub	5

# Disc Rotors



## VOLVO

### 740 Series

All Rears - Not Multilink	84 - 1/92	<b>DR381</b>		●	Solid	281	73.5	9.6	<b>8.4</b>	68	5
GLE 14" Wheels	88 - 92	<b>DR685</b>	●		Vented	262.5	56	22	<b>20</b>	68	5
GLE With ABS	91 on	<b>DR688</b>	●		Vented	280	56	26	<b>24</b>	68	5

### 760 Series

GLE V6 With Bendix Brakes	2/83 - 1/84	<b>DR683</b>	●		Vented	286.7	72	22	<b>20</b>	Hub	5
Without Multilink	83 - 87	<b>DR381</b>		●	Solid	281	73.5	9.6	<b>8.4</b>	68	5
GLE V6, 4Cyl Turbo With Bendix Brakes	84 - 88	<b>DR683</b>	●		Vented	286.7	72	22	<b>20</b>	Hub	5
GLE V6	88 - 90	<b>DR686</b>	●		Vented	287	56	22	<b>20</b>	68	5
With Multilink	88 on	<b>DR689</b>		●	Solid	265	26	10	<b>8</b>	68	5
GLE With ABS	91 on	<b>DR688</b>	●		Vented	280	56	26	<b>24</b>	68	5

### 850 Series

GLE, GLT 4 Stud Wheel	1993	<b>DR880</b>	●		Vented	280	50.5	26	<b>23</b>	68	4
GLE, GLT 4 Stud Wheel	1993	<b>DR881</b>		●	Solid	295	72	9.6	<b>8.4</b>	68	4
GLE, GLT 5 Stud Wheel	94 on	<b>DR882</b>	●		Vented	279.8	50.7	26	<b>23</b>	68	5
GLE, GLT 5 Stud Wheel	94 on	<b>DR883</b>		●	Solid	295	72.5	10	<b>8.4</b>	68	5

### 940 Series

GL, GLE With ABS Non-Multilink	90 on	<b>DR688</b>	●		Vented	280	56	26	<b>24</b>	68	5
GL, GLE With ABS Non-Multilink	90 on	<b>DR381</b>		●	Solid	281	73.5	9.6	<b>8.4</b>	68	5

### 960 Series

960 With Multilink Sedan	91 - 94	<b>DR689</b>		●	Solid	265	26	10	<b>8</b>	68	5
960	94 - 96	<b>DR688</b>	●		Vented	280	56	26	<b>24</b>	68	5
960	94 - 96	<b>DR381</b>		●	Solid	281	73.5	9.6	<b>8.4</b>	68	5

### C30

Non-Turbo	10/06 on	<b>DR12391</b>	●		Vented	278	48.5	25	<b>23</b>	63.5	5
T5 2.5L Turbo	10/06 on	<b>DR12500</b>	●		Vented	300	48.5	25	<b>23</b>	63.5	5
Turbo & Non-Turbo	10/06 on	<b>DR12501</b>		●	Solid	280	41	11	<b>9</b>	64	5

### C70


2.0i, 2.0, 2.3i, 2.4i VT5	97 on	<b>DR882</b>	●		Vented	279.8	50.7	26	<b>23</b>	68	5
2.0i, 2.0, 2.3i, 2.4i VT5	97 on	<b>DR883</b>		●	Solid	295	72.5	10	<b>8.4</b>	68	5

### P1800

P1800	68 - 75	<b>DR384</b>	●		Solid	272	69	12.7	<b>11.4</b>	68	5
P1800	68 - 75	<b>DR680</b>		●	Solid	295	88.3	9.6	<b>8.6</b>	68	5

### S40

1.9L	96 - 97	<b>DR885</b>	●		Vented	256	45.5	24	<b>22.4</b>	69	4
1.9L	96 - 6/04	<b>DR887</b>		●	Solid	260	41	10	<b>8.4</b>	90	4
1.9L	98 - 6/04	<b>DR886</b>	●		Vented	281	45.5	24	<b>21.5</b>	69	4
1.6, 1.8 & 2.0L With 15" Wheels	1/04 on	<b>DR12391</b>	●		Vented	278	48.5	25	<b>23</b>	63.5	5
With 16" Wheels	4/04 on	<b>DR12500</b>	●		Vented	300	48.5	25	<b>23</b>	63.5	5



## VOLVO

### S60

2.5L T5	01 on	<b>DR12112</b>	●		Vented	305	50.3	28	<b>25</b>	68	5
Excluding T5	01 - 04	<b>DR12352</b>	●		Vented	286	50.2	26	<b>23</b>	68	5
2.4 & 2.5L	01 on	<b>DR12115</b>		●	Solid	288	65	12	<b>10</b>	68	5

### S70

15" Wheels	97 on	<b>DR882</b>	●		Vented	279.8	50.7	26	<b>23</b>	68	5
2WD	97 on	<b>DR883</b>		●	Solid	295	72.5	10	<b>8.4</b>	68	5
All Wheel Drive	97 on	<b>DR884</b>		●	Solid	283	62	10	<b>8</b>	68	5
AWD	00 on	<b>DR12112</b>	●		Vented	305	50.3	28	<b>25</b>	68	5
AWD	00 on	<b>DR884</b>		●	Solid	283	62	10	<b>8</b>	68	5

### S80

S80	98 on	<b>DR12112</b>	●		Vented	305	50.3	28	<b>25</b>	68	5
S80	98 on	<b>DR12115</b>		●	Solid	288	65	12	<b>10</b>	68	5

### S90

2.9i 24V	96 - 98	<b>DR882</b>	●		Vented	279.8	50.7	26	<b>23</b>	68	5
2.9i 24V	96 - 98	<b>DR12211</b>		●	Solid	265	71	10	<b>8.4</b>	68	5

### V40

2.0L Commercial Van	96 - 97	<b>DR885</b>	●		Vented	256	45.5	24	<b>22.4</b>	69	4
2.0L Commercial Van	96 - 97	<b>DR887</b>		●	Solid	260	41	10	<b>8.4</b>	90	4
1.8, 1.9L	98 - 6/04	<b>DR886</b>	●		Vented	281	45.5	24	<b>21.5</b>	69	4
1.8, 1.9L	98 - 6/04	<b>DR887</b>		●	Solid	260	41	10	<b>8.4</b>	90	4
1.6, 1.8 & 2.0L With 15" Wheels	1/04 on	<b>DR12391</b>	●		Vented	278	48.5	25	<b>23</b>	63.5	5

### V50

1.6, 1.8 & 2.0L With 15" Wheels	4/04 on	<b>DR12391</b>	●		Vented	278	48.5	25	<b>23</b>	63.5	5
2.4L & T5 AWD With 16" Wheels	4/04 on	<b>DR12500</b>	●		Vented	300	48.5	25	<b>23</b>	63.5	5
2.4L & T5 AWD With 16" Wheels	4/04 on	<b>DR12610</b>	●		Vented	320	48.5	25	<b>23</b>	63.6	5
2.4L & T5 AWD With 16" Wheels	4/04 on	<b>DR12501</b>		●	Solid	280	41	11	<b>9</b>	64	5

### V70

With 15" Wheels	97 on	<b>DR882</b>	●		Vented	279.8	50.7	26	<b>23</b>	68	5
With 16" Wheels	97 on	<b>DR12112</b>	●		Vented	305	50.3	28	<b>25</b>	68	5
With 15" Wheels	97 on	<b>DR883</b>		●	Solid	295	72.5	10	<b>8.4</b>	68	5
With 16" Wheels	97 on	<b>DR12115</b>		●	Solid	288	65	12	<b>10</b>	68	5
AWD	00 on	<b>DR12112</b>	●		Vented	305	50.3	28	<b>25</b>	68	5
AWD	00 on	<b>DR884</b>		●	Solid	283	62	10	<b>8</b>	68	5
Excluding T5	01 - 04	<b>DR12352</b>	●		Vented	286	50.2	26	<b>23</b>	68	5


### V70XC

2.4L 20V Turbo with 16" wheels	3/00 - 02	<b>DR12112</b>	●		Vented	305	50.3	28	<b>25</b>	68	5
--------------------------------	-----------	----------------	---	--	--------	-----	------	----	-----------	----	---

### V90

2.9i 24V	96 - 98	<b>DR882</b>	●		Vented	279.8	50.7	26	<b>23</b>	68	5
2.9i 24V	96 - 98	<b>DR12211</b>		●	Solid	265	71	10	<b>8.4</b>	68	5

# Disc Rotors



## VOLVO

### XC70

2.4L AWD	3/00 - 02	<b>DR12112</b>	●		Vented	305	50.3	28	<b>25</b>	68	5
2.4L AWD	3/00 - 02	<b>DR12115</b>		●	Solid	288	65	12	<b>10</b>	68	5

### XC90

2.4 D5 With 17" wheels	03 on	<b>DR12483</b>	●		Vented	336	51.3	30	<b>27</b>	68	5
2.5i 20V Turbo With 17" wheels	03 - 06	<b>DR12483</b>	●		Vented	336	51.3	30	<b>27</b>	68	5
2.5L Turbo	7/03 - 05	<b>DR12410</b>	●		Vented	315.7	50.3	28	<b>25</b>	68	5
2.9i 24V T6 With 17" wheels	03 - 06	<b>DR12483</b>	●		Vented	336	51.3	30	<b>27</b>	68	5
2.5L Turbo	7/03 on	<b>DR12480</b>		●	Vented	308	64.8	20	<b>18</b>	68	5
4.4i V8	05 on	<b>DR12483</b>	●		Vented	336	51.3	30	<b>27</b>	68	5
3.2L	5/06 on	<b>DR12483</b>	●		Vented	336	51.3	30	<b>27</b>	68	5
3.2L	5/06 on	<b>DR12480</b>		●	Vented	308	64.8	20	<b>18</b>	68	5